General Index

to Volumes 161-170 (1987-1992)

Compiled by I. Thomas

Author Index 798
Subject Index 819

Indexed in *Current Contents*

J Comp Physiol A (1992) 170:798–818

Journal of Comparative Physiology A Sensory, Neural, and Behavioral Physiology
© Springer-Verlag 1992

Author Index to Volumes 161–170 (1987–1992)

A

Abramov I, see Mackintosh RM, et al
Ache BW, see Arbas EA, et al
Adamo SA, see Wittenberg G, et al
Adams ME, Herold EE, Venema VJ (1989) Two classes of channel-specific toxins from funnel web spider venom 164:333
Addison CM, see Riley JR, et al
Aicher B, Tautz J (1990) Vibrational communication in the fiddler crab, *Uca pugilator*. I. Signal transmission through the substratum 166:345
Akers RP, O'Connell RJ (1988) The contribution of olfactory receptor neurons to the perception of pheromone component ratios in male redbanded leafroller moths 163:641
Akoev G, Andrianov GN, Szabo T, Bromm B (1991) Neuropharmacological analysis of synaptic transmission in the Lorenzinian ampulla of the skate *Raja clavata* 168:639
Akoev GN, Andrianov GN, Bromm B, Szabo T (1991) Effects of excitatory amino acid antagonists on synaptic transmission in the ampullae of Lorenzini of the skate *Raja clavata* 168:647
Alekseev NP, see Karyakin MG
Ali MA, see Heinermann PH
Allan S, see Gerhardt HC, et al
Almaas TJ, Christensen TA, Mustaparta H (1991) Chemical communication in heliothine moths. I. Antennal receptor neurons encode several features of intra- and interspecific odorants in the male corn earworm moth *Helicoverpa zea* 169:249
Alonso N, see Coro F
Altes RA, see Simmons JA, et al
Ameismeier F, Loftus R (1988) Response characteristics of cold cell on the antenna of *Locusta migratoria* L. 163:507
Ammermüller J, see Straka H
Anderbrant O, see Hansson BS, et al
Anderson ME, see Coles RB, et al
Anderson ME, see Speakman JR, et al
Andison ME, Sivak JG, Bird DM (1992) The refractive development of the eye of the American kestrel (*Falco sparverius*): a new avian model 170:565
Andrianov GN, see Akoev G, et al
Andrianov GN, see Akoev GN, et al
Angstadt JD, Stretton AOW (1989) Slow active potentials in ventral inhibitory motor neurons of the nematode *Ascaris* 166:165
Arbas EA, Calabrese RL (1990) Leydig neuron activity modulates heartbeat in the medicinal leech 167:665
Arbas EA, Humphreys CJ, Ache BW (1988) Morphology and physiological properties of interneurons in the olfactory midbrain of the crayfish 164:231
Arbas EA, see Kanzaki R, et al
Arbas EA, see Willis MA
Archer SN, see Partridge JC, et al
Archer SN, see Shand J, et al
Arikawa K, Kawamata K, Suzuki T, Eguchi E (1987) Daily changes of structure, function and rhodopsin content in the compound eye of the crab *Hemigrapsus sanguineus* 161:161
Arima T, see Kondoh Y, et al
Arkett SA (1987) Ciliary arrest controlled by identified central neurons in a urochordate (Ascidiacea) 161:837
Armstrong SM, see Kennedy GA, et al
Arnold MG, see Hawryshyn CW, et al
Arzt AH, see Silver WL, et al
Aschoff J, Goetz C von (1988) Masking of circadian activity rhythms in hamsters by darkness 162:559
Ascoli-Christensen A, see White PR, et al
Atema J, see Borroni PF
Atema J, see Johnson BR, et al
Atema J, see Voigt R
Atkins G, Chiba A, Atkins S, Stout JF (1988) Low-pass filtering of sound signals by a high-frequency brain neuron and its input in the cricket *Acheta domestica* L. 164:269
Atkins G, Henley J, Handysides R, Stout J (1992) Evaluation of the behavioral roles of ascending auditory interneurons in calling song phonotaxis by the female cricket (*Acheta domesticus*) 170:363
Atkins G, Pollack GS (1987) Response properties of prothoracic, interganglionic, sound-activated interneurons in the cricket *Teleogryllus oceanicus* 161:681
Atkins G, see Atkins S, et al
Atkins G, see Henley J, et al
Atkins G, see Kohne R, et al
Atkins G, see Stout J, et al
Atkins S, Atkins G, Rhodes M, Stout JF (1989) Influence of syllable period on song encoding properties of an ascending auditory interneuron in the cricket *Acheta domestica* 165:825
Atkins S, see Atkins G, et al
Atkins S, see Kohne R, et al
Atwood HL, see Pahapill PA, et al
Au WWL, Pawloski DA (1989) A comparison of signal detection between an echolocating dolphin and an optimal receiver 164:451
Au WWL, Pawloski DA (1992) Cylinder wall thickness difference discrimination by an echolocating Atlantic bottlenose dolphin 170:41
Autrum H (1992) An editor's plea 170:1

B

Baader A (1991) Auditory interneurons in locusts produce directional head and abdomen movements 169:87
Babinszki CPF, see Burr AHJ
Babinszki CPF, see Burr AHJ, et al
Backhaus W, see Menzel R, et al
Bacon JP, see Blagburn JM, et al
Bacon JP, see Thompson KSJ
Bacon JP, see Thompson KSJ, et al
Bacon JP, see Tyrer NM, et al
Bagnoli P, see Bingman VP, et al
Bahde S, see Borst A
Bailey WJ, Römer H (1991) Sexual differences in auditory sensitivity: mismatch of hearing threshold and call frequency in a tettigoniid (Orthoptera, Tettigoniidae: Zaprochilinae) 169:349

Bailey W, see Römer H, et al
Baines RA, Tyrer NM (1989) The innervation of locust salivary glands. II. Physiology of excitation and modulation 165:407
Baines RA, Tyrer NM, Mason JC (1989) The innervation of locust salivary glands. I. Innervation and analysis of transmitters 165:395
Baker TC, see Vickers NJ, et al
Bal T, Nagy F, Moulins M (1988) The pyloric central pattern generator in Crustacea: a set of conditional neuronal oscillators 163:715
Balaban P, Chase R (1990) Stimulation of mesocerebrum in *Helix aspersa* inhibits the neural network underlying avoidance behavior 166:421
Balda RP, see Wiltschko W
Ball EE, see Boyan GS
Ball EE, see Boyan GS, et al
Ballintijn CM, see Roberts BL
Bando T (1991) Visual perception of texture in aggressive behavior of *Betta splendens* 169:51
Barclay RMR, see Faure PA, et al
Barlow Jr RB, see Kass L, et al
Barrett RK, Page TL (1989) Effects of light on circadian pacemaker development. I. The freerunning period 165:41
Barrett RK, see Page TL
Barrio LC, Clarac F, Buño W (1991) TTX sensitive plateau potentials in the crayfish slowly adapting stretch receptor neuron 168:313
Barry MA, Hall DH, Bennett MVL (1988) The elasmobranch spiracular organ. I. Morphological studies 163:85
Barry MA, White RL, Bennett MVL (1988) The elasmobranch spiracular organ. II. Physiological studies 163:93
Bartels M, Münz H, Claas B (1990) Representation of lateral line and electrosensory systems in the midbrain of the axolotl, *Ambystoma mexicanum* 167:347
Barth FG, Komarek S, Humphrey JAC, Treidler B (1991) Drop and swing dispersal behavior of a tropical wandering spider: experiments and numerical model 169:313
Barth FG, see Schüch W
Bartke A, see Darrow JM, et al
Bartness TJ, see Elliott JA, et al
Bastian J (1987) Electrolocation in the presence of jamming signals: behavior 161:811
Bastian J (1987) Electrolocation in the presence of jamming signals: electroreceptor physiology 161:825
Bastian J, Courtright J (1991) Morphological correlates of pyramidal cell adaptation rate in the electrosensory lateral line lobe of weakly electric fish 168:393
Bauer M, Helversen O von (1987) Separate localization of sound recognizing and sound producing neural mechanisms in a grasshopper 161:95
Baumann O, Walz B (1989) Calcium- and inositol polyphosphate-sensitivity of the calcium-sequestering endoplasmic reticulum in the photoreceptor cells of the honeybee drone 165:627
Bausenwein B, see Mayer M, et al
Beier W, see Chittka L, et al
Belanger JH, Orchard I (1988) Release of octopamine by Leydig cells in the central nervous system of the leech *Macrobdella decora*, and its possible neurohormonal role 162:405
Beldhuis HJA, Dittami JP, Gwinner E (1988) Melatonin and the circadian rhythms of feeding and perch-hopping in the European starling, *Sturnus vulgaris* 164:7
Beldhuis HJA, see Gwinner E, et al
Bell WJ, see Conlon D
Beneke TW, see Schwippert WW, et al
Bennett MVL, see Barry MA, et al
Bennett RR, White RH (1989) Influence of carotenoid deficiency on visual sensitivity, visual pigment and P-face particles of photoreceptor membrane in the moth *Manduca sexta* 164:321
Bentz I, see Canguilhem B, et al
Bermejo R, Remy M, Zeigler HP (1992) Jaw movement kinematics and jaw muscle (EMG) activity during drinking in the pigeon (*Columba livia*) 170:303
Bestmann H-J, see Kaissling K-E, et al
Bestmann HJ, see Meng LZ, et al
Bhatt D, see Chandola-Saklani A, et al
Bigalke-Kunz B, Rübsamen R, Dörrscheidt GJ (1987) Tonotopic organization and functional characterization of the auditory thalamus in a songbird, the European starling 161:255
Bilotta J, see Mackintosh RM, et al
Bingman VP, Ioalé P, Casini G, Bagnoli P (1988) Hippocampal ablated homing pigeons show a persistent impairment in the time taken to return home 163:559
Bird DM, see Andison ME, et al
Bischof H-J (1988) The visual field and visually guided behavior in the zebra finch (*Taeniopygia guttata*) 163:329
Bittner GD, Segundo JP (1989) Effects of stimulus timing on transmitter release and postsynaptic membrane potential at crayfish neuromuscular junctions 165:371
Blagburn JM (1989) Synaptic specificity in the first instar cockroach: patterns of monosynaptic input from filiform hair afferents to giant interneurons 166:133
Blagburn JM, Blanco RE, Thompson KSJ, Bacon JP (1991) Positional information determines the anatomy and synaptic specificity of cockroach filiform hair afferents using independent mechanisms 169:607
Blagburn JM, Sattelle DB (1987) Nicotinic acetylcholine receptors on a cholinergic nerve terminal in the cockroach, *Periplaneta americana* 161:215
Blakeslee B, Jacobs GH, Neitz J (1988) Spectral mechanisms in the tree squirrel retina 162:773
Blanco RE, see Blagburn JM, et al
Blank JL, Freeman DA (1991) Differential reproductive response to short photoperiod in deer mice: role of melatonin 169:501
Blankenship JE, see Shope SB, et al
Blaustein DN, see Derby CD
Bleckmann H, Breithaupt T, Blickhan R, Tautz J (1991) The time course and frequency content of hydrodynamic events caused by moving fish, frogs, and crustaceans 168:749
Bleckmann H, Budelmann BU, Bullock TH (1991) Peripheral and central nervous responses evoked by small water movements in a cephalopod 168:247
Bleckmann H, Bullock TH, Jørgensen JM (1987) The lateral line mechanoreceptive mesencephalic, diencephalic, and telencephalic regions in the thornback ray, *Platyrhinoids triseriata* (Elasmobranchii) 161:67
Bleckmann H, Weiss O, Bullock TH (1989) Physiology of lateral line mechanoreceptive regions in the elasmobranch brain 164:459
Bleckmann H, see Budelmann BU
Blest AD, McIntyre P, Carter M (1988) A re-examination of the principal retinae of *Phidippus johnsoni* and *Plexippus validus* (Araneae: Salticidae): Implications for optical modelling 162:47
Blest AD, Stowe S, Carter M, Tsukitani Y (1992) Manipulation of phototransductive membrane turnover by crab photoreceptors in vitro: effects of two protein kinase activators, SC-9 and phorbol ester in the presence of a protein phosphatase inhibitor, okadaic acid 170:189
Blickhan R, see Bleckmann H, et al
Bloch S, see Martinoya C, et al
Block GD, see Colwell ChS, et al
Block GD, see Khalsa SBS
Block GD, see McMahon DG
Block GD, see Ralph MR
Bodnar DA, Miller JP, Jacobs GA (1991) Anatomy and physiology of identified wind-sensitive local interneurons in the cricket cercal sensory system 168:553
Bodznick D, see New JG
Boeckh J, Ernst K-D (1987) Contribution of single unit analysis in insects to an understanding of olfactory function 161:549
Boettcher FA, see Salvi RJ, et al
Böhm H, Heinzel H-G, Scharstein H, Wendler G (1991) The course control system of beetles walking in an air-current flied 169:671
Böhm H, see Heinzel H-G
Bolger AE, see Hawryshyn CW
Bona-Gallo A, see Darrow JM, et al
Bone RA, see Stark WS, et al
Boothby KM, Roberts A (1992) The stopping response of *Xenopus laevis* embryos: behaviour, development and physiology 170:171
Borbély AA, see Tobler I
Borroni PF, Atema J (1988) Adaptation in chemoreceptor cells. I. Self-adapting backgrounds determine threshold and cause parallel shift of response function 164:67
Borroni PF, Atema J (1989) Adaptation in chemoreceptor cells. II. The effects of cross-adapting backgrounds depend on spectral tuning 165:669
Borroni PF, O'Connel RJ (1992) Temporal analysis of adaptation in moth (*Trichoply-*

sia ni) pheromone receptor neurons 170:691
Borst A, Bahde S (1988) Visual information processing in the fly's landing system 163:167
Botta L, see Valli P, et al
Bowering E, see Hawryshyn CW, et al
Bowmaker JK, Dartnall HJA, Herring PJ (1988) Longwave-sensitive visual pigments in some deepsea fishes: segregation of 'paired' rhodopsins and prophyropsins 163:685
Bowmaker JK, see Jane SD
Bowmaker JK, see Whitmore AV
Boyan GS, Ball EE (1989) The wind-sensitive cercal receptor/giant interneurone system of the locust, *Locusta migratoria*. II. Physiology of giant interneurones 165:511
Boyan GS, Ball EE (1989) The wind-sensitive cercal receptor/giant interneurone system of the locust, *Locusta migratoria*. III. Cercal activation of thoracic motor pathways 165:523
Boyan GS, Fullard JH (1988) Information processing at a central synapse suggests a noise filter in the auditory pathway of the noctuid moth 164:251
Boyan GS, Miller LA (1991) Parallel processing of afferent input by identified interneurones in the auditory pathway of the noctuid moth *Noctua pronuba* (L.) 168:727
Boyan GS, Williams JLD, Ball EE (1989) The wind-sensitive cercal receptor/giant interneurone system of the locust, *Locusta migratoria*. I. Anatomy of the system 165:495
Boyan GS, Williams JLD, Ball EE (1989) The wind-sensitive cercal receptor/giant interneurone system of the locust, *Locusta migratoria*. IV. The non-giant interneurones 165:539
Brady J (1987) Circadian rhythms – endogenous or exogenous? 161:711
Brandes C, Menzel R (1990) Common mechanisms in proboscis extension conditioning and visual learning revealed by genetic selection in honeybees (*Apis mellifera capensis*) 166:545
Bräucker R, see Machemer H, et al
Bräunig P (1988) Identification of a single prothoracic 'dorsal unpaired median' (DUM) neuron supplying locust mouthpart nerves 163:835
Breer H, see Tareilus E, et al
Breithaupt T, see Bleckmann H, et al
Brix J, see Manley GA, et al
Brodfuehrer PD, Hoy RR (1990) Ultrasound sensitive neurons in the cricket brain 166:651
Brodfuehrer PD, see May ML, et al
Bromage N, see Duston J
Bromm B, see Akoev G, et al
Bromm B, see Akoev GN, et al
Brownell PH, see Gaffin DD, et al
Brownell PH, see Wiens BL
Brownless D, see Land MF, et al
Brunelli M, see Catarsi S, et al
Brunner D, Maldonado H (1988) Habituation in the crab *Chasmagnathus granulatus*: effect of morphine and naloxone 162:687
Buchfellner E, Leppelsack H-J, Klump GM, Häusler U (1989) Gap detection in the starling (*Sturnus vulgaris*). II. Coding of gaps by forebrain neurons 164:539
Budelmann BU, Bleckmann H (1988) A lateral line analogue in cephalopods: water waves generate microphonic potentials in the epidermal head lines of *Sepia* and *Lolliguncula* 164:1
Budelmann BU, see Bleckmann H, et al
Budelmann BU, see Bullock TH
Bufler J, Zufall F, Franke Ch, Hatt H (1992) Patch-clamp recordings of spiking and nonspiking interneurons from rabbit olfactory bulb slices: GABA- and other transmitter receptors 170:153
Bufler J, Zufall F, Franke Ch, Hatt H (1992) Patch-clamp recordings of spiking and nonspiking interneurons from rabbit olfactory bulb slices: Membrane properties and ionic currents 170:145
Buiatti M, see Scapini F, et al
Bullock TH, Budelmann BU (1991) Sensory evoked potentials in unanesthetized unrestrained cuttlefish: a new preparation for brain physiology in cephalopods 168:141
Bullock TH, see Bleckmann H, et al
Bult R, see Schuling FH, et al
Buño W, see Barrio LC, et al
Burbach B, see Hamdorf K, et al
Burkhardt D (1989) UV vision: a bird's eye view of feathers 164:787
Burkhardt D, Motte I de la (1988) Big 'antlers' are favoured: female choice in stalkeyed flies (Diptera, Insecta), field collected harems and laboratory experiments 162:649
Burr AHJ, Babinszki CPF (1990) Scanning motion, ocellar morphology and orientation mechanisms in the phototaxis of the nematode *Mermis nigrescens* 167:257
Burr AHJ, Babinszki CPF, Ward AJ (1990) Components of phototaxis of the nematode *Mermis nigrescens* 167:245
Burrows M (1988) Responses of spiking local interneurones in the locust to proprioceptive signals from the femoral chordotonal organ 164:207
Burrows M (1989) Effects of temperature on a central synapse between identified motor neurons in the locust 165:687
Burrows M, Pflüger HJ (1988) Positive feedback loops from proprioceptors involved in leg movements of the locust 163:425
Burrows M, see Laurent GJ
Bush BMH, see Head SI
Bustamante J, Krasne FB (1991) Effects of octopamine on transmission at the first synapse of the crayfish lateral giant escape reaction pathway 169:369
Buxbaum J, see Dudai Y, et al

C

Caird D, Scheich H, Klinke R (1991) Functional organization of auditory cortical fields in the Mongolian gerbil (*Meriones unguiculatus*): Binaural 2-deoxyglucose patterns 168:13
Calabrese RL, see Arbas EA
Calabrese RL, see Norris BJ
Calabrese RL, see Wenning A
Calford MB (1988) Constraints on the coding of sound frequency imposed by the avian interaural canal 162:491
Calford MB, Piddington RW (1988) Avian interaural canal enhances interaural delay 162:503
Call SJ, see Rose GJ
Callec JJ, see Hamon A, et al
Camhi JM, Levy A (1988) Organization of a complex movement: fixed and variable components of the cockroach escape behavior 163:317
Camhi JM, Levy A (1989) The code for stimulus direction in a cell assembly in the cockroach 165:83
Camhi JM, see Goldstein RS
Camhi JM, see Libersat F, et al
Camhi JM, see Volman SF
Canfield JG, see Rose GJ
Canguilhem B, Vaultier J-P, Pévet P, Coumaros G, Masson-Pévet M, Bentz I (1988) Photoperiodic regulation of body mass, food intake, hibernation, and reproduction in intact and castrated male European hamsters, *Cricetus cricetus* 163:549
Cannone AJ, Nijland MJM (1989) Crustacean elastic strand receptors that function without impulses. II. The levator receptor in the shore crab, *Carcinus maenas* 165:799
Capranica RR, see Mudry KM
Capranica RR, see Penna M, et al
Capranica RR, see Wilczynski W, et al
Caprio J, see Wegert S
Caputi A, Macadar O, Trujillo-Cenóz O (1989) Waveform generation of the electric organ discharge in *Gymnotus carapo*. III. Analysis of the fish body as an electric source 165:361
Cardé RT, see Willis MA
Cardi P, Nagy F, Cazalets J-R, Moulins M (1990) Multimodal distribution and discontinuous variation in period of interacting oscillators in the crustacean stomatogastric nervous system 167:23
Carlin NF, see Hölldobler B
Carter M, see Blest AD, et al
Case JF, see Hiller-Adams P, et al
Casella C, see Valli P, et al
Casini G, see Bingman VP, et al
Cassone VM, Forsyth AM, Woodlee GL (1990) Hypothalamic regulation of circadian noradrenergic input to the chick pineal gland 167:187
Catarsi S, Garcia-Gil M, Traina G, Brunelli M (1990) Seasonal variation of serotonin content and nonassociative learning of swim induction in the leech *Hirudo medicinalis* 167:469
Cattaert D, Clarac F, Neil DM (1988) Anatomical and physiological organization of the swimmeret system of the spiny lobster *Jasus lalandii* as adaptive components of the tail flick 162:187
Cattaert D, see El Manira A, et al
Cavanagh P, see Frost BJ, et al

Caveney S, see Warrant EJ, et al
Cazalets J-R, see Cardi P, et al
Chabot CC, Menaker M (1992) Effects of physiological cycles of infused melatonin on circadian rhythmicity in pigeons 170:615
Chandola-Saklani A, Bhatt D, Lakhera P (1988) Effect of pinealectomy on free-running reproductive cycle of tropical spotted munia 164:117
Chandrashekaran MK, see Viswanathan N
Chang S-H, see Condon CJ, et al
Chapman RF, see White PR, et al
Chase R, see Balaban P
Cheng K (1988) Some psychophysics of the pigeon's use of landmarks 162:815
Cheng K (1990) More psychophysics of the pigeon's use of landmarks 166:857
Cheng K, Collett TS, Pickhard A, Wehner R (1987) The use of visual landmarks by honeybees: Bees weight landmarks according to their distance from the goal 161:469
Chiba A, see Atkins G, et al
Chiba C, Tazaki K (1992) Glutamatergic motoneurons in the stomatogastric ganglion of the mantis shrimp *Squilla oratoria* 170:773
Chiba C, see Tazaki K
Chiba Y, see Tomioka K, et al
Chittka L (1992) The colour hexagon: a chromaticity diagram based on photoreceptor excitations as a generalized representation of colour opponency 170:533
Chittka L, Beier W, Hertel H, Steinmann E, Menzel R (1992) Opponent colour coding is a universal strategy to evaluate the photoreceptor inputs in Hymenoptera 170:545
Christensen TA, Mustaparta H, Hildebrand JG (1991) Chemical communication in heliothine moths. II. Central processing of intra- and interspecific olfactory messages in the male corn earworm moth *Helicoverpa zea* 169:259
Christensen TA, see Almaas TJ, et al
Christensen TA, see Vickers NJ, et al
Christensen TA, see Waldrop B, et al
Christensen-Dalsgaard J, Jørgensen MB (1988) The response characteristics of vibration-sensitive saccular fibers in the grassfrog, *Rana temporaria* 162:633
Christensen-Dalsgaard J, Jørgensen MB (1989) Response characteristics of vibration-sensitive neurons in the midbrain of the grassfrog, *Rana temporaria* 164:495
Christensen-Dalsgaard J, see Jørgensen MB
Christensen-Dalsgaard J, see Jørgensen MB, et al
Christianson JS, see Stark WS, et al
Chung J, Spencer AN (1991) Dopamine acts through a D_2-like receptor on a jellyfish motor neuron 169:599
Church PJ, Cohen KP, Scott ML, Kirk MD (1991) Peptidergic motoneurons in the buccal ganglia of *Aplysia californica*: Immunocytochemical, morphological, and physiological characterizations 168:323
Claas B, see Bartels M, et al
Claas B, see Münz H
Clarac F, see Barrio LC, et al
Clarac F, see Cattaert D, et al
Clarac F, see El Manira A, et al
Coburn P, see Walikonis R, et al
Cohen KP, see Church PJ, et al
Cole RL, see Hawryshyn CW, et al
Coleman GJ, see Francis AJP
Coleman GJ, see Kennedy GA, et al
Coles JA, Schneider-Picard G (1989) Amplification of small signals by voltage-gated sodium channels in drone photoreceptors 165:109
Coles RB, Guppy A (1988) Directional hearing in the barn owl (*Tyto alba*) 163:117
Coles RB, Guppy A, Anderson ME, Schlegel P (1989) Frequency sensitivity and directional hearing in the gleaning bat, *Plecotus auritus* (Linnaeus 1758) 165:269
Coles RB, see Guppy A
Collett TS (1988) How ladybirds approach nearby stalks: a study of visual selectivity and attention 163:355
Collett TS, Dillmann E, Giger A, Wehner R (1992) Visual landmarks and route following in desert ants 170:435
Collett TS, Kelber A (1988) The retrieval of visuo-spatial memories by honeybees 163:145
Collett TS, Paterson CJ (1991) Relative motion parallax and target localisation in the locust, *Schistocerca grègaria* 169:615
Collett TS, Udin SB (1988) Frogs use retinal elevation as a cue to distance 163:677
Collett TS, see Cheng K, et al
Colwell ChS, Khalsa SBS, Block GD (1992) FMRFamide modulates the action of phase shifting agents on the ocular circadian pacemakers of *Aplysia* and *Bulla* 170:211
Colwell CS (1990) Light and serotonin interact in affecting the circadian system of *Aplysia* 167:841
Colwell CS, Page TL (1990) A circadian rhythm in neural activity can be recorded from thc central nervous system of the cockroach 166:643
Condon CJ, Chang S-H, Feng AS (1991) Processing of behaviorally relevant temporal parameters of acoustic stimuli by single neurons in the superior olivary nucleus of the leopard frog 168:709
Conlon D, Bell WJ (1991) The use of visual information by house flies, *Musca domestica* (Diptera: Muscidae), foraging in resource patches 168:365
Consi TR, Passani MB, Macagno ER (1990) Eye movements in *Daphnia magna*. Regions of the eye are specialized for different behaviors 166:411
Constantine-Paton M, see Debski EA
Coombe PE, Srinivasan MV, Guy RG (1989) Are the large monopolar cells of the insect lamina on the optomotor pathway? 166:23
Coombs S, Janssen J (1990) Behavioral and neurophysiological assessment of lateral line sensitivity in the mottled sculpin, *Cottus bairdi* 167:557
Copp NH, Watson D (1988) Visual control of turning responses to tactile stimuli in the crayfish *Procambarus clarkii* 163:175
Corbière-Tichané G, see Loftus R
Corfas G, Dudai Y (1990) Pharmacological evidence for the involvement of the cAMP cascade in sensory fatigue in *Drosophila* 167:437
Corfas G, see Dudai Y, et al
Coro F, Alonso N (1989) Cell responses to acoustic stimuli in the pterothoracic ganglion of two noctuoid moths 165:253
Coumaros G, see Canguilhem B, et al
Courtright J, see Bastian J
Crewe RM, see Moritz RFA
Crewe RM, see Whiffler LA, et al
Crews D, see Mendonça MT
Crognale MA, see Jacobs GH, et al
Cronin TW (1989) Application of intracellular optical techniques to the study of stomatopod crustacean vision 164:737
Cronin TW, Forward Jr RB (1988) The visual pigments of crabs. I. Spectral characteristics 162:463
Cronin TW, Marshall NJ (1989) Multiple spectral classes of photoreceptors in the retinas of gonodactyloid stomatopod crustaceans 166:261
Cronin TW, Marshall NJ, Land MF (1991) Optokinesis in gonodactyloid mantis shrimps (Crustacea; Stomatopoda; Gonodactylidae) 168:233
Cronin TW, see Forward Jr RB, et al
Cronin TW, see Lall AB, et al
Cronin TW, see Land MF, et al
Cutress CE, see Piatigorsky J, et al

D

Daan S, see Dijk DJ
Dadour I, see Römer H, et al
Dahmen H (1991) Eye specialisation in waterstriders: an adaptation to life in a flat world 169:623
Dahmen HJ, see Junger W
Dallos P, see Warchol ME
Darrow JM, Duncan MJ, Bartke A, Bona-Gallo A, Goldman BD (1988) Influence of photoperiod and gonadal steroids on hibernation in the European hamster 163:339
Dartnall HJA, see Bowmaker JK, et al
Davenport ML, see Fleishman LJ, et al
Davis FC, Gorski RA (1988) Development of hamster circadian rhythms: role of the maternal suprachiasmatic nucleus 162:601
De Grip WJ, see Foster RG, et al
De Grip W, see Foster RG, et al
Debski EA, Constantine-Paton M (1990) Evoked pre- and post-synaptic activity in the optic tectum of the cannulated tadpole 167:377
Deegan JF II, see Jacobs GH, et al
Deitmer JW, see Schirrmacher K
Delaney K, Gelperin A (1990) Cerebral interneurons controlling fictive feeding in *Limax maximus*. I. Anatomy and criteria for re-identification 166:297
Delaney K, Gelperin A (1990) Cerebral interneurons controlling fictive feeding in *Limax maximus*. II. Initiation and modulation of fictive feeding 166:311

Delaney K, Gelperin A (1990) Cerebral interneurons controlling fictive feeding in *Limax maximus*. III. Integration of sensory inputs 166:327
Delcomyn F (1991) Activity and directional sensitivity of leg campaniform sensilla in a stick insect 168:113
Derby CD, Blaustein DN (1988) Morphological and physiological characterization of individual olfactory interneurons connecting the brain and eyestalk ganglia of the crayfish 163:777
deTschaschell M, see Groome JR, et al
DeVoe RD, see Gilbert C, et al
DeVries PJ, see Dudley R
DiCaprio RA, Fourtner CR (1988) Neural control of ventilation in the shore crab, *Carcinus maenas*. II. Frequency-modulating interneurons 162:375
Diekamp B, Schneider H (1988) Neuronal processing of conspecific and related calls in the torus semicircularis of *Rana r. ridibunda* Pall. (Anura): single-unit recordings 163:301
Dijk DJ, Daan S (1989) Sleep EEG spectral analysis in a diurnal rodent: *Eutamias sibiricus* 165:205
Dillmann E, see Collett TS, et al
Dimant B, Maldonado H (1992) Habituation and associative learning during exploratory behavior of the crab *Chasmagnathus* 170:749
Distel H, see Hudson R
Dittami JP, see Beldhuis HJA, et al
Dittami JP, see Gwinner E, et al
Dittami J, see Gwinner E, et al
Doherty JA (1991) Song recognition and localization in the phonotaxis behavior of the field cricket, *Gryllus bimaculatus* (Orthoptera: Gryllidae) 168:213
Doherty JA, see Gerhardt HC
Dörrscheidt GJ, see Bigalke-Kunz B, et al
Douglass JK, see Forward Jr RB, et al
Dreller C, see Kirchner WH, et al
Drewes CD, see Zoran MJ
Drusedau MUH, see Whiffler LA, et al
DuBois R, see Ibbotson MR, et al
Dudai Y, Buxbaum J, Corfas G, Ofarim M (1987) Formamidines interact with *Drosophila* octopamine receptors, alter the flies' behavior and reduce their learning ability 161:739
Dudai Y, Corfas G, Hazvi S (1988) What is the possible contribution of Ca^{2+}-stimulated adenylate cyclase to acquisition, consolidation and retention of an associative olfactory memory in *Drosophila* 162:101
Dudai Y, see Corfas G
Dudel J, Franke Ch, Hatt H (1990) A family of glutamatergic, excitatory channel types at the crayfish neuromuscular junction 166:757
Dudley R, DeVries PJ (1990) Flight physiology of migrating *Urania fulgens* (Uraniidae) moths: kinematics and aerodynamics of natural free flight 167:145
Duifhuis H, see Wubbels RJ, et al
Dulka JG, see Sorensen PW, et al
Dumortier B, see Lavialle M
Duncan MJ, see Darrow JM, et al
Duston J, Bromage N (1988) The entrainment and gating of the endogenous circannual rhythm of reproduction in the female rainbow trout (*Salmo gairdneri*) 164:259
Dye J (1987) Dynamics and stimulus-dependence of pacemaker control during behavioral modulations in the weakly electric fish, *Apteronotus* 161:175
Dye J (1988) An in vitro physiological preparation of a vertebrate communicatory behavior: chirping in the weakly electric fish, *Apteronotus* 163:445
Dye J (1991) Ionic and synaptic mechanisms underlying a brainstem oscillator: An in vitro study of the pacemaker nucleus of *Apteronotus* 168:521
Dye J, Heiligenberg W (1987) Intracellular recording in the medullary pacemaker nucleus of the weakly electric fish, *Apteronotus*, during modulatory behaviors 161:187

E

Ebihara S, see Oshima I, et al
Ebihara S, see Yamada H, et al
Echagüe JA, see Trujillo-Cenóz O
Echteler SM, see Ohlemiller KK
Eckert M, see Schmidt U
Eckweiler W, Seyfarth E-A (1988) Tactile hairs and the adjustment of body height in wandering spiders: behavior, leg reflexes, and afferent projections in the leg ganglia 162:611
Edwards DH, see Heitler WJ, et al
Edwards DH, see Simon TW
Egelhaaf M (1987) Dynamic properties of two control systems underlying visually guided turning in house-flies 161:777
Egelhaaf M (1989) Visual afferences to flight steering muscles controlling optomotor responses of the fly 165:719
Egelhaaf M, see Zanker JM, et al
Eguchi E, Seki T, Suzuki T (1989) Comparative studies of chromophore contents inside and outside the rhabdoms of arthropod compound eyes 165:589
Eguchi E, see Arikawa K, et al
Eisner T, see Peschke K
El Manira A, Cattaert D, Clarac F (1991) Monosynaptic connections mediate resistance reflex in crayfish (*Procambarus clarkii*) walking legs 168:337
Elliott CJH, see Koch UT, et al
Elliott JA, Bartness TJ, Goldman BD (1987) Role of short photoperiod and cold exposure in regulating daily torpor in Djungarian hamsters 161:245
Elsner N, see Hedwig B, et al
Elsner N, see Lang F
Elson RC (1987) Flight motor neurone reflexes driven by strain-sensitive wing mechanoreceptors in the locust 161:747
Elson RC (1987) Interneuronal processing of inputs from the campaniform sensilla of the locust hindwing 161:761
Emde G von der (1990) Discrimination of objects through electrolocation in the weakly electric fish, *Gnathonemus petersii* 167:413
Emde G von der, Menne D (1989) Discrimination of insect wingbeat-frequencies by the bat *Rhinolophus ferrumequinum* 164:663
Emde G von der, Schnitzler H-U (1990) Classification of insects by echolocating greater horseshoe bats 167:423
Engelhard K-H, see Lakes R, et al
Enger PS, see Jerkø H, et al
Ernst K-D, see Boeckh J
Evans MG, see Fuchs PA
Evans PD, see Whim MD
Ewert J-P, Framing EM, Schürg-Pfeiffer E, Weerasuriya A (1990) Responses of medullary neurons to moving visual stimuli in the common toad. I. Characterization of medial reticular neurons by extracellular recording 167:495
Ewert J-P, see Finkenstädt T
Ewert J-P, see Schwippert WW, et al
Ewert J-P, see Tsai HJ
Ewert J-P, see Wang DL

F

Faure PA, Fullard JH, Barclay RMR (1990) The response of tympanate moths to the echolocation calls of a substrate gleaning bat, *Myotis evotis* 166:843
Feiler R, see Kirschfeld K, et al
Feld D, see Yu X, et al
Feng AS, see Condon CJ, et al
Fenwick JA, see Jacobs GH, et al
Ferguson GP, Ter Maat A, Parsons DW, Pinsker HM (1989) Egg laying in *Aplysia*. I. Behavioral patterns and muscle activity of freely behaving animals after selectively elicited bag cell discharges 164:835
Ferguson GP, Ter Maat A, Pinsker HM (1989) Egg laying in *Aplysia*. II. Organization of central and peripheral pathways for initiating neurosecretory activity and behavioral patterns 164:849
Ferguson GP, see Ter Maat A, et al
Ferragamo M, see Simmons JA, et al
Fietz A, see Peitsch D, et al
Finkenstädt T, Ewert J-P (1988) Stimulus-specific long-term habituation of visually guided orienting behavior toward prey in toads: a ^{14}C-2DG study 163:1
Fischbach K-F, see Waldvogel F-M
Fiske S, see Foster RG, et al
Fix Ventura D, see Menzel R, et al
Fix Ventura D, see Peitsch D, et al
Fix Ventura D, see Souza J de, et al
Flanagan D, Mercer AR (1989) Morphology and response characteristics of neurones in the deutocerebrum of the brain in the honeybee *Apis mellifera* 164:483
Fleishman LJ (1992) Communication in the weakly electric flish *Sternopygus macrurus*. I. The neural basis of conspecific EOD detection 170:335
Fleishman LJ, Howland HC, Howland MJ, Rand AS, Davenport ML (1988) Crocodiles don't focus underwater 163:441
Fleishman LJ, Zakon HH, Lemon WC (1992) Communication in the weakly electric fish *Sternopygus macrurus*. II. Behav-

ioral test of conspecific EOD detection ability 170:349
Flores TM, see Payne R
Foà A (1991) The role of the pineal and the retinae in the expression of circadian locomotor rhythmicity in the ruin lizard, *Podarcis sicula* 169:201
Foà A, Menaker M (1988) Contribution of pineal and retinae to the circadian rhythms of circulating melatonin in pigeons 164:25
Follett BK, see Konishi H, et al
Förster B, see Martin H, et al
Forsyth AM, see Cassone VM, et al
Forward Jr RB, Cronin TW, Douglass JK (1988) The visual pigments of crabs. II. Environmental adaptations 162:479
Forward Jr RB, see Cronin TW
Forward Jr RB, see Goddard SM
Forzin L, see Nalbach H-O, et al
Foster RG, Provencio I, Hudson D, Fiske S, De Grip W, Menaker M (1991) Circadian photoreception in the retinally degenerate mouse (*rd*/*rd*) 169:39
Foster RG, Schalken JJ, Timmers AM, De-Grip WJ (1989) A comparison of some photoreceptor characteristics in the pineal and retina. I. The Japanese quail (*Coturnix coturnix*) 165:553
Foster RG, Timmers AM, Schalken JJ, De-Grip WJ (1989) A comparison of some photoreceptor characteristics in the pineal and retina. II. The Djungarian hamster (*Phodopus sungorus*) 165:565
Foster RG, see Konishi H, et al
Fourtner CR, see DiCaprio RA
Framing EM, see Ewert J-P, et al
Francis AJP, Coleman GJ (1990) Ambient temperature cycles entrain the free-running circadian rhythms of the stripe-faced dunnart, *Sminthopsis macroura* 167:357
Franke Ch, see Bufler J, et al
Franke Ch, see Dudel J, et al
Franke Ch, see Zufall F, et al
Fraser K, Heitler WJ (1989) Thoracic output of crayfish giant fibres. II. The segmental giant neurone 166:125
Fraser K, see Heitler WJ
Fraser K, see Heitler WJ, et al
Frazier SF, see Zill SN, et al
Freedman E, see Lent CM, et al
Freeman DA, see Blank JL
French AS (1987) Removal of rapid sensory adaptation from an insect mechanoreceptor neuron by oxidizing agents which affect sodium channel inactivation 161:275
French AS, see Pece AEC
French AS, see Stockbridge LL
Friend WG, see Galun R, et al
Friesen WO (1989) Neuronal control of leech swimming movements. I. Inhibitory interactions between motor neurons 166:195
Friesen WO (1989) Neuronal control of leech swimming movements. II. Motor neuron feedback to oscillator cells 115 and 28 166:205
Friesen WO, see Nusbaum MP, et al
Frixione E, Ruiz L (1988) Calcium uptake by smooth endoplasmic reticulum of peeled retinal photoreceptors of the crayfish 162:91
Frost BJ, Cavanagh P, Morgan B (1988) Deep tectal cells in pigeons respond to kinematograms 162:639
Fuchs PA, Evans MG (1988) Voltage oscillations and ionic conductances in hair cells isolated from the alligator cochlea 164:151
Fukushi T (1989) Learning and discrimination of coloured papers in the walking blowfly, *Lucilia cuprina* 166:57
Fullard JH (1992) The neuroethology of sound production in tiger moths (Lepidoptera, Arctiidae) 170:575
Fullard JH, Morris GK, Mason AC (1989) Auditory processing in the black-sided meadow katydid *Conocephalus nigropleurum* (Orthoptera: Tettigoniidae) 164:501
Fullard JH, see Boyan GS
Fullard JH, see Faure PA, et al
Füller E, see Kowalski U, et al
Funakoshi M, see Ninomiya Y, et al
Fuzessery ZM, Hartley DJ, Wenstrup JJ (1992) Spatial processing within the mustache bat echolocation system: possible mechanisms for optimization 170:57

G

Gaffin DD, Wennstrom KL, Brownell PH (1992) Water detection in the desert sand scorpion, *Paruroctonus mesaensis* (Scorpionida, Vaejovidae) 170:623
Gagné S, see Roebroek JGH, et al
Gailey DA, Villella A, Tully T (1991) Reassessment of the effect of biological rhythm mutations on learning in *Drosophila melanogaster* 169:685
Gaillard F, Garcia R, Roussel H (1988) First neurophysiological approach to the retino-tectal projections in *Discoglossus pictus* (Anura) 162:435
Gaillard F, see Garcia R
Gaillard F, see Garcia R, et al
Galun R, Friend WG, Nudelman S (1988) Purinergic reception by culicine mosquitoes 163:665
Gänshirt G, see Gwinner E, et al
Garcia R, Gaillard F (1989) Quantitative studies on ipsilateral type 2 retinotectotectal (IRTT) units in frogs: homologies with R3 ganglion cells 164:377
Garcia R, Gaillard F, Jacquenod J-C (1988) A quantitative analysis of ipsilateral tectal unit responses to moving stimuli in frogs 162:443
Garcia R, see Gaillard F, et al
Garcia-Gil M, see Catarsi S, et al
Gaunt AS, Gaunt SLL, Prange HD, Wasser JS (1987) The effect of tracheal coiling on the vocalizations of cranes (Aves; Gruidae) 161:43
Gaunt SLL, see Gaunt AS, et al
Gelperin A, see Delaney K
Gelperin A, see Sahley CL, et al
Gentle MJ (1989) Cutaneous sensory afferents recorded from the nervus intramandibularis of *Gallus gallus* var *domesticus* 164:763
Gerhardt HC, Allan S, Schwartz JJ (1990) Female green treefrogs (*Hyla cinerea*) do not selectively respond to signals with a harmonic structure in noise 166:791
Gerhardt HC, Doherty JA (1988) Acoustic communication in the gray treefrog, *Hyla versicolor*: evolutionary and neurobiological implications 162:261
Gerhardt HC, Klump GM (1988) Phonotactic responses and selectivity of barking treefrogs (*Hyla gratiosa*) to chorus sounds 163:795
Gerhardt HC, see Jørgensen MB
Gerhardt HC, see Schwartz JJ
Gerkema MP, Leest F van der (1991) Ongoing ultradian activity rhythms in the common vole, *Microtus arvalis*, during deprivations of food, water and rest 168:591
Getz WM, Smith KB (1991) Olfactory perception in honeybees: Concatenated and mixed odorant stimuli, concentration, and exposure effects 169:215
Geusz ME, Page TL (1990) The circadian rhythm and photosensitivity of small impulses of the *Bulla* eye 166:795
Geusz ME, Page TL (1991) An opsin-based photopigment mediates phase shifts of the *Bulla* circadian pacemaker 168:565
Gewecke M, see Heinzel H-G
Gewecke M, see Riley JR, et al
Giger A, see Collett TS, et al
Gilbert C, Penisten DK, DeVoe RD (1991) Discrimination of visual motion from flicker by identified neurons in the medulla of the fleshfly *Sarcophaga bullata* 168:653
Gilbert C, Strausfeld NJ (1991) The functional organization of male-specific visual neurons in flies 169:395
Glantz RM, see Pfeiffer-Linn C
Glantz RM, see Wang-Bennett LT
Gleich O, see Klump GM
Gleich O, see Manley GA, et al
Gnatzy W, Kämper G (1990) Digger wasp against crickets. II. An airborne signal produced by a running predator 167:551
Gnatzy W, see Grünert U
Gnatzy W, see Schmidt M
Gnatzy W, see Seyfarth E-A, et al
Goddard SM, Forward Jr RB (1991) The role of the underwater polarized light pattern, in sun compass navigation of the grass shrimp, *Palaemonetes vulgaris* 169:479
Gödde J, Haug T (1990) Analysis of the electrical responses of antennal thermo- and hygroreceptors of *Antheraea* (Saturniidae, Lepidoptera) to thermal, mechanical, and electrical stimuli 167:391
Gödde J, Hintzpeter U (1989) An unusual low-current receptor-circuit in the trap setae of the prey-capture apparatus of *Loricera pilicornis* (Carabidae, Coleoptera) 165:779
Goetz C von, see Aschoff J
Goldman BD, see Darrow JM, et al
Goldman BD, see Elliott JA, et al
Goldschmeding JT, see Ter Maat A, et al

Goldstein RS, Camhi JM (1988) Modulation of activity in sensory neurons and wind-sensitive interneurons by cercal displacement in the cockroach 163:479
Goldstein RS, Camhi JM (1991) Different effects of the biogenic amines dopamine, serotonin and octopamine on the thoracic and abdominal portions of the escape circuit in the cockroach 168:103
Gooler DM, O'Neill WE (1987) Topographic representation of vocal frequency demonstrated by microstimulation of anterior cingulate cortex in the echolocating bat, *Pteronotus parnellii parnellii* 161:283
Gorski RA, see Davis FC
Goto M, see Oshima I, et al
Gramoll S (1988) Activity of metathoracic interneurons during stridulation in the acridid grasshopper *Omocestus viridulus* L. 163:813
Grant AJ, see Mankin RW, et al
Gras H, Hörner M, Runge L, Schürmann F-W (1990) Prothoracic DUM neurons of the cricket *Gryllus bimaculatus* – responses to natural stimuli and activity in walking behavior 166:901
Grassi S, Magni F, Ottaviani F (1988) Mechanisms controlling vocalization-evoked stapedius muscle activity in chickens (*Gallus gallus*) 162:525
Greenwood J, see Henley J, et al
Gribakin FG (1988) Photoreceptor optics of the honeybee and its eye colour mutants: the effect of screening pigments on the long-wave subsystem of colour vision 164:123
Gribakin FG, Ukhanov KYu (1990) Is the white eye of insect eye-color mutants really white? 167:715
Gribakin FG, see Kapitskii SV
Gronenberg W, Strausfeld NJ (1991) Descending pathways connecting the male-specific visual system of flies to the neck and flight motor 169:413
Gronenberg W, Strausfeld NJ (1992) Erratum 170:128
Groningen-Luyben WAHM van, see Partridge JC, et al
Groome JR, deTschaschell M, Watson III WH (1992) Peptidergic regulation of the *Limulus* midgut 170:631
Groome JR, Lent CM (1992) Inhibitory actions of dopamine on *Limulus* visceral muscle involve a cyclic AMP-dependent mechanism 170:787
Groome JR, see Lent CM, et al
Grünert U, Gnatzy W (1987) K^+ and Ca^{++} in the receptor lymph of arthropod cuticular mechanoreceptors 161:329
Guerin PM, see Steullet P
Guillet JC, see Hamon A, et al
Guppy A, Coles RB (1988) Acoustical and neural aspects of hearing in the Australian gleaning bats, *Macroderma gigas* and *Nyctophilus gouldi* 162:653
Guppy A, see Coles RB
Guppy A, see Coles RB, et al
Guy RG, Srinivasan MV (1988) Integrative properties of second-order visual neurons: a study of large monopolar cells in the dronefly *Eristalis* 162:317
Guy RG, see Coombe PE, et al
Guy RG, see Srinivasan MV
Gwinner E, Dittami JP, Beldhuis HJA (1988) The seasonal development of photoperiodic responsiveness in an equatorial migrant, the garden warbler *Sylvia borin* 162:389
Gwinner E, Gänshirt G, Dittami J (1989) Starling circannual systems: are they arrested in long photoperiods? 165:35
Gwinner E, see Beldhuis HJA, et al
Gwinner E, see Hau M

H

Hafner GS, Tokarski TR (1988) The diurnal pattern of protein and photopigment synthesis in the retina of the crayfish, *Procambarus clarkii* 163:253
Hall DH, see Barry MA, et al
Hamanaka T, see Seidou M, et al
Hamdorf K, Hochstrate P, Höglund G, Burbach B, Wiegand U (1988) Light activation of the sodium pump in blowfly photoreceptors 162:285
Hamdorf K, see Juse A, et al
Hamdorf K, see Nilsson D-E, et al
Hamdorf K, see Schlecht P, et al
Hammer K, see Seyfarth E-A, et al
Hamon A, Guillet JC, Callec JJ (1990) A gradient of synaptic efficacy and its presynaptic basis in the cercal system of the cockroach 167:363
Hanai K, see Sakaguchi M, et al
Handysides R, see Atkins G, et al
Hanke W, see Tareilus E, et al
Hanna WJB, Horne JA, Renninger GH (1988) Circadian photoreceptor organs in *Limulus*. II. The telson 162:133
Hansson BS, Van der Pers JNC, Högberg H-E, Hedenström E, Anderbrant O, Löfqvist J (1991) Sex pheromone perception in male pine sawflies, *Neodiprion sertifer* (Hymenoptera; Diprionidae) 168:533
Hara TJ, see Sorensen PW, et al
Hardie RC (1987) Is histamine a neurotransmitter in insect photoreceptors? 161:201
Hardie RC, Weckström M (1990) Three classes of potassium channels in large monopolar cells of the blowfly *Calliphora vicina* 167:723
Hardie RC, see Hateren JH van, et al
Hardie R, see Kirschfeld K, et al
Harrison D, see Syed NI, et al
Harrison L, Horseman G, Lewis B (1988) The coding of the courtship song by an identified auditory neurone in the cricket *Teleogryllus oceanicus* (Le Guillou) 163:215
Harris-Warrick RM, see Johnson BR, et al
Hartley DJ, see Fuzessery ZM, et al
Hartley DJ, see Suthers RA, et al
Hasegawa Y, see Kondoh Y, et al
Hateren JH van (1987) Neural superposition and oscillations in the eye of the blowfly 161:849
Hateren JH van, Hardie RC, Rudolph A, Laughlin SB, Stavenga DG (1989) The bright zone, a specialized dorsal eye region in the male blowfly *Chrysomyia megacephala* 164:297
Hateren JH van, Laughlin SB (1990) Membrane parameters, signal transmission, and the design of a graded potential neuron 166:437
Hateren JH van, Srinivasan MV, Wait PB (1990) Pattern recognition in bees: orientation discrimination 167:649
Hateren JH van, see Jansonius NM
Hatt H, see Bufler J, et al
Hatt H, see Dudel J, et al
Hatt H, see Zufall F, et al
Hau M, Gwinner E (1992) Circadian entrainment by feeding cycles in house sparrows, *Passer domesticus* 170:403
Haug T, see Gödde J
Häusler U, see Buchfellner E, et al
Hawryshyn CW, Arnold MG, Bowering E, Cole RL (1990) Spatial orientation of rainbow trout to plane–polarized light: The ontogeny of E-vector discrimination and spectral sensitivity characteristics 166:565
Hawryshyn CW, Arnold MG, McFarland WN, Loew ER (1988) Aspects of color vision in bluegill sunfish (*Lepomis macrochirus*): ecological and evolutionary relevance 164:107
Hawryshyn CW, Bolger AE (1990) Spatial orientation of trout to partially polarized light 167:691
Hazvi S, see Dudai Y, et al
Head SI, Bush BMH (1991) Proprioceptive reflex interactions with central motor rhythms in the isolated thoracic ganglion of the shore crab 168:445
Hedenström E, see Hansson BS, et al
Hedwig B (1988) Activation and modulation of auditory receptors in *Locusta migratoria* by respiratory movements 162:237
Hedwig B (1989) Modulation of auditory information processing in tethered flying locusts 164:409
Hedwig B (1990) Modulation of auditory responsiveness in stridulating grasshoppers 167:847
Hedwig B, Lang F, Elsner N (1988) The interference of sound and movement stimuli in tympanal receptors of *Locusta migratoria* 163:243
Heiligenberg W (1987) Central processing of sensory information in electric fish 161:621
Heiligenberg W, Keller CH, Metzner W, Kawasaki M (1991) Structure and function of neurons in the complex of the nucleus electrosensorius of the gymnotiform fish *Eigenmannia*: Detection and processing of electric signals in social communication 169:151
Heiligenberg W, see Dye J
Heiligenberg W, see Kawasaki M
Heiligenberg W, see Keller CH
Heiligenberg W, see Keller CH, et al
Heiligenberg W, see Metzner W
Heiligenberg W, see Rose GJ, et al
Heiligenberg W, see Viete S
Heinermann PH, Ali MA (1989) The photic environment and scotopic visual pigments of the creek chub, *Semotilus atromaculatus*

and white sucker, *Catostomus commersoni* 164:707
Heinzel H-G, Böhm H (1989) The wind-orientation of walking carrion beetles 164:775
Heinzel H-G, Gewecke M (1987) Aerodynamic and mechanical properties of the antennae as air-current sense organs in *Locusta migratoria*. II. Dynamic characteristics 161:671
Heinzel H-G, see Böhm H, et al
Heinzeller Th, Joshi BN, Nürnberger F, Reiter RJ (1988) Effects of aggressive encounters on pineal melatonin formation in male gerbils (*Meriones unguiculatus*, Cricetidae) 164:91
Heisenberg M, Wolf R (1988) Reafferent control of optomotor yaw torque in *Drosophila melanogaster* 163:373
Heisenberg M, see Mayer M, et al
Heisenberg M, see Strauß R
Heisenberg M, see Wolf R
Heitler WJ, Fraser K (1989) Thoracic output of crayfish giant fibres. I. Pereiopod promotor motor neurones 166:117
Heitler WJ, Fraser K, Edwards DH (1991) Different types of rectification at electrical synapses made by a single crayfish neurone investigated experimentally and by computer simulation 169:707
Heitler WJ, see Fraser K
Heitler WJ, see Maitland DP, et al
Heldmaier G, see Stieglitz A, et al
Helversen D von, Rheinlaender J (1988) Interaural intensity and time discrimination in an unrestraint grasshopper: a tentative behavioural approach 162:333
Helversen O von, see Bauer M
Hengstenberg R (1988) Mechanosensory control of compensatory head roll during flight in the blowfly *Calliphora erythrocephala* Meig. 163:151
Henley J, Greenwood J, Stout J, Atkins G (1992) Age-correlated changes and juvenile hormone III regulation of the syllable period specific responses of the L3 auditory interneurons in the cricket, *Acheta domesticus* 170:373
Henley J, see Atkins G, et al
Henley J, see Walikonis R, et al
Hennig RM (1988) Ascending auditory interneurons in the cricket *Teleogryllus commodus* (Walker): comparative physiology and direct connections with afferents 163:135
Hennig RM (1989) Neuromuscular activity during stridulation in the cricket *Teleogryllus commodus* 165:835
Hennig RM (1990) Neuronal control of the forewings in two different behaviours: Stridulation and flight in the cricket, *Teleogryllus commodus* 167:617
Hennig RM (1990) Neuronal organisation of the flight motor pattern in the cricket, *Teleogryllus commodus* 167:629
Hensler K (1988) Intersegmental interneurons involved in the control of head movements in crickets 162:111
Hensler K, Robert D (1990) Compensatory head rolling during corrective flight steering in locusts 166:685
Hepburn HR, see Whiffler LA
Hepburn HR, see Whiffler LA, et al
Herold EE, see Adams ME, et al
Herring PJ, see Bowmaker JK, et al
Hertel H, see Chittka L, et al
Hertel H, see Peitsch D, et al
Hertel H, see Souza J de, et al
Herzmann D, Labhart T (1989) Spectral sensitivity and absolute threshold of polarization vision in crickets: a behavioral study 165:315
Hess E, see Kaltenrieder M, et al
Hetherington TE (1988) Biomechanics of vibration reception in the bullfrog, *Rana catesbeiana* 163:43
Hewes RS, Truman JW (1991) The roles of central and peripheral eclosion hormone release in the control of ecdysis behavior in *Manduca sexta* 168:697
Hidaka I, see Kiyohara S
Highstein SM, see Tricas TC
Hildebrand JG, see Christensen TA, et al
Hildebrand JG, see Itagaki H
Hildebrand JG, see Kanzaki R, et al
Hildebrand JG, see Waldrop B
Hildebrand JG, see Waldrop B, et al
Hiller-Adams P, Widder EA, Case JF (1988) The visual pigments of four deep-sea crustacean species 163:63
Hintzpeter U, see Gödde J
Hiraki K, see Seidou M, et al
Hisada M, see Nagayama T
Hisada M, see Nakagawa H
Hochstrate P (1989) Lanthanum mimicks the *trp* photoreceptor mutant of *Drosophila* in the blowfly *Calliphora* 166:179
Hochstrate P, see Hamdorf K, et al
Högberg H-E, see Hansson BS, et al
Höglund G, see Hamdorf K, et al
Höglund G, see Nilsson D-E, et al
Höglund G, see Schlecht P, et al
Hölldobler B, Carlin NF (1987) Anonymity and specificity in the chemical communication signals of social insects 161:567
Holmqvist MH, Srinivasan MV (1991) A visually evoked response of the housefly 169:451
Hopperdietzel C, see Wieczorek H, et al
Hori K, see Sakaguchi M, et al
Horne JA, Renninger GH (1988) Circadian photoreceptor organs in *Limulus*. I. Ventral, median, and lateral eyes 162:127
Horne JA, see Hanna WJB, et al
Hörner M, see Gras H, et al
Hörner M, see Schildberger K
Hörner M, see Schildberger K, et al
Horowitz JM, see Horrigan DJ
Horridge GA, see Srinivasan MV, et al
Horrigan DJ, Horowitz JM (1990) Thermal dependence of serotonergic modulation of neural activity in the hamster 167:79
Horseman G, see Harrison L, et al
Hörster W (1990) Histological and electrophysiological investigations on the vibration-sensitive receptors (Herbst corpuscles) in the wing of the pigeon (*Columba livia*) 166:663
Hörster W (1990) Vibrational sensitivity of the wing of the pigeon (*Columba livia*) – a study using heart rate conditioning 167:545
Horwitz J, see Piatigorsky J, et al
Hösl M (1990) Pheromone-sensitive neurons in the deutocerebrum of *Periplaneta americana*: receptive fields on the antenna 167:321
Housley GD, see Montgomery JC, et al
Houten YM van, Veerman A (1990) Photoperiodism and thermoperiodism in the predatory mite *Amblyseius potentillae* are probably based on the same mechanism 167:201
Howard J, see Nilsson D-E
Howard J, see Nilsson D-E, et al
Howland HC, Howland MJ, Schmid K, Pettigrew JD (1991) Restricted range of ocular accommodation in barn owls (Aves: Tytonidae) 168:299
Howland HC, Howland M, Schmid KL (1992) Focusing and accommodation in the brown kiwi (*Apteryx australis*) 170:687
Howland HC, see Fleishman LJ, et al
Howland HC, see Mathis U, et al
Howland HC, see Schmid KL, et al
Howland HC, see Sivak JG, et al
Howland MJ, see Fleishman LJ, et al
Howland MJ, see Howland HC, et al
Howland M, see Howland HC, et al
Howland M, see Schmid KL, et al
Hoy RR, see Brodfuehrer PD
Hoy RR, see Libersat F
Hoy RR, see May ML, et al
Hoy RR, see Yager DD
Huang Z, Satterlie RA (1990) Neuronal mechanisms underlying behavioral switching in a pteropod mollusc 166:875
Huber F (1987) Plasticity in the auditory system of crickets: phonotaxis with one ear and neuronal reorganization within the auditory pathway 161:583
Huber F, see Schmitz B, et al
Hudson D, see Foster RG, et al
Hudson R, Distel H (1990) Sensitivity of female rabbits to changes in photoperiod as measured by pheromone emission 167:225
Hultsch H (1992) Time window and unit capacity: dual constraints on the acquisition of serial information in songbirds 170:275
Hultsch H, Todt D (1989) Memorization and reproduction of songs in nightingales (*Luscinia megarhynchos*): evidence for package formation 165:197
Humbel U, see Tyrer NM, et al
Humphrey JAC, see Barth FG, et al
Humphreys CJ, see Arbas EA, et al
Hyde LL, see Underwood H

I

Ibbotson MR (1991) Wide-field motion-sensitive neurons tuned to horizontal movement in the honeybee, *Apis mellifera* 168:91
Ibbotson MR, Maddess T, DuBois R (1991) A system of insect neurons sensitive to horizontal and vertical image motion connects the medulla and midbrain 169:355
Ierusalimsky VN, see Zakharov IS
Igelmund P, Wendler G (1991) The giant fiber system in the forelegs (whips) of the

whip spider *Heterophrynus elaphus* Pocock (Arachnida: Amblypygi) 168:63
Igelmund P, Wendler G (1991) Morphology and physiology of peripheral giant interneurons in the forelegs (whips) of the whip spider *Heterophrynus elaphus* Pocock (Arachnida: Amblypygi) 168:75
Ikeda K, see Yamaoka K
Illnerová H, Trentini GP, Maslova L (1989) Melatonin accelerates reentrainment of the circadian rhythm of its own production after an 8-h advance of the light-dark cycle 166:97
Illnerová H, Vaněček J (1987) Entrainment of the circadian rhythm in the rat pineal N-acetyltransferase activity by prolonged periods of light 161:495
Inglis M, Oldfield BP (1988) Tonotopic organisation of the auditory organ of the locust *Valanga irregularis* (Walker) 164:49
Inouye S-IT, see Smith RD, et al
Intrator N, see Katzir G, et al
Ioalé P, see Bingman VP, et al
Itagaki H, Hildebrand JG (1990) Olfactory interneurons in the brain of the larval sphinx moth *Manduca sexta* 167:309
Iwatsuki K, see Nakaoka Y

J

Jacobs GA, see Bodnar DA, et al
Jacobs GH, Fenwick JA, Crognale MA, Deegan JF II (1992) The all-cone retina of the garter snake: spectral mechanisms and photopigment 170:701
Jacobs GH, see Blakeslee B, et al
Jacobs SC, see Masters WM
Jacquenod J-C, see Garcia R, et al
Jaggi K, see Tobler I
Jane SD, Bowmaker JK (1988) Tetrachromatic colour vision in the duck (*Anas platyrhynchos* L.): microspectrophotometry of visual pigments and oil droplets 162:225
Janik DS, Menaker M (1990) Circadian locomotor rhythms in the desert iguana. I. The role of the eyes and the pineal 166:803
Janik DS, Pickard GE, Menaker M (1990) Circadian locomotor rhythms in the desert iguana. II. Effects of electrolytic lesions to the hypothalamus 166:811
Janiszewski J, Otto D (1988) Modulation of activity of identified suboesophageal neurons in the cricket *Gryllus bimaculatus* by local changes in body temperature 162:739
Janiszewski J, Otto D (1989) Responses and song pattern copying of Omegatype I-neurons in the cricket, *Gryllus bimaculatus*, at different prothoracic temperatures 164:443
Jansonius NM (1990) Properties of the sodium pump in the blowfly photoreceptor cell 167:461
Jansonius NM, Hateren JH van (1991) Fast temporal adaptation of on-off units in the first optic chiasm of the blowfly 168:631
Janssen J, see Coombs S
Järvilehto M, see Torkkeli P, et al
Jarvis JUM, see Narins PM, et al
Jen PH-S, Sun X, Lin PJJ (1989) Frequency and space representation in the primary auditory cortex of the frequency modulating bat *Eptesicus fuscus* 165:1
Jen PH-S, see Pinheiro AD, et al
Jen PH-S, see Sun D, et al
Jepson-Innes K, see Zill SN
Jepson-Innes K, see Zill SN, et al
Jerkø H, Turunen-Rise I, Enger PS, Sand O (1989) Hearing in the eel (*Anguilla anguilla*) 165:455
Joaquim LCM, see Menzel R, et al
Johansen J, Kleinhaus AL (1988) Voltage clamp characterization of a calcium-dependent chloride conductance in a putative invertebrate motoneuron 162:57
Johnson BR, Merrill CL, Ogle RC, Atema J (1988) Response properties of lobster chemoreceptors: tuning of olfactory neurons sensitive to hydroxyproline 162:201
Johnson BR, Peck JH, Harris-Warrick RM (1992) Elevated temperature alters the ionic dependence of amine-induced pacemaker activity in a conditional burster neuron 170:201
Johnstone BM, see Köppl C, et al
Johnstone BM, see Manley GA, et al
Jones CH, see Rusak B, et al
Jørgensen JM, see Bleckmann H, et al
Jørgensen MB (1991) Comparative studies of the biophysics of directional hearing in anurans 169:591
Jørgensen MB, Christensen-Dalsgaard J (1991) Peripheral origins and functional characteristics of vibration-sensitive VIIIth nerve fibers in the frog *Rana temporaria* 169:341
Jørgensen MB, Gerhardt HC (1991) Directional hearing in the gray tree frog *Hyla versicolor*: Eardrum vibrations and phonotaxis 169:177
Jørgensen MB, Schmitz B, Christensen-Dalsgaard J (1991) Biophysics of directional hearing in the frog *Eleutherodactylus coqui* 168:223
Jørgensen MB, see Christensen-Dalsgaard J
Josephson RK, see Malamud JG, et al
Joshi BN, see Heinzeller Th, et al
Junger W (1991) Waterstriders (*Gerris paludum* F.) compensate for drift with a discontinuously working visual position servo 169:633
Junger W, Dahmen HJ (1991) Response to self-motion in waterstriders: visual discrimination between rotation and translation 169:641
Junger W, Varjú D (1990) Drift compensation and its sensory basis in waterstriders (*Gerris paludum* F.) 167:441
Juse A, Stüšek P, Hamdorf K (1989) The properties of photoreconvertible fluorophore systems in insect eyes resemble those of quinones 165:789
Juse A, see Schlecht P, et al

K

Kafka WA (1987) Similarity of reaction spectra and odor discrimination: single receptor cell recordings in *Antheraea polyphemus* (Saturniidae) 161:867
Kaila K, see Pasternack M, et al
Kaiser A, see Manley GA, et al
Kaiser W (1988) Busy bees need rest, too. Behavioural and electromyographical sleep signs in honeybees 163:565
Kaissling K-E, Meng LZ, Bestmann H-J (1989) Responses of bombykol receptor cells to (*Z,E*)-4,6-hexadecadiene and linalool 165:147
Kaissling K-E, see Meng LZ, et al
Kaissling K-E, see Rumbo ER
Kalko E, see Schnitzler H-U, et al
Kalmring K, see Lakes R, et al
Kaltenrieder M, Labhart T, Hess E (1989) Spectral sensitivity, absolute threshold, and visual field of two tick species, *Hyalomma dromedarii* and *Amblyomma variegatum* 165:155
Kämper G (1992) Development of cricket sensory hairs: changes of dynamic mechanical properties 170:49
Kämper G, Kleindienst H-U (1990) Oscillation of cricket sensory hairs in a low-frequency sound field 167:193
Kämper G, see Gnatzy W
Kämper G, see Shepherd D, et al
Kandarian SC, see Powers LV, et al
Kaneko Y, Saito T (1992) Appearance and maturation of voltage-dependent conductances in solitary spiking cells during retinal regeneration in the adult newt 170:411
Kanou M, Osawa T, Shimozawa T (1988) Ecdysial growth of the filiform hairs and sensitivity of the cercal sensory system of the cricket, *Gryllus bimaculatus* 162:573
Kanz JE, Quast WD (1990) Respiratory pumping seizure: a newly discovered spontaneous stereotyped behavior pattern in the opisthobranch mollusc *Aplysia californica* 166:619
Kanzaki R, Arbas EA, Hildebrand JG (1991) Physiology and morphology of descending neurons in pheromone-processing olfactory pathways in the male moth *Manduca sexta* 169:1
Kanzaki R, Arbas EA, Hildebrand JG (1991) Physiology and morphology of protocerebral olfactory neurons in the male moth *Manduca sexta* 168:281
Kanzaki R, Arbas EA, Strausfeld NJ, Hildebrand JG (1989) Physiology and morphology of projection neurons in the antennal lobe of the male moth *Manduca sexta* 165:427
Kapitskii SV, Gribakin FG (1992) Electroantennogram of the American cockroach: effect of oxygen and an electrical model 170:651
Karlsen HE, see Packard A, et al
Karsch FJ, see Wayne NL, et al
Karyakin MG, Alekseev NP (1992) The influence of tactile stimulation of nipples on the milk ejection reflex in the rat 170:645
Kass L, Pelletier JL, Renninger GH, Barlow Jr RB (1988) Efferent neurotransmission of circadian rhythms in *Limulus* lateral eye. II. Intracellular recordings in vitro 164:95

Kass L, see Renninger GH, et al
Katayama T, see Sakai M, et al
Katzir G, Lotem A, Intrator N (1989) Stationary underwater prey missed by reef herons, *Egretta gularis*: head position and light refraction at the moment of strike 165:573
Kavaliers M, Ossenkopp K-P (1988) Magnetic fields inhibit opioid-mediated 'analgesic' behaviours of the terrestrial snail, *Cepaea nemoralis* 162:551
Kavanagh MW, Young D (1989) Bilateral symmetry of sound production in the mole cricket, *Gryllotalpa australis* 166:43
Kawamata K, see Arikawa K, et al
Kawamura H, see Kurumiya S
Kawasaki M, Heiligenberg W (1988) Individual prepacemaker neurons can modulate the pacemaker cycle of the gymnotiform electric fish, *Eigenmannia* 162:13
Kawasaki M, Heiligenberg W (1989) Distinct mechanisms of modulation in a neuronal oscillator generate different social signals in the electric fish *Hypopomus* 165:731
Kawasaki M, see Heiligenberg W, et al
Kawasaki M, see Keller CH, et al
Kawasaki M, see Rose GJ, et al
Kelber A, Zeil J (1990) A robust procedure for visual stabilisation of hovering flight position in guard bees of *Trigona* (*Tetragonisca*) *angustula* (Apidae, Meliponinae) 167:569
Kelber A, see Collett TS
Keller CH (1988) Stimulus discrimination in the diencephalon of *Eigenmannia*: the emergence and sharpening of a sensory filter 162:747
Keller CH, Heiligenberg W (1989) From distributed sensory processing to discrete motor representations in the diencephalon of the electric fish, *Eigenmannia* 164:565
Keller CH, Kawasaki M, Heiligenberg W (1991) The control of pacemaker modulations for social communication in the weakly electric fish *Sternopygus* 169:441
Keller CH, see Heiligenberg W, et al
Keller CH, see Takahashi TT
Kelly KM, Mote MI (1990) Electrophysiology and anatomy of medulla interneurons in the optic lobe of the cockroach, *Periplaneta americana* 167:745
Kennedy GA, Coleman GJ, Armstrong SM (1990) The effect of restricted feeding on the wheel-running activity rhythms of the predatory marsupial *Dasyurus viverrinus* 166:607
Khalsa SBS, Block GD (1988) Calcium channels mediate phase shifts of the *Bulla* circadian pacemaker 164:195
Khalsa SBS, see Colwell ChS, et al
Killian KA, Page CH (1992) Mechanosensory afferents innervating the swimmerets of the lobster. I. Afferents activated by cuticular deformation 170:491
Killian KA, Page CH (1992) Mechanosensory afferents innervating the swimmerets of the lobster. II. Afferents activated by hair deflection 170:501
Kirchner WH, Dreller C, Towne WF (1991) Hearing in honeybees: operant conditioning and spontaneous reactions to airborne sound 168:85
Kirchner WH, see Michelsen A, et al
Kirk MD, see Church PJ, et al
Kirsch R, Ouarour A, Pévet P (1991) Daily torpor in the Djungarian hamster (*Phodopus sungorus*): photoperiodic regulation, characteristics and circadian organization 168:121
Kirsch R, see Ouarour A, et al
Kirschfeld K, Feiler R, Vogt K (1988) Evidence for a sensitizing pigment in the ocellar photoreceptors of the fly (*Musca, Calliphora*) 163:421
Kirschfeld K, Hardie R, Lenz G, Vogt K (1988) The pigment system of the photoreceptor 7 yellow in the fly, a complex photoreceptor 162:421
Kirschfeld K, see Sandler C
Kitajima M, see Sakaguchi M, et al
Kitamura S, see Matsushima T, et al
Kito Y, see Seidou M, et al
Kittmann R, see Kutsch W
Kiyohara S, Hidaka I (1991) Receptor sites for alanine, proline, and betaine in the palatal taste system of the puffer, *Fugu pardalis* 169:523
Kleindienst H-U, see Kämper G
Kleindienst H-U, see Koch UT, et al
Kleindienst H-U, see Schildberger K
Kleindienst H-U, see Schmitz B, et al
Kleinhaus AL, see Johansen J
Kliman RM, see Lynch GR, et al
Klinke R, see Caird D, et al
Klinke R, see Schermuly L
Klump GM, Gleich O (1991) Gap detection in the European starling (*Sturnus vulgaris*). III. Processing in the peripheral auditory system 168:469
Klump GM, Larsen ON (1992) Azimuthal sound localization in the European starling (*Sturnus vulgaris*): I. Physical binaural cues 170:243
Klump GM, Maier EH (1989) Gap detection in the starling (*Sturnus vulgaris*). I. Psychophysical thresholds 164:531
Klump GM, see Buchfellner E, et al
Klump GM, see Gerhardt HC
Koch UT, Elliott CJH, Schäffner K-H, Kleindienst H-U (1988) The mechanics of stridulation of the cricket *Gryllus campestris* 162:213
Koch UT, see Pfau HK, et al
Kohne R, Atkins S, Stout J, Atkins G (1992) Enhanced calling song syllable period discrimination during one-eared phonotaxis by the female cricket (*Acheta domesticus*) 170:357
Kolb G, see Scherer C
Komarek S, see Barth FG, et al
Komiya M, Yamashita S, Tateda H (1988) Turning reactions to real and apparent motion stimuli in the posterolateral eyes of jumping spiders 163:585
Komiya M, Yamashita S, Tateda H (1989) Erratum 164:563
Kondoh Y, Arima T, Okuma J, Hasegawa Y (1991) Filter characteristics of cercal afferents in the cockroach 169:653
Kondoh Y, Morishita H, Arima T, Okuma J, Hasegawa Y (1991) White noise analysis of graded response in a windsensitive, nonspiking interneuron of the cockroach 168:429
Konishi H, Foster RG, Follett BK (1987) Evidence for a daily rhythmicity in the acute release of luteinizing hormone in response to electrical stimulation in the Japanese quail 161:315
Köppl C, Manley GA (1990) Peripheral auditory processing in the bobtail lizard *Tiliqua rugosa*. II. Tonotopic organization and innervation pattern of the basilar papilla 167:101
Köppl C, Manley GA (1990) Peripheral auditory processing in the bobtail lizard *Tiliqua rugosa*. III. Patterns of spontaneous and tone-evoked nerve-fibre activity 167:113
Köppl C, Manley GA, Johnstone BM (1990) Peripheral auditory processing in the bobtail lizard *Tiliqua rugosa*. V. Seasonal effects of anaesthesia 167:139
Köppl C, see Manley GA, et al
Korall H, Leucht T, Martin H (1988) Bursts of magnetic fields induce jumps of misdirection in bees by a mechanism of magnetic resonance 162:279
Korall H, Martin H (1987) Responses of bristle field sensilla in *Apis mellifica* to geomagnetic and astrophysical fields 161:1
Korall H, see Martin H, et al
Kössl M, Vater M (1990) Tonotopic organization of the cochlear nucleus of the mustache bat, *Pteronotus parnellii* 166:695
Kössl M, Vater M (1990) Resonance phenomena in the cochlea of the mustache bat and their contribution to neuronal response characteristics in the cochlear nucleus 166:711
Kotak VC, Page CH (1987) Synaptic responses produced in lobster abdominal postural motor neurons by mechanical stimulation of the swimmeret 161:695
Kouvalainen E, see Torkkeli P, et al
Kowalski U, Wiltschko R, Füller E (1988) Normal fluctuations of the geomagnetic field may affect initial orientation in pigeons 163:593
Krasne FB, see Bustamante J
Kristan Jr WB, see Lockery SR
Kristan Jr WB, see Wittenberg G, et al
Kristan Jr WB, see Nusbaum MP, et al
Kroese ABA, see Wubbels RJ, et al
Krueger U, see Riley JR, et al
Kruizinga R, see Stavenga DG, et al
Kryger P, see Michelsen A, et al
Kunz TH, see Powers LV, et al
Kupfermann I, see Teyke T, et al
Kurokawa M, Kuwasawa K (1988) Multimodal inhibitory innervation of the gill of *Aplysia juliana* 162:533
Kurumiya S, Kawamura H (1988) Circadian oscillation of the multiple unit activity in the guinea pig suprachiasmatic nucleus 162:301
Kusunoki M, see Matsushima T, et al
Kutsch W, Kittmann R (1991) Flight motor pattern in flying and non-flying Phasmida 168:483

Kutsch W, see Stevenson PA
Kuwabara T, see Piatigorsky J, et al
Kuwasawa K, see Kurokawa M

L

Labhart T, see Herzmann D
Labhart T, see Kaltenrieder M, et al
Labhart T, see Nilsson D-E, et al
Labhart T, see Philipsborn A von
Lakes R, Kalmring K, Engelhard K-H (1990) Changes in the auditory system of locusts (*Locusta migratoria* and *Schistocerca gregaria*) after deafferentation 166:553
Lakhera P, see Chandola-Saklani A, et al
Lall AB, Lloyd JE (1989) Spectral sensitivity of the compound eyes in two day-active fireflies (Coleoptera: Lampyridae: *Lucidota*) 166:257
Lall AB, Strother GK, Cronin TW, Seliger HH (1988) Modification of spectral sensitivities by screening pigments in the compound eyes of twilight-active fireflies (Coleoptera: Lampyridae) 162:23
Laming PR, see Roitbak AI, et al
Land MF (1989) The eyes of hyperiid amphipods: relations of optical structure to depth 164:751
Land MF, Marshall JN, Brownless D, Cronin TW (1990) The eye-movements of the mantis shrimp *Odontodactylus scyllarus* (Crustacea: Stomatopoda) 167:155
Land MF, see Cronin TW, et al
Land MF, see Nilsson D-E, et al
Landrum JT, see Stark WS, et al
Lang F, Elsner N (1989) The interference of sound and movement stimuli in auditory interneurons of *Locusta migratoria* L. 164:697
Lang F, see Hedwig B, et al
Lange AB, Orchard I, Te Brugge VA (1991) Evidence for the involvement of a SchistoFLRF-amide-like peptide in the neural control of locust oviduct 168:383
Lankenau J, see Zill SN, et al
Larimer JL, see Moore D
Larimer JL, see Murchison D
Larimer JL, see Murphy BF, et al
Larsen ON, see Klump GM
Larsen ON, see Surlykke A, et al
Lasater EM, Witkovsky P (1990) Membrane currents of spiking cells isolated from turtle retina 167:11
Laska M (1990) Olfactory sensitivity to food odor components in the short-tailed fruit bat, *Carollia perspicillata* (Phyllostomatidae, Chiroptera) 166:395
Lauder GV, see Reilly SM
Laughlin SB, see Hateren JH van
Laughlin SB, see Hateren JH van, et al
Laurent G (1988) Local circuits underlying excitation and inhibition of intersegmental interneurones in the locust 162:145
Laurent GJ, Burrows M (1988) Direct excitation of nonspiking local interneurones by exteroceptors underlies tactile reflexes in the locust 162:563
Laverack MS, see Maitland DP, et al
Laverty R, see Taylor DJ, et al
Lavery RJ, see Reebs SG, et al
Lavialle M, Dumortier B (1990) Metabolic correlates in the working of an insect putative photoperiodic clock 166:785
Lazzari C, Varjú D (1990) Visual lateral fixation and tracking in the haematophagous bug *Triatoma infestans* 167:527
Le Houezec J, see Martinoya C, et al
Leertouwer HL, see Stavenga DG, et al
Leest F van der, see Gerkema MP
Lehmann A, see Zeise M
Lehrer M (1990) How bees use peripheral eye regions to localize a frontally positioned target 167:173
Lehrer M, see Srinivasan MV
Lehrer M, see Srinivasan MV, et al
Lemon WC, see Fleishman LJ, et al
Lent CM, Zundel D, Freedman E, Groome JR (1991) Serotonin in the leech central nervous system: anatomical correlates and behavioral effects 168:191
Lent CM, see Groome JR
Lenting BPM, see Schuling FH, et al
Lenz G, see Kirschfeld K, et al
Leppelsack H-J, see Buchfellner E, et al
Leucht T, see Korall H, et al
Levine RB, see Waldrop B
Levy A, see Camhi JM
Levy A, see Libersat F, et al
Lewald J (1990) The directionality of the ear of the pigeon (*Columba livia*) 167:533
Lewis B, see Harrison L, et al
Lewis ER, see Moore SW, et al
Lewis ER, see Narins PM, et al
Lewis ER, see Yu X, et al
Lewis RD, see Saunders DS
Libersat F (1992) Modulation of flight by the giant interneurons of the cockroach 170:379
Libersat F, Hoy RR (1991) Ultrasonic startle behavior in bushcrickets (Orthoptera; Tettigoniidae) 169:507
Libersat F, Levy A, Camhi JM (1989) Multiple feedback loops in the flying cockroach: excitation of the dorsal and inhibition of the ventral giant interneurons 165:651
Lin PJJ, see Jen PH-S, et al
Lloyd JE, see Lall AB
Lnenicka GA, see Pahapill PA, et al
Lockery SR, Kristan Jr WB (1991) Two forms of sensitization of the local bending reflex of the medicinal leech 168:165
Loer CM, see Wittenberg G, et al
Loew ER, see Hawryshyn CW, et al
Löfqvist J, see Hansson BS, et al
Loftus R, Corbière-Tichané G (1987) Response of antennal cold receptors of the catopid beetles, *Speophyes lucidulus* Delar. and *Choleva angustata* Fab. to very slowly changing temperature 161:399
Loftus R, see Ameismeier F
Loftus R, see Tichy H
Logan BJ, see Taylor DJ, et al
Loon JJA van (1990) Chemoreception of phenolic acids and flavonoids in larvae of two species of *Pieris* 166:889
Lopez PT, see Moore SW, et al
Lorenzo D, Sierra F, Silva A, Macadar O (1990) Spinal mechanisms of electric organ discharge synchronization in *Gymnotus carapo* 167:447
Lorenzo D, Velluti JC, Macadar O (1988) Electrophysiological properties of abdominal electrocytes in the weakly electric fish *Gymnotus carapo* 162:141
Lorenzo D, see Macadar O, et al
Losier B, see Rusak B, et al
Lotem A, see Katzir G, et al
Lunau K (1990) Colour saturation triggers innate reactions to flower signals: Flower dummy experiments with bumblebees 166:827
Lynch CB, see Lynch GR, et al
Lynch GR, Lynch CB, Kliman RM (1989) Genetic analysis of photoresponsiveness in the Djungarian hamster, *Phodopus sungorus* 164:475
Lynch GR, see Puchalski W
Lythgoe JN, see Partridge JC, et al
Lythgoe JN, see Shand J, et al
Lytton WW (1991) Simulations of a phase comparing neuron of the electric fish *Eigenmannia* 169:117

M

Macadar O, Lorenzo D, Velluti JC (1989) Waveform generation of the electric organ discharge in *Gymnotus carapo*. II. Electrophysiological properties of single electrocytes 165:353
Macadar O, see Caputi A, et al
Macadar O, see Lorenzo D, et al
Macagno ER, see Consi TR, et al
Macagno ER, see Smith KC
Macdonald JA, see Montgomery JC, et al
Machemer H, Machemer-Röhnisch S, Bräucker R, Takahashi K (1991) Gravikinesis in *Paramecium*: Theory and isolation of a physiological response to the natural gravity vector 168:1
Machemer H, see Mogami Y
Machemer H, see Nakaoka Y
Machemer H, see Pernberg J
Machemer-Röhnisch S, see Machemer H, et al
Mackintosh RM, Bilotta J, Abramov I (1987) Contributions of short-wavelength cones to goldfish ganglion cells 161:85
Maddess T, see Ibbotson MR, et al
Maekawa M, see Wong D, et al
Magni F, see Grassi S, et al
Maier EH, see Klump GM
Maier EJ (1992) Spectral sensitivities including the ultraviolet of the passeriform bird *Leiothrix lutea* 170:709
Maier L, see Wiens TJ, et al
Maitland DP, Heitler WJ, Laverack MS (1991) Light modulation of postural flexor motoneurones in the tail-fan of the squat lobster *Galathea strigosa* (Crustacea, Anomura) 168:513
Maki Y, see Shimada I, et al
Malamud JG, Mizisin AP, Josephson RK (1988) The effects of octopamine on contraction kinetics and power output of a locust flight muscle 162:827
Maldonado H, see Brunner D

Maldonado H, see Dimant B
Maler L, see Mathieson WB
Maler L, see Shumway CA
Malpaux B, see Wayne NL, et al
Mankin RW, Mayer MS, Grant AJ (1991) Sensitivity of *Trichoplusia ni* (Hübner) pheromone receptor neurons: Relationships between neural thresholds and behavioral responses 168:739
Manley GA, Gleich O, Kaiser A, Brix J (1989) Functional differentiation of sensory cells in the avian auditory periphery 164:289
Manley GA, Köppl C, Johnstone BM (1990) Peripheral auditory processing in the bobtail lizard *Tiliqua rugosa*. I. Frequency tuning of auditory-nerve fibres 167:89
Manley GA, Yates GK, Köppl C, Johnstone BM (1990) Peripheral auditory processing in the bobtail lizard *Tiliqua rugosa*. IV. Phase locking of auditory-nerve fibres 167:129
Manley GA, see Köppl C
Manley GA, see Köppl C, et al
Marimuthu G, see Rübsamen R, et al
Marshall JN, see Land MF, et al
Marshall NJ, see Cronin TW
Marshall NJ, see Cronin TW, et al
Martin C, see Meissl H, et al
Martin H, Korall H, Förster B (1989) Magnetic field effects on activity and ageing in honeybees 164:423
Martin H, see Korall H
Martin H, see Korall H, et al
Martin KA, see Sahley CL, et al
Martinoya C, Le Houezec J, Bloch S (1988) Depth resolution in the pigeon 163:33
Maslova L, see Illnerová H, et al
Mason AC (1991) Hearing in a primitive ensiferan: the auditory system of *Cyphoderris monstrosa* (Orthoptera: Haglidae) 168:351
Mason AC, see Fullard JH, et al
Mason JC, see Baines RA, et al
Mason JR, see Silver WL, et al
Masson-Pévet M, see Canguilhem B, et al
Mastebroek HAK, see Schuling FH, et al
Masters WM, Jacobs SC (1989) Target detection and range resolution by the big brown bat (*Eptesicus fuscus*) using normal and time-reversed model echoes 166:65
Mather JA (1991) Navigation by spatial memory and use of visual landmarks in octopuses 168:491
Matheson T (1990) Responses and locations of neurones in the locust metathoracic femoral chordotonal organ 166:915
Matheson T (1992) Morphology of the central projections of physiologically characterised neurones from the locust metathoracic femoral chordotonal organ 170:101
Matheson T (1992) Range fractionation in the locust metathoracic femoral chordotonal organ 170:509
Mathieson WB, Maler L (1988) Morphological and electrophysiological properties of a novel in vitro preparation: the electrosensory lateral line lobe brain slice 163:489
Mathis U, Schaeffel F, Howland HC (1988) Visual optics in toads (*Bufo americanus*) 163:201
Matsuhashi S, see Sakaguchi M, et al
Matsushima T, Satou M, Ueda K (1988) Neuronal pathways for the lingual reflex in the Japanese toad 164:173
Matsushima T, Satou M, Ueda K (1989) Medullary reticular neurons in the Japanese toad: morphologies and excitatory inputs from the optic tectum 166:7
Matsushima T, Takei K, Kitamura S, Kusunoki M, Satou M, Okumoto N, Ueda K (1989) Rhythmic electromyographic activities of trunk muscles characterize the sexual behavior in the Himé salmon (landlocked sockeye salmon, *Oncorhynchus nerka*) 165:293
Matsushima T, see Satou M, et al
Max M, Menaker M (1992) Regulation of melatonin production by light, darkness, and temperature in the trout pineal 170:479
May ML, Brodfuehrer PD, Hoy RR (1988) Kinematic and aerodynamic aspects of ultrasound-induced negative phonotaxis in flying Australian field crickets (*Teleogryllus oceanicus*) 164:243
May ST, see Thompson KSJ, et al
Mayer MS, see Mankin RW, et al
Mayer M, Vogtmann K, Bausenwein B, Wolf R, Heisenberg M (1988) Flight control during 'free yaw turns' in *Drosophila melanogaster* 163:389
McAnelly ML, see Murphy BF, et al
McFarland WN, see Hawryshyn CW, et al
McGhee R, see Stout JF
McIntyre PD, see Warrant EJ
McIntyre PD, see Warrant EJ, et al
McIntyre P, see Blest AD, et al
McMahon DG, Block GD (1987) The *Bulla* ocular circadian pacemaker. I. Pacemaker neuron membrane potential controls phase through a calcium-dependent mechanism 161:335
McMahon DG, Block GD (1987) The *Bulla* ocular circadian pacemaker. II. Chronic changes in membrane potential lengthen free running period 161:347
McPherson D, see Shope SB, et al
Megela Simmons A (1988) Selectivity for harmonic structure in complex sounds by the green treefrog (*Hyla cinerea*) 162:397
Meissl H, Martin C, Tabata M (1990) Melatonin modulates the neural activity in the photosensory pineal organ of the trout: Evidence for endocrine-neuronal interactions 167:641
Menaker M, see Chabot CC
Menaker M, see Foà A
Menaker M, see Foster RG, et al
Menaker M, see Janik DS
Menaker M, see Janik DS, et al
Menaker M, see Max M
Menaker M, see Refinetti R, et al
Mendonça MT, Crews D (1990) Mating-induced ovarian recrudescence in the red-sided garter snake 166:629
Meng LZ, Wu CH, Wicklein M, Kaissling K-E, Bestmann HJ (1989) Number and sensitivity of three types of pheromone receptor cells in *Antheraea pernyi* and *A. polyphemus* 165:139
Meng LZ, see Kaissling K-E, et al
Menne D, see Emde G von der
Menne D, see Sum YW
Menzel R, Fix Ventura D, Werner A, Joaquim LCM, Backhaus W (1989) Spectral sensitivity of single photoreceptors and color vision in the stingless bee, *Melipona quadrifasciata* 166:151
Menzel R, see Brandes C
Menzel R, see Chittka L, et al
Menzel R, see Peitsch D, et al
Menzel R, see Souza J de, et al
Menzel R, see Zufall F, et al
Mercer AR, see Flanagan D
Mercer AR, see Taylor DJ, et al
Merrill CL, see Johnson BR, et al
Mesce KA, Truman JW (1988) Metamorphosis of the ecdysis motor pattern in the hawkmoth, *Manduca sexta* 163:287
Metzner W, Heiligenberg W (1991) The coding of signals in the electric communication of the gymnotiform fish *Eigenmannia*: From electroreceptors to neurons in the torus semicircularis of the midbrain 169:135
Metzner W, see Heiligenberg W, et al
Meyer E, see Nilsson D-E, et al
Meyertholen EP, Stein PJ, Williams MA, Ostroy SE (1987) Studies of the *Drosophila norpA* phototransduction mutant. II. Photoreceptor degeneration and rhodopsin maintenance 161:793
Miall RC (1990) Visual control of steering in locust flight: the effects of head movement on responses to roll stimuli 166:735
Michelsen A, Towne WF, Kirchner WH, Kryger P (1987) The acoustic near field of a dancing honeybee 161:633
Michelsen A, see Surlykke A, et al
Michinomae M, see Seidou M, et al
Milde JJ, Seyfarth E-A (1988) Tactile hairs and leg reflexes in wandering spiders: physiological and anatomical correlates of reflex activity in the leg ganglia 162:623
Milde JJ, see Schildberger K, et al
Miles CI, Weeks JC (1991) Developmental attenuation of the pre-ecdysis motor pattern in the tobacco hornworm, *Manduca sexta* 168:179
Miller JP, see Bodnar DA, et al
Miller LA (1991) Arctiid moth clicks can degrade the accuracy of range difference discrimination in echolocating big brown bats, *Eptesicus fuscus* 168:571
Miller LA, see Boyan GS
Miller L, see Schnitzler H-U, et al
Mills A, Zakon HH (1987) Coordination of EOD frequency and pulse duration in a weakly electric wave fish: the influence of androgens 161:417
Minh-Nyo M, see Tabata M, et al
Minke B, see Werner U, et al
Mistlberger RE, see Rusak B, et al
Miyamoto K, see Uno H, et al
Miyazaki T, see Tazaki K
Mizisin AP, see Malamud JG, et al
Mogami Y, Machemer H (1991) In vivo activation of cirral movement in *Stylonychia* by calcium 168:687

Möhl B (1988) Short-term learning during flight control in *Locusta migratoria* 163:803
Möhl B (1989) 'Biological noise' and plasticity of sensorimotor pathways in the locust flight system 166:75
Möhl B, see Pfau HK, et al
Møhl B, Surlykke A (1989) Detection of sonar signals in the presence of pulses of masking noise by the echolocating bat, *Eptesicus fuscus* 165:119
Moiseff A (1989) Bi-coordinate sound localization by the barn owl 164:637
Moiseff A (1989) Binaural disparity cues available to the barn owl for sound localization 164:629
Moissef A (1989) Erratum 165:138
Mojet MH, Tinbergen J, Stavenga DG (1991) Receptor potential and light-induced mitochondrial activation in blowfly photoreceptor mutants 168:305
Montgomery JC, Macdonald JA, Housley GD (1988) Lateral line function in an antarctic fish related to the signals produced by planktonic prey 163:827
Montgomery JC, Macdonald JA, Housley GD (1990) Brain function in antarctic fish: frequency response analysis of central vestibular units 166:407
Moore D, Larimer JL (1988) Interactions between the tonic and cyclic postural motor programs in the crayfish abdomen 163:187
Moore SW, Lewis ER, Narins PM, Lopez PT (1989) The call-timing algorithm of the white-lipped frog, *Leptodactylus albilabris* 164:309
Morgan B, see Frost BJ, et al
Morishita H, see Kondoh Y, et al
Morita H, see Sakaguchi M, et al
Moritz RFA, Crewe RM (1988) Chemical signals of queens in kin recognition of honeybees, *Apis mellifera* L. 164:83
Morris GK, see Fullard JH, et al
Moss CF, Schnitzler HU (1989) Accuracy of target ranging in echolocating bats: acoustic information processing 165:383
Moss CF, see Simmons JA, et al
Mote MI, see Kelly KM
Motte I de la, see Burkhardt D
Moulins M, see Bal T, et al
Moulins M, see Cardi P, et al
Mrosovsky N (1988) Phase response curves for social entrainment 162:35
Mrosovsky N (1990) Circannual cycles in golden-mantled ground squirrels: fall and spring cold pulses 167:683
Mrosovsky N, see Reebs SG
Mrosovsky N, see Reebs SG, et al
Mudry KM, Capranica RR (1987) Correlation between auditory thalamic area evoked responses and species-specific call characteristics. II. *Hyla cinerea* (Anura: Hylidae) 161:407
Müller CM (1987) Differential effects of acetylcholine in the chicken auditory neostriatum and hyperstriatum ventrale – studies in vivo and in vitro 161:857
Münz H, Claas B (1991) Activity of lateral line efferents in the axolotl (*Ambystoma mexicanum*) 169:461
Münz H, see Bartels M, et al
Murayama M, see Takahata M
Murchison D, Larimer JL (1992) Synaptic interactions among neurons that coordinate swimmeret and abdominal movements in the crayfish 170:739
Murphey RK, see Shepherd D, et al
Murphy BF, McAnelly ML, Larimer JL (1989) Abdominal positioning interneurons in crayfish: participation in behavioral acts 165:461
Mustaparta H, see Almaas TJ, et al
Mustaparta H, see Christensen TA, et al
Mustaparta H, see Tømmerås BÅ
Mustaparta H, see Vickers NJ, et al

N

Nagahama T, Takata M (1987) Food-induced firing patterns in motoneurons innervating the pharynx of *Aplysia kurodai* 161:799
Nagahama T, Takata M (1988) Food-induced firing patterns in motoneurons producing jaw movements in *Aplysia kurodai* 162:729
Nagahama T, Takata M (1989) Neural mechanism generating firing patterns in jaw motoneurons during the food-induced response in *Aplysia kurodai*. I. Identification and characterization of premotor neurons 166:143
Nagahama T, Takata M (1990) Neural mechanism generating firing patterns in jaw motoneurons during the food-induced response in *Aplysia kurodai*. II. Functional role of premotor neurons on generation of firing patterns in motoneurons 166:277
Nagahama T, Takata M (1990) Innervation of buccal muscles by multifunctional MA1 neurons in *Aplysia kurodai* 167:1
Nagao T, Tanimura T, Shimozawa T (1991) Neurohormonal control of the mating interval in the male cricket *Gryllus bimaculatus* DeGeer 168:159
Nagayama T (1990) The organization of receptive fields of an antero-medial group of spiking local interneurones in the locust with exteroceptive inputs from the legs 166:471
Nagayama T, Hisada M (1988) Bilateral local non-spiking interneurons in the terminal (sixth) abdominal ganglion of the crayfish, *Procambarus clarkii* 163:601
Nagy F, see Bal T, et al
Nagy F, see Cardi P, et al
Naitoh Y, see Oami K, et al
Nakagawa H, Hisada M (1992) Local spiking interneurons controlling the equilibrium response in the crayfish *Procambarus clarkii* 170:291
Nakaoka Y (1989) Localization of photosensitivity in *Paramecium bursaria* 165:637
Nakaoka Y, Iwatsuki K (1992) Hyperpolarization-activated inward current associated with the frequency increase in ciliary beating of *Paramecium* 170:723
Nakaoka Y, Machemer H (1990) Effects of cyclic nucleotides and intracellular Ca on voltage-activated ciliary beating in *Paramecium* 166:401
Nalbach G (1989) The gear change mechanism of the blowfly (*Calliphora erythrocephala*) in tethered flight 165:321
Nalbach G, see Nalbach H-O, et al
Nalbach H-O, Nalbach G, Forzin L (1989) Visual control of eye-stalk orientation in crabs: vertical optokinetics, visual fixation of the horizon, and eye design 165:577
Nalbach H-O, Zeil J, Forzin L (1989) Multisensory control of eye-stalk orientation in space: crabs from different habitats rely on different senses 165:643
Narins PM, Reichman OJ, Jarvis JUM, Lewis ER (1992) Seismic signal transmission between burrows of the Cape mole-rat, *Georychus capensis* 170:13
Narins PM, see Moore SW, et al
Narins PM, see Schmitz B, et al
Neil DM, see Cattaert D, et al
Neil DM, see Newland PL
Neitz J, see Blakeslee B, et al
Nelson DE, see Refinetti R, et al
Neumann D (1988) Temperature compensation of circasemilunar timing in the intertidal insect *Clunio* 163:671
Neumann I, Schuller G (1991) Spectral and temporal gating mechanisms enhance the clutter rejection in the echolocating bat, *Rhinolophus rouxi* 169:109
Neuweiler G, see Roverud RC, et al
Neuweiler G, see Rübsamen R, et al
Neuweiler G, see Schmidt U, et al
New JG (1990) Medullary electrosensory processing in the little skate. I. Response characteristics of neurons in the dorsal octavolateralis nucleus 167:285
New JG, Bodznick D (1990) Medullary electrosensory processing in the little skate. II. Suppression of self-generated electrosensory interference during respiration 167:295
Newland PL (1989) The uropod righting reaction of the crayfish *Procambarus clarkii* (Girard): an equilibrium response driven by two largely independent reflex pathways 164:685
Newland PL, Neil DM (1990) The tail flip of the Norway lobster, *Nephrops norvegicus*. I. Giant fibre activation in relation to swimming trajectories 166:517
Newland PL, Neil DM (1990) The tail flip of the Norway lobster, *Nephrops norvegicus*. II. Dynamic righting reactions induced by body tilt 166:529
Nijland MJM, see Cannone AJ
Nilsson D-E (1990) Three unexpected cases of refracting superposition eyes in crustaceans 167:71
Nilsson D-E, Hamdorf K, Höglund G (1992) Localization of the pupil trigger in insect superposition eyes 170:217
Nilsson D-E, Howard J (1989) Intensity and polarization of the eyeshine in butterflies 166:51
Nilsson D-E, Labhart T, Meyer E (1987) Photoreceptor design and optical proper-

ties affecting polarization sensitivity in ants and crickets 161:645
Nilsson D-E, Land MF, Howard J (1988) Optics of the butterflye eye 162:341
Nilsson GE, see Winberg S, et al
Ninomiya Y, Sako N, Funakoshi M (1989) Strain differences in ammiloride inhibition of NaCl responses in mice, *Mus musculus* 166:1
Nitsche V, see Roverud RC, et al
Norris BJ, Calabrese RL (1990) Action of FMRFamide on longitudinal muscle of the leech, *Hirudo medicinalis* 167:211
Norwich KH, Valter McConville KM (1991) An informational approach to sensory adaptation 168:151
Nudelman S, see Galun R, et al
Numata H (1990) Photoperiodic induction of the first and the second diapause in the bean bug, *Riptortus clavatus*: a photoperiodic history effect 167:167
Núñez J, see Varjú D
Nürnberger F, see Heinzeller Th, et al
Nusbaum MP, Friesen WO, Kristan Jr WB, Pearce RA (1987) Neural mechanisms generating the leech swimming rhythm: Swim-initiator neurons excite the network of swim oscillator neurons 161:355

O

Oami K, Sibaoka T, Naitoh Y (1988) Tentacle regulating potentials in *Noctiluca miliaris*: their generation sites and ionic mechanisms 162:179
Ocherashvili EV, see Roitbak AI, et al
O'Connell RJ, see Akers RP
O'Connel RJ, see Borroni PF
Ofarim M, see Dudai Y, et al
Ogle RC, see Johnson BR, et al
Oguri M, see Tabata M, et al
Ohlemiller KK, Echteler SM (1990) Functional correlates of characteristic frequency in single cochlear nerve fibers of the Mongolian gerbil 167:329
Ohnishi K (1991) Goldfish's visual information processing patterns in food-reinforced discrimination learning between compound visual stimuli 168:581
Ohno Y, see Uno H, et al
Ohta K, see Sakaguchi M, et al
Okada Y, Yamaguchi T (1988) Nonspiking giant interneurons in the crayfish brain: morphological and physiological characteristics of the neurons postsynaptic to visual interneurons 162:705
Okuma J, see Kondoh Y, et al
Okumoto N, see Matsushima T, et al
Okumoto N, see Satou M, et al
Olberg RM, Pinter RB (1990) The effect of mean luminance on the size selectivity of identified target interneurons in the dragonfly 166:851
Olberg RM, Willis MA (1990) Pheromone-modulated optomotor response in male gypsy moths, *Lymantria dispar* L.: Directionally selective visual interneurons in the ventral nerve cord 167:707
Oldfield BP, see Inglis M
Olsén KH, see Winberg S, et al
O'Neill WE, see Gooler DM
Ootsubo T, see Sakai M
Orchard I, see Belanger JH
Orchard I, see Lange AB, et al
Osawa T, see Kanou M, et al
Oshima I, Yamada H, Goto M, Sato K, Ebihara S (1989) Pineal and retinal melatonin is involved in the control of circadian locomotor activity and body temperature rhythms in the pigeon 166:217
Oshima I, see Yamada H, et al
Osorio D (1987) The temporal properties of non-linear, transient cells in the locust medulla 161:431
Osorio D (1987) Temporal and spectral properties of sustaining cells in the medulla of the locust 161:441
Osorio D, see Yang E-C
Ossenkopp K-P, see Kavaliers M
Ostroy SE, see Meyertholen EP, et al
Ostroy SE, see Wilson MJ
Ottaviani F, see Grassi S, et al
Ottaviano O, see Scapini F, et al
Otto D, see Janiszewski J
Ouarour A, Kirsch R, Pévet P (1991) Effects of temperature, steroids and castration on daily torpor in the Djungarian hamster (*Phodopus sungorus*) 168:477
Ouarour A, see Kirsch R, et al

P

Packard A, Karlsen HE, Sand O (1990) Low frequency hearing in cephalopods 166:501
Page CH, see Killian KA
Page CH, see Kotak VC
Page TL, Barrett RK (1989) Effects of light on circadian pacemaker development. II. Responses to light 165:51
Page TL, see Barrett RK
Page TL, see Colwell CS
Page TL, see Geusz ME
Pahapill PA, Lnenicka GA, Atwood HL (1987) Long-term facilitation and low-frequency depression in a crayfish phasic motor axon 161:367
Palazzi C, see Penna M, et al
Paolinelli P, see Penna M, et al
Parsons DW, see Ferguson GP, et al
Partridge JC (1989) The visual ecology of avian cone oil droplets 165:415
Partridge JC, Archer SN, Lythgoe JN (1988) Visual pigments in the individual rods of deep-sea fishes 162:543
Partridge JC, Shand J, Archer SN, Lythgoe JN, Groningen-Luyben WAHM van (1989) Interspecific variation in the visual pigments of deep-sea fishes 164:513
Partridge JC, see Shand J, et al
Passani MB, see Consi TR, et al
Pasternack M, Rydqvist B, Kaila K (1992) GABA-gated anion channels in intact crayfish opener muscle fibres and stretch-receptor neurons are neither activated nor desensitized by glutamate 170:521
Paterson CJ, see Collett TS
Paul DH, see Wilson LJ
Pawloski DA, see Au WWL
Payne R, Flores TM (1992) The latency of the response of *Limulus* photoreceptors to inositol trisphosphate lacks the calcium-sensitivity of that to light 170:311
Pearce RA, see Nusbaum MP, et al
Pearson KG, Wolf H (1989) Timing of forewing elevator activity during flight in the locust 165:217
Pearson KG, see Ramirez J-M
Pearson KG, see Reye DN
Pearson KG, see Wolf H
Peaslee AG, Wilson G (1989) Spectral sensitivity in jumping spiders (Araneae, Salticidae) 164:359
Pece AEC, French AS (1989) Single photon responses in locust photoreceptors: the effects of stimulus location on amplitude and time course 164:365
Pece AEC, French AS (1992) Sublinear summation of responses in locust photoreceptors 170:729
Peck JH, see Johnson BR, et al
Peitsch D, Fietz A, Hertel H, Souza J de, Fix Ventura D, Menzel R (1992) The spectral input systems of hymenopteran insects and their receptor-based colour vision 170:23
Pelletier JL, see Kass L, et al
Pelletier JL, see Renninger GH, et al
Penisten DK, see Gilbert C, et al
Penna M, Capranica RR, Somers J (1992) Hormone-induced vocal behavior and midbrain auditory sensitivity in the green treefrog, *Hyla cinerea* 170:73
Penna M, Palazzi C, Paolinelli P, Solís R (1990) Midbrain auditory sensitivity in toads of the genus *Bufo* (Amphibia – Bufonidae) with different vocal repertoires 167:673
Pernberg J, Machemer H (1989) Depolarization-induced membrane current components in *Didinium* 164:551
Peschke K, Eisner T (1987) Defensive secretion of the tenebrionid beetle, *Blaps mucronata*: Physical and chemical determinants of effectiveness 161:377
Peters BH, see Tyrer NM, et al
Pettigrew JD, see Howland HC, et al
Pévet P, see Canguilhem B, et al
Pévet P, see Kirsch R, et al
Pévet P, see Ouarour A, et al
Pfau HK, Koch UT, Möhl B (1989) Temperature dependence and response characteristics of the isolated wing hinge stretch receptor in the locust 165:247
Pfeiffer-Linn C, Glantz RM (1991) GABA-mediated inhibition of visual interneurons in the crayfish medulla 168:373
Pflüger HJ, see Burrows M
Philipsborn A von, Labhart T (1990) A behavioural study of polarization vision in the fly, *Musca domestica* 167:737
Piatigorsky J, Horwitz J, Kuwabara T, Cutress CE (1989) The cellular eye lens and crystallins of cubomedusan jellyfish 164:577
Pickard GE, see Janik DS, et al
Pickhard A, see Cheng K, et al
Piddington RW, see Calford MB
Pieneman AW, see Ter Maat A, et al

Pinheiro AD, Wu M, Jen PH-S (1991) Encoding repetition rate and duration in the inferior colliculus of the big brown bat, *Eptesicus fuscus* 169:69
Pinsker HM, see Ferguson GP, et al
Pinter RB, see Olberg RM
Pollack GS, see Atkins G
Popov VV, Supin AYa (1990) Auditory brain stem responses in characterization of dolphin hearing 166:385
Potts GW, see Shand J, et al
Powers LV, Kandarian SC, Kunz TH (1991) Ontogeny of flight in the little brown bat, *Myotis lucifugus*: behavior, morphology, and muscle histochemistry 168:675
Powers NL, see Salvi RJ, et al
Pozza MF, see Tyrer NM, et al
Prange HD, see Gaunt AS, et al
Preston RR, Usherwood PNR (1988) L-Glutamate-induced membrane hyperpolarization and behavioural responses in *Paramecium tetraurelia* 164:75
Provencio I, see Foster RG, et al
Puchalski W, Lynch GR (1988) Characterization of circadian function in Djungarian hamsters insensitive to short day photoperiod 162:309
Puchalski W, Lynch GR (1991) Expression of circadian rhythmicity in Djungarian hamsters under constant light: Effects of light intensity and the circadian system's state 169:185

Q

Quast WD, see Kanz JE
Quenzer T, Zanker JM (1991) Visual detection of paradoxical motion in flies 169:331

R

Racey PA, see Speakman JR, et al
Ralph MR, Block GD (1990) Circadian and light-induced conductance changes in putative pacemaker cells of *Bulla gouldiana* 166:589
Ramirez J-M (1988) Interneurons in the suboesophageal ganglion of the locust associated with flight initiation 162:669
Ramirez J-M, Pearson KG (1990) Local anesthetic action of phentolamine on insect mechanoreceptors 167:475
Ramirez J-M, Pearson KG (1990) Chemical deafferentation of the locust flight system by phentolamine 167:485
Rand AS, see Fleishman LJ, et al
Rankin CH (1991) Interactions between two antagonistic reflexes in the nematode *Caenorhabditis elegans* 169:59
Rathmayer W, see Wiens TJ, et al
Reebs SG, Lavery RJ, Mrosovsky N (1989) Running activity mediates the phase-advancing effects of dark pulses on hamster circadian rhythms 165:809
Reebs SG, Mrosovsky N (1989) Large phase-shifts of circadian rhythms caused by induced running in a re-entrainment paradigm: The role of pulse duration and light 165:817
Refinetti R, Nelson DE, Menaker M (1992) Social stimuli fail to act as entraining agents of circadian rhythms in the golden hamster 170:181
Reichardt W (1987) Evaluation of optical motion information by movement detectors 161:533
Reichert H, see Ronacher B, et al
Reichert H, see Wolf H, et al
Reichman OJ, see Narins PM, et al
Reilly SM, Lauder GV (1990) The strike of the tiger salamander: quantitative electromyography and muscle function during prey capture 167:827
Reimer K (1987) Coding of sinusoidally amplitude modulated acoustic stimuli in the inferior colliculus of the rufous horseshoe bat, *Rhinolophus rouxi* 161:305
Reimer K (1991) Auditory properties of the superior colliculus in the horseshoe bat, *Rhinolophus rouxi* 169:719
Reiter RJ, see Heinzeller Th, et al
Remy M, see Bermejo R, et al
Renninger GH, Kass L, Pelletier JL, Schimmel R (1988) The eccentric cell of the *Limulus* lateral eye: encoder of circadian changes in visual responses 163:259
Renninger GH, see Hanna WJB, et al
Renninger GH, see Horne JA
Renninger GH, see Kass L, et al
Resler C, see Wilczynski W, et al
Reye DN, Pearson KG (1988) Entrainment of the locust central flight oscillator by wing stretch receptor stimulation 162:77
Rheinlaender J, see Helversen D von
Rheinlaender J, see Zimmermann U, et al
Rhodes M, see Atkins S, et al
Riley JR, Krueger U, Addison CM, Gewecke M (1988) Visual detection of wind-drift by high-flying insects at night: a laboratory study 162:793
Rind FC (1987) Non-directional, movement sensitive neurones of the locust optic lobe 161:477
Robert D (1988) Visual steering under closed-loop conditions by flying locusts: flexibility of optomotor response and mechanisms of correctional steering 164:15
Robert D, see Hensler K
Roberts A, see Boothby KM
Roberts BL, Ballintijn CM (1988) Sensory interaction with central 'generators' during respiration in the dogfish 162:695
Robertson RM (1990) Synchronous activity of flight neurons in the mesothoracic ganglion of the locust 167:61
Robertson RM, see Wang S
Robinson D, see Zimmermann U, et al
Robinson GE, see Taylor DJ, et al
Rock MK, see Shope SB, et al
Roebroek JGH, Gagné S, Stavenga DG (1989) Photoreconversion of blowfly visual pigment proceeds through a slowly (13 ms) decaying intermediate 165:75
Roebroek JGH, Stavenga DG (1990) Insect pupil mechanisms. IV. Spectral characteristics and light intensity dependence in the blowfly, *Calliphora erythrocephala* 166:537
Roitbak AI, Ocherashvili EV, Laming PR, Roitbak T (1992) Stimulus-evoked slow potential shifts and changes in $[K^+]_o$ of the frog optic tectum 170:327
Roitbak T, see Roitbak AI, et al
Rom A, see Werner U, et al
Römer H (1987) Representation of auditory distance within a central neuropil of the bushcricket *Mygalopsis marki* 161:33
Römer H, Bailey W, Dadour I (1989) Insect hearing in the field. III. Masking by noise 164:609
Römer H, see Bailey WJ
Ronacher B (1989) Stridulation of acridid grasshoppers after hemisection of thoracic ganglia: evidence for hemiganglionic oscillators 164:723
Ronacher B (1991) Contribution of abdominal commissures in the bilateral coordination of the hindlegs during stridulation in the grasshopper *Chorthippus dorsatus* 169:191
Ronacher B, Stumpner A (1988) Filtering of behaviourally relevant temporal parameters of a grasshopper's song by an auditory interneuron 163:517
Ronacher B, Wolf H, Reichert H (1988) Locust flight behavior after hemisection of individual thoracic ganglia: evidence for hemiganglionic premotor centers 163:749
Ronacher B, see Wolf H, et al
Rose GJ, Call SJ (1992) Differential distribution of ampullary and tuberous processing in the torus semicircularis of *Eigenmannia* 170:253
Rose GJ, Canfield JG (1991) Discrimination of the sign of frequency differences by *Sternopygus*, an electric fish without a jamming avoidance response 168:461
Rose GJ, Kawasaki M, Heiligenberg W (1988) 'Recognition units' at the top of a neuronal hierarchy? Prepacemaker neurons in *Eigenmannia* code the sign of frequency differences unambiguously 162:759
Rossel S (1991) Spatial vision in the praying mantis: is distance implicated in size detection? 169:101
Roth G, see Wiggers W
Rotzler S (1989) Possible efference to the ocellar system of the locust and its effect on ocellar interneurons 165:27
Roussel H, see Gaillard F, et al
Roverud RC (1989) A gating mechanism for sound pattern recognition is correlated with the temporal structure of echolocation sounds in the rufous horseshoe bat 166:243
Roverud RC (1989) Harmonic and frequency structure used for echolocation sound pattern recognition and distance information processing in the rufous horseshoe bat 166:251
Roverud RC, Nitsche V, Neuweiler G (1991) Discrimination of wingbeat motion by bats, correlated with echolocation sound pattern 168:259
Rübsamen R (1987) Ontogenesis of the echolocation system in the rufous horse-

shoe bat, *Rhinolophus rouxi* (Audition and vocalization in early postnatal development) 161:899
Rübsamen R (1992) Postnatal development of central auditory frequency maps 170:129
Rübsamen R, Neuweiler G, Marimuthu G (1989) Ontogenesis of tonotopy in inferior colliculus of a hipposiderid bat reveals postnatal shift in frequency-place code 165:755
Rübsamen R, Neuweiler G, Sripathi K (1988) Comparative collicular tonotopy in two bat species adapted to movement detection, *Hipposideros speoris* and *Megaderma lyra* 163:271
Rübsamen R, Schäfer M (1990) Ontogenesis of auditory fovea representation in the inferior colliculus of the Sri Lankan rufous horseshoe bat, *Rhinolophus rouxi* 167:757
Rübsamen R, Schäfer M (1990) Audiovocal interactions during development? Vocalisation in deafened young horseshoe bats vs. audition in vocalisation-impaired bats 167:771
Rübsamen R, see Bigalke-Kunz B, et al
Rudolph A, see Hateren JH van, et al
Ruf T, see Stieglitz A, et al
Ruiz L, see Frixione E
Rumbo ER, Kaissling K-E (1989) Temporal resolution of odour pulses by three types of pheromone receptor cells in *Antheraea polyphemus* 165:281
Runge L, see Gras H, et al
Rusak B, Mistlberger RE, Losier B, Jones CH (1988) Daily hoarding opportunity entrains the pacemaker for hamster activity rhythms 164:165
Ryan MJ, Tuttle MD (1987) The role of prey-generated sounds, vision, and echolocation in prey localization by the African bat *Cardioderma cor* (Megadermatidae) 161:59
Rydqvist B, see Pasternack M, et al

S

Sahley CL, Martin KA, Gelperin A (1990) Analysis of associative learning in the terrestrial mollusc *Limax maximus*. II. Appetitive learning 167:339
Saito T, see Kaneko Y
Sakaguchi M, Hanai K, Ohta K, Kitajima M, Matsuhashi S, Hori K, Morita H (1991) Monoclonal antibodies that depress a specific subset of multiple components of the glutathione-induced response of *Hydra* 168:409
Sakai M, Katayama T, Taoda Y (1990) Postembryonic development of mating behavior in the male cricket *Gryllus bimaculatus* De Geer 166:775
Sakai M, Ootsubo T (1988) Mechanism of execution of sequential motor acts during copulation behavior in the male cricket *Gryllus bimaculatus* De Geer 162:589
Sako N, see Ninomiya Y, et al
Salvi RJ, Saunders SS, Powers NL, Boettcher FA (1992) Discharge patterns of cochlear ganglion neurons in the chicken 170:227
Sand O, see Jerkø H, et al
Sand O, see Packard A, et al
Sandeman DC, Varju D (1988) A behavioural study of tactile localization in the crayfish *Cherax destructor* 163:525
Sandler C, Kirschfeld K (1991) Light-induced extracellular calcium and sodium concentration changes in the retina of *Calliphora*: involvement in the mechanism of light adaptation 169:299
Sato K, see Oshima I, et al
Sato K, see Yamada H, et al
Satou M, Shiraishi A (1991) Local motion processing in the optic tectum of the Japanese toad, *Bufo japonicus* 169:569
Satou M, Shiraishi A, Matsushima T, Okumoto N (1991) Vibrational communication during spawning behavior in the himé salmon (landlocked red salmon, *Oncorhynchus nerka*) 168:417
Satou M, see Matsushima T, et al
Sattelle DB, see Blagburn JM
Satterlie RA, see Huang Z
Saunders DS (1992) The photoperiodic clock and "counter" in *Sarcophaga argyrostoma*: experimental evidence consistent with "external coincidence" in insect photoperiodism 170:121
Saunders DS, Lewis RD (1988) The photoperiodic clock and counter mechanism in two species of flies: evidence for damped circadian oscillators in time measurement 163:365
Saunders SS, see Salvi RJ, et al
Scapini F, Buiatti M, Ottaviano O (1988) Phenotypic plasticity in sun orientation of sandhoppers 163:739
Scapini F, see Ugolini A
Schaeffel F, see Mathis U, et al
Schaeffel F, see Wagner H
Schäfer M, see Rübsamen R
Schäffner K-H, see Koch UT, et al
Schalken JJ, see Foster RG, et al
Scharstein H, see Böhm H, et al
Scharstein H, see Stabel J, et al
Scheich H (1987) Neural correlates of auditory filial imprinting 161:605
Scheich H, see Caird D, et al
Scherer C, Kolb G (1987) The influence of color stimuli on visually controlled behavior in *Aglais urticae* L. and *Pararge aegeria* L. (Lepidoptera) 161:891
Schermuly L, Klinke R (1990) Infrasound sensitive neurones in the pigeon cochlear ganglion 166:355
Schildberger K, Hörner M (1988) The function of auditory neurons in cricket phonotaxis. I. Influence of hyperpolarization of identified neurons on sound localization 163:621
Schildberger K, Kleindienst H-U (1989) Sound localization in intact and one-eared crickets. Comparison of neuronal properties with open-loop and closed-loop behavior 165:615
Schildberger K, Milde JJ, Hörner M (1988) The function of auditory neurons in cricket phonotaxis. II. Modulation of auditory responses during locomotion 163:633
Schildberger K, see Schmitz B, et al
Schilly D, see Stark WS, et al
Schimmel R, see Renninger GH, et al
Schirrmacher K, Deitmer JW (1989) Membrane properties of identified embryonic nerve and glial cells of the leech central nervous system 164:645
Schlecht P, Juse A, Höglund G, Hamdorf K (1987) Photoreconvertible fluorophore systems in rhabdomeres, Semper cells and corneal lenses in the compound eye of the blowfly 161:227
Schlegel P, see Coles RB, et al
Schlegel P, see Schmidt U, et al
Schmid KL, Howland HC, Howland M (1992) Focusing and accommodation in tuatara (*Sphenodon punctatus*) 170:263
Schmid KL, see Howland HC, et al
Schmid K, see Howland HC, et al
Schmidt M, Gnatzy W (1989) Specificity and response characteristics of gustatory sensilla (funnel-canal organs) on the dactyls of the shore crab, *Carcinus maenas* (Crustacea, Decapoda) 166:227
Schmidt U, Eckert M (1988) The influence of early odour experience on the neural response of the olfactory bulb in laboratory mice 163:771
Schmidt U, Schlegel P, Schweizer H, Neuweiler G (1991) Audition in vampire bats, *Desmodus rotundus* 168:45
Schmitt M, see Zufall F, et al
Schmitz B (1989) Neuroplasticity and phonotaxis in monaural adult female crickets (*Gryllus bimaculatus* de Geer) 164:343
Schmitz B, Kleindienst H-U, Schildberger K, Huber F (1988) Acoustic orientation in adult, female crickets (*Gryllus bimaculatus* de Geer) after unilateral foreleg amputation in the larva 162:715
Schmitz B, White TD, Narins PM (1992) Directionality of phase locking in auditory nerve fibers of the leopard frog *Rana pipiens pipiens* 170:589
Schmitz B, see Jørgensen MB, et al
Schneider H, see Diekamp B
Schneider-Picard G, see Coles JA
Schnitzler H-U, Kalko E, Miller L, Surlykke A (1987) The echolocation and hunting behavior of the bat, *Pipistrellus kuhli* 161:267
Schnitzler H-U, see Emde G von der
Schnitzler HU, see Moss CF
Schomburg ED, Steffens H (1988) Rhythmic motor activity and phase dependent reflex transmission in the spinal tortoise (*Testudo graeca, T. hermanni*) 163:537
Schoun D, see Walikonis R, et al
Schüch W, Barth FG (1990) Vibratory communication in a spider: female responses to synthetic male vibrations 166:817
Schuling FH, Mastebroek HAK, Bult R, Lenting BPM (1989) Properties of elementary movement detectors in the fly *Calliphora erythrocephala* 165:179
Schuller G, see Neumann I
Schürg-Pfeiffer E, see Ewert J-P, et al
Schürmann F-W, see Gras H, et al

Schurr Hartley R, Suthers RA (1989) Airflow and pressure during canary song: direct evidence for mini-breaths 165:15
Schwartz JJ, Gerhardt HC (1989) Spatially mediated release from auditory masking in an anuran amphibian 166:37
Schwartz JJ, Simmons AM (1990) Encoding of a spectrally-complex communication sound in the bullfrog's auditory nerve 166:489
Schwartz JJ, see Gerhardt HC, et al
Schweizer H, see Schmidt U, et al
Schwind R (1991) Polarization vision in water insects and insects living on a moist substrate 169:531
Schwippert WW, Beneke TW, Ewert J-P (1990) Responses of medullary neurons to moving visual stimuli in the common toad. II. An intracellular recording and cobalt-lysine labeling study 167:509
Scott ML, see Church PJ, et al
Segundo JP, see Bittner GD
Seidou M, Sugahara M, Uchiyama H, Hiraki K, Hamanaka T, Michinomae M, Yoshihara K, Kito Y (1990) On the three visual pigments in the retina of the firefly squid, *Watasenia scintillans* 166:769
Seki T, see Eguchi E, et al
Seliger HH, see Lall AB, et al
Seyfarth E-A, Gnatzy W, Hammer K (1990) Coxal hair plates in spiders: physiology, fine structure, and specific central projections 166:633
Seyfarth E-A, see Eckweiler W
Seyfarth E-A, see Milde JJ
Shand J, Partridge JC, Archer SN, Potts GW, Lythgoe JN (1988) Spectral absorbance changes in the violet/blue sensitive cones of the juvenile pollack, *Pollachius pollachius* 163:699
Shand J, see Partridge JC, et al
Shepherd D, Kämper G, Murphey RK (1988) The synaptic origins of receptive field properties in the cricket cercal sensory system 162:1
Shimada I, Maki Y, Sugiyama H (1989) *N*-Acylation of stimulatory amino acids changes chiral recognition of the fleshfly labellar sugar receptor 165:193
Shimada I, see Wieczorek H, et al
Shimozawa T, see Kanou M, et al
Shimozawa T, see Nagao T, et al
Shiraishi A, see Satou M
Shiraishi A, see Satou M, et al
Shope SB, McPherson D, Rock MK, Blankenship JE (1991) Functional and morphological evidence for the existence of neurites from abdominal ganglion bag cell neurons in the head-ring ganglia of *Aplysia* 168:539
Shumway CA, Maler L (1989) GABAergic inhibition shapes temporal and spatial response properties of pyramidal cells in the electrosensory lateral line lobe of gymnotiform fish 164:391
Shumway CA, Zelick RD (1988) Sex recognition and neuronal coding of electric organ discharge waveform in the pulse-type weakly electric fish, *Hypopomus occidentalis* 163:465
Sibaoka T, see Oami K, et al
Sierra F, see Lorenzo D, et al
Silva A, see Lorenzo D, et al
Silver WL, Arzt AH, Mason JR (1988) A comparison of the discriminatory ability and sensitivity of the trigeminal and olfactory systems to chemical stimuli in the tiger salamander 164:55
Simmons AM, see Schwartz JJ
Simmons JA, Ferragamo M, Moss CF, Stevenson SB, Altes RA (1990) Discrimination of jittered sonar echoes by the echolocating bat, *Eptesicus fuscus*: The shape of target images in echolocation 167:589
Simmons JA, Moss CF, Ferragamo M (1990) Convergence of temporal and spectral information into acoustic images of complex sonar targets perceived by the echolocating bat, *Eptesicus fuscus* 166:449
Simmons PJ (1990) The effects of temperature on locust ocellar L-neurones and their interconnections 166:575
Simon TW, Edwards DH (1990) Light-evoked walking in crayfish: Behavioral and neuronal responses triggered by the caudal photoreceptor 166:745
Sinsch U (1987) Orientation behaviour of toads (*Bufo bufo*) displaced from the breeding site 161:715
Sivak JG, Howland HC, West J, Weerheim J (1989) The eye of the hooded seal, *Cystophora cristata,* in air and water 165:771
Sivak JG, see Andison ME, et al
Smelik WFE, see Ter Maat A, et al
Smith KB, see Getz WM
Smith KC, Macagno ER (1990) UV photoreceptors in the compound eye of *Daphnia magna* (Crustacea, Branchiopoda). A fourth spectral class in single ommatidia 166:597
Smith RD, Inouye S-IT, Turek FW (1989) Central administration of muscimol phase-shifts the mammalian circadian clock 164:805
Sobel EC (1990) The locust's use of motion parallax to measure distance 167:579
Solis R, see Penna M, et al
Somers J, see Penna M, et al
Sorensen PW, Hara TJ, Stacey NE, Dulka JG (1990) Extreme olfactory specificity of male goldfish to the preovulatory steroidal pheromone 17α,20β-dihydroxy-4-pregnen-3-one 166:373
Souza J de, Hertel H, Fix Ventura D, Menzel R (1992) Response properties of stained monopolar cells in the honeybee lamina 170:267
Souza J de, see Peitsch D, et al
Souza JM de, Ventura DF (1989) Comparative study of temporal summation and response form in hymenopteran photoreceptors 165:237
Speakman JR, Anderson ME, Racey PA (1989) The energy cost of echolocation in pipistrelle bats (*Pipistrellus pipistrellus*) 165:679
Spencer AN, see Chung J
Srinivasan MV, Guy RG (1990) Spectral properties of movement perception in the dronefly *Eristalis* 166:287
Srinivasan MV, Lehrer M (1988) Spatial acuity of honeybee vision and its spectral properties 162:159
Srinivasan MV, Lehrer M, Zhang SW, Horridge GA (1989) How honeybees measure their distance from objects of unknown size 165:605
Srinivasan MV, see Coombe PE, et al
Srinivasan MV, see Guy RG
Srinivasan MV, see Hateren JH van, et al
Srinivasan MV, see Holmqvist MH
Sripathi K, see Rübsamen R, et al
Stabel J, Wendler G, Scharstein H (1989) Cricket phonotaxis: localization depends on recognition of the calling song pattern 165:165
Stabentheiner A (1988) Correlations between hearing and sound production in piranhas 162:67
Stacey NE, see Sorensen PW, et al
Stalder J, see Tobler I
Stark WS, Schilly D, Christianson JS, Bone RA, Landrum JT (1990) Photoreceptor-specific efficiences of β-carotene, zeaxanthin and lutein for photopigment formation deduced from receptor mutant *Drosophila melanogaster* 166:429
Stavenga DG, Kruizinga R, Leertouwer HL (1990) Dioptrics of the facet lenses of male blowflies *Calliphora* and *Chrysomyia* 166:365
Stavenga DG, see Hateren JH van, et al
Stavenga DG, see Mojet MH, et al
Stavenga DG, see Roebroek JGH
Stavenga DG, see Roebroek JGH, et al
Steffens H, see Schomburg ED
Stein PJ, see Meyertholen EP, et al
Steinlechner S, see Stieglitz A, et al
Steinmann E, see Chittka L, et al
Steullet P, Guerin PM (1992) Perception of breath components by the tropical bont tick, *Amblyomma variegatum* Fabricius (Ixodidae). I. CO_2-excited and CO_2-inhibited receptors 170:665
Steullet P, Guerin PM (1992) Perception of breath components by the tropical bont tick, *Amblyomma varietatum* Fabricius (Ixodidae). II. Sulfide receptors 170:677
Stevenson PA, Kutsch W (1987) A reconsideration of the central pattern generator concept for locust flight 161:115
Stevenson PA, Kutsch W (1988) Demonstration of functional connectivity of the flight motor system in all stages of the locust 162:247
Stevenson SB, see Simmons JA, et al
Stieglitz A, Steinlechner S, Ruf T, Heldmaier G (1991) Cold prevents the light induced inactivation of pineal N-acetyltransferase in the Djungarian hamster, *Phodopus sungorus* 168:599
Stockbridge LL, French AS (1991) The morphological basis of intracellular measurements in the cockroach tactile spine neuron 169:471
Stout J, Atkins G, Zacharias D (1991) Regulation of cricket phonotaxis through hormonal control of the threshold of an identified auditory neuron 169:765
Stout JF, McGhee R (1988) Attractiveness of the male *Acheta domestica* calling song to females. II. The relative importance of

syllable period, intensity, and chirp rate 164:277
Stout JF, see Atkins G, et al
Stout JF, see Atkins S, et al
Stout J, see Henley J, et al
Stout J, see Kohne R, et al
Stout J, see Walikonis R, et al
Stowe S, see Blest AD, et al
Straka H, Ammermüller J (1991) Temporal resolving power of blowfly visual system: effects of decamethonium and hyperpolarization on responses of laminar monoplar neurons 168:129
Strausfeld NJ (1991) Structural organization of male-specific visual neurons in calliphorid optic lobes 169:379
Strausfeld NJ (1992) Erratum 170:128
Strausfeld NJ, see Gilbert C
Strausfeld NJ, see Gronenberg W
Strausfeld NJ, see Kanzaki R, et al
Strauß R, Heisenberg M (1990) Coordination of legs during straight walking and turning in *Drosophila melanogaster* 167:403
Stretton AOW, see Angstadt JD
Strother GK, see Lall AB, et al
Stūšek P, see Juse A, et al
Stumpner A, see Ronacher B
Sugahara M, see Seidou M, et al
Sugawara Y (1989) Electrogenic Na-K pump at the basal face of the sensory epithelium in the *Plotosus* electroreceptor 164:589
Sugiyama H, see Shimada I, et al
Sum YW, Menne D (1988) Discrimination of fluttering targets by the FM-bat *Pipistrellus stenopterus*? 163:349
Sun D, Sun X, Jen PH-S (1990) The influence of the auditory cortex on acoustically evoked cerebellar responses in the CF-FM bat, *Rhinolophus pearsonic chinesis* 166:477
Sun X, see Jen PH-S, et al
Sun X, see Sun D, et al
Supin AYa, see Popov VV
Surlykke A (1992) Target ranging and the role of time-frequency structure of synthetic echoes in big brown bats, *Eptesicus fuscus* 170:83
Surlykke A, Larsen ON, Michelsen A (1988) Temporal coding in the auditory receptor of the moth ear 162:367
Surlykke A, see Møhl B
Surlykke A, see Schnitzler H-U, et al
Suss-Toby E, see Werner U, et al
Suthers RA, Hartley DJ, Wenstrup JJ (1988) The acoustic role of tracheal chambers and nasal cavities in the production of sonar pulses by the horseshoe bat, *Rhinolophus hildebrandti* 162:799
Suthers RA, see Schurr Hartley R
Suzuki T, see Arikawa K, et al
Suzuki T, see Eguchi E, et al
Syed NI, Harrison D, Winlow E (1991) Respiratory behavior in the pond snail *Lymnaea stagnalis*. I. Behavioral analysis and the identification of motor neurons 169:541
Syed NI, Winlow W (1991) Respiratory behavior in the pond snail *Lymnaea stagnalis*. II. Neural elements of the central pattern generator (CPG) 169:557
Szabo T, see Akoev G, et al
Szabo T, see Akoev GN, et al
Szymczak JT (1987) Daily distribution of sleep states in the rook *Corvus frugilegus* 161:321

T

Tabata M, Minh-Nyo M, Oguri M (1989) Thresholds of retinal and extraretinal photoreceptors measured by photobehavioral response in catfish, *Silurus asotus* 164:797
Tabata M, see Meissl H, et al
Takahashi K, see Machemer H, et al
Takahashi TT, Keller CH (1992) Commissural connections mediate inhibition for the computation of interaural level difference in the barn owl 170:161
Takahata M, Murayama M (1992) Multiple gate control of the descending statocyst-motor pathway in the crayfish *Procambarus clarkii* Girard 170:463
Takata M, see Nagahama T
Takei K, see Matsushima T, et al
Tameyasu T (1987) The mechanism of the burst formation in the cardiac ganglion of the lobster (*Panulirus japonicus*): A re-examination 161:389
Tamm SL (1988) Calcium activation of macrocilia in the ctenophore *Beroë* 163:23
Tanaka H, see Wong D, et al
Tanimura T, see Nagao T, et al
Taoda Y, see Sakai M, et al
Tareilus E, Hanke W, Breer H (1990) Neuronal acetylcholine receptor channels from insects: a comparative electrophysiological study 167:521
Tateda H, see Komiya M, et al
Tautz J, see Aicher B
Tautz J, see Bleckmann H, et al
Taylor DJ, Robinson GE, Logan BJ, Laverty R, Mercer AR (1992) Changes in brain amine levels associated with the morphological and behavioural development of the worker honeybee 170:715
Tazaki K, Chiba C (1991) Mechanisms underlying burst generation of the pyloric muscle in the mantis shrimp, *Squilla oratoria* 169:737
Tazaki K, Miyazaki T (1991) Neural control of the posterior cardiac plate and pyloric regions of the mantis shrimp *Squilla oratoria*: neurogenic and myogenic activities of muscles 168:265
Tazaki K, see Chiba C
Te Brugge VA, see Lange AB, et al
Temchin AN (1988) Unusual discharge patterns of single fibers in the pigeon's auditory nerve 163:99
Ter Maat A, Pieneman AW, Goldschmeding JT, Smelik WFE, Ferguson GP (1989) Spontaneous and induced egg laying behavior of the pond snail, *Lymnaea stagnalis* 164:673
Ter Maat A, see Ferguson GP, et al
Teyke T (1988) Flow field, swimming velocity and boundary layer: parameters which affect the stimulus for the lateral line organ in blind fish 163:53
Teyke T (1989) Learning and remembering the environment in the blind cave fish *Anoptichthys jordani* 164:655
Teyke T, Weiss KR, Kupfermann I (1992) Orientation of *Aplysia californica* to distant food sources 170:281
Thomas P, see Zakon HH, et al
Thompson KJ (1990) Control of respiratory motor pattern by sensory neurons in spinal cord of lamprey 166:675
Thompson KSJ, Bacon JP (1991) The vasopressin-like immunoreactive (VPLI) neurons of the locust, *Locusta migratoria*. II. Physiology 168:619
Thompson KSJ, Tyrer NM, May ST, Bacon JP (1991) The vasopressin-like immunoreactive (VPLI) neurons of the locust, *Locusta migratoria*. I. Anatomy 168:605
Thompson KSJ, see Blagburn JM, et al
Thorson J, see Weber T
Tichy H, Loftus R (1990) Response of moist-air receptor on antenna of the stick insect, *Carausius morosus*, to step changes in temperature 166:507
Timmers AM, see Foster RG, et al
Tinbergen J, see Mojet MH, et al
Tobler I, Borbély AA (1988) Sleep and EEG spectra in the pigeon (*Columba livia*) under baseline conditions and after sleep deprivation 163:729
Tobler I, Jaggi K (1987) Sleep and EEG spectra in the Syrian hamster (*Mesocricetus auratus*) under baseline conditions and following sleep deprivation 161:449
Tobler I, Stalder J (1988) Rest in the scorpion – a sleep-like state 163:227
Todt D, see Hultsch H
Tokarski TR, see Hafner GS
Tomioka K, Yamada K, Yokoyama S, Chiba Y (1991) Mutual interactions between optic lobe circadian pacemakers in the cricket *Gryllus bimaculatus* 169:291
Tømmerås BÅ, Mustaparta H (1987) Chemoreception of host volatiles in the bark beetle *Ips typographus* 161:705
Torkkeli P, Weckström M, Kouvalainen E, Järvilehto M (1989) Morphological and functional characteristics of a *rpa* (receptor potential absent) visual mutant of the blowfly (*Calliphora erythrocephala*) 165:333
Towne WF, see Kirchner WH, et al
Towne WF, see Michelsen A, et al
Traina G, see Catarsi S, et al
Treidler B, see Barth FG, et al
Trentini GP, see Illnerová H, et al
Tricas TC, Highstein SM (1991) Action of the octavolateralis efferent system upon the lateral line of free-swimming toadfish, *Opsanus tau* 169:25
Trimmer BA, Weeks JC (1991) Activity-dependent induction of facilitation, depression, and post-tetanic potentiation at an insect central synapse 168:27
Trujillo-Cenóz O, Echagüe JA (1989) Waveform generation of the electric organ discharge in *Gymnotus carapo*. I. Morphology and innervation of the electric organ 165:343

Trujillo-Cenóz O, see Caputi A, et al
Truman JW, see Hewes RS
Truman JW, see Mesce KA
Tsai H-J (1990) Responses of toad's tectal neurons to in-phase and anti-phase movements of object and textured background 167:857
Tsai HJ, Ewert J-P (1987) Edge preference of retinal and tectal neurons in common toads (*Bufo bufo*) in response to worm-like moving stripes: the question of behaviorally relevant 'position indicators' 161:295
Tsukitani Y, see Blest AD, et al
Tully T, see Gailey DA, et al
Turek FW, see Smith RD, et al
Turunen-Rise I, see Jerkø H, et al
Tuttle MD, see Ryan MJ
Tyrer NM, Pozza MF, Humbel U, Peters BH, Bacon JP (1988) The tritocerebral commissure 'dwarf' (TCD): a major GABA-immunoreactive descending interneuron in the locust 164:141
Tyrer NM, see Baines RA
Tyrer NM, see Baines RA, et al
Tyrer NM, see Thompson KSJ, et al

U

Uchiyama H, see Seidou M, et al
Udin SB, see Collett TS
Ueda K, see Matsushima T, et al
Ugolini A, Scapini F (1988) Orientation of the sandhopper *Talitrus saliator* (Amphipoda, Talitridae) living on dynamic sandy shores 162:453
Ukhanov KYu, see Gribakin FG
Underwood H, Hyde LL (1990) A circadian clock measures photoperiodic time in the male lizard *Anolis carolinensis* 167:231
Uno H, Ohno Y, Yamada T, Miyamoto K (1991) Neural coding of speech sound in the telencephalic auditory area of the mynah bird 169:231
Usherwood PNR, see Preston RR

V

Valli P, Zucca G, Botta L, Casella C (1988) Sensitivity and adaptation of ampullar receptors to rapid perilymphatic potassium changes 162:173
Valter McConville KM, see Norwich KH
Van der Pers JNC, see Hansson BS, et al
Vaněček J, see Illnerová H
Varjú D (1989) Prey attack in crayfish: conditions for success and kinematics of body motion 165:99
Varjú D, Núñez J (1991) What do foraging honeybees optimize? 169:729
Varjú D, see Junger W
Varjú D, see Lazzari C
Varju D, see Sandeman DC
Vater M, see Kössl M
Vaultier J-P, see Canguilhem B, et al
Veerman A, see Houten YM van
Velluti JC. see Lorenzo D, et al
Velluti JC, see Macadar O, et al
Venema VJ, see Adams ME, et al
Ventura DF, see Souza JM de
Vickers NJ, Christensen TA, Mustaparta H, Baker TC (1991) Chemical communication in heliothine moths. III. Flight behavior of male *Helicoverpa zea* and *Heliothis virescens* in response to varying ratios of intra- and interspecific sex pheromone components 169:275
Viete S, Heiligenberg W (1991) The development of the Jamming Avoidance Response (JAR) in *Eigenmannia*: An innate behavior indeed 169:15
Villella A, see Gailey DA, et al
Viswanathan N, Chandrashekaran MK (1988) Limits of maternal entrainment of the activity rhythm in the field mouse *Mus booduga* 163:237
Vogt K, see Kirschfeld K, et al
Vogtmann K, see Mayer M, et al
Voigt R, Atema J (1990) Adaptation in chemoreceptor cells. III. Effects of cumulative adaptation 166:865
Vollrath F (1988) Spiral orientation of *Araneus diadematus* orb webs built during vertical rotation 162:413
Volman SF, Camhi JM (1988) The role of afferent activity in behavioral and neuronal plasticity in an insect 162:781

W

Wada M, see Wingfield JC
Wagner H (1991) A temporal window for lateralization of interaural time difference by barn owls 169:281
Wagner H (1992) On the ability of neurons in the barn owl's inferior colliculus to sense brief appearances of interaural time difference 170:3
Wagner H, Schaeffel F (1991) Barn owls (*Tyto alba*) use accommodation as a distance cue 169:515
Wait PB, see Hateren JH van, et al
Waldrop B, Christensen TA, Hildebrand JG (1987) GABA-mediated synaptic inhibition of projection neurons in the antennal lobes of the sphinx moth, *Manduca sexta* 161:23
Waldrop B, Hildebrand JG (1989) Physiology and pharmacology of acetylcholinergic responses of interneurons in the antennal lobes of the moth *Manduca sexta* 164:433
Waldrop B, Levine RB (1989) Development of the gin trap reflex in *Manduca sexta*: a comparison of larval and pupal motor responses 165:743
Waldvogel F-M, Fischbach K-F (1991) Plasticity of the landing response of *Drosophila melanogaster* 169:323
Walikonis R, Schoun D, Zacharias D, Henley J, Coburn P, Stout J (1991) Attractiveness of the male *Acheta domesticus* calling song to females. III. The relation of age-correlated changes in syllable period recognition and phonotactic threshold to juvenile hormone III biosynthesis 169:751
Walkowiak W (1988) Two auditory filter systems determine the calling behavior of the fire-bellied toad: a behavioral and neurophysiological characterization 164:31
Walz B (1992) Enhancement of sensitivity in photoreceptors of the honey bee drone by light and by Ca^{2+} 170:605
Walz B, see Baumann O
Walz B, see Ziegler A
Wang DL, Ewert J-P (1992) Configurational pattern discrimination responsible for dishabituation in common toads *Bufo bufo* (L.): Behavioral tests of the predictions of a neural model 170:317
Wang S, Robertson RM (1988) Changes of the hindwing motor pattern associated with phonotactic steering during flight in the cricket, *Teleogryllus oceanicus* 164:219
Wang-Bennett LT, Glantz RM (1987) The functional organization of the crayfish lamina ganglionaris. I. Nonspiking monopolar cells 161:131
Wang-Bennett LT, Glantz RM (1987) The functional organization of the crayfish lamina ganglionaris. II. Large-field spiking and nonspiking cells 161:147
Warchol ME, Dallos P (1989) Neural response to very low-frequency sound in the avian cochlear nucleus 166:83
Warchol ME, Dallos P (1990) Neural coding in the chick cochlear nucleus 166:721
Ward AJ, see Burr AHJ, et al
Warrant EJ, McIntyre PD (1990) Limitations to resolution in superposition eyes 167:785
Warrant EJ, McIntyre PD (1990) Screening pigment, aperture and sensitivity in the dung beetle superposition eye 167:805
Warrant EJ, McIntyre PD (1991) Strategies for retinal design in arthropod eyes of low F-number 168:499
Warrant EJ, McIntyre PD, Caveney S (1990) Maturation of optics and resolution in adult dung beetle superposition eyes 167:817
Warzecha A-K, see Zanker JM, et al
Wasser JS, see Gaunt AS, et al
Wathey JC (1988) Identification of the teleost Edinger-Westphal nucleus by retrograde horseradish peroxidase labeling and by electrophysiological criteria 162:511
Watson D, see Copp NH
Watson III WH, see Groome JR, et al
Wayne NL, Malpaux B, Karsch FJ (1990) Photoperiodic requirements for timing onset and duration of the breeding season of the ewe: Synchronization of an endogenous rhythm of reproduction 166:835
Weber T, Thorson J (1988) Auditory behavior of the cricket. IV. Interaction of direction of tracking with perceived temporal pattern in split-song paradigms 163:13
Weckström M, see Hardie RC
Weckström M, see Torkkeli P, et al
Weeks JC, see Miles CI
Weeks JC, see Trimmer BA
Weerasuriya A, see Ewert J-P, et al
Weerheim J, see Sivak JG, et al
Wegert S, Caprio J (1991) Receptor sites for amino acids in the facial taste system of the channel catfish 168:201
Wehner R (1987) 'Matched filters' – neural models of the external world 161:511

Wehner R, see Cheng K, et al
Wehner R, see Collett TS, et al
Weiss KR, see Teyke T, et al
Weiss O, see Bleckmann H, et al
Wendler G, see Böhm H, et al
Wendler G, see Igelmund P
Wendler G, see Stabel J, et al
Wenning A, Calabrese RL (1991) Mechanism of Cl^- sensitivity in internal ion receptors of the leech: an inward current gated off by Cl^- in the nephridial nerve cells 168:53
Wennstrom KL, see Gaffin DD, et al
Wenstrup JJ, see Fuzessery ZM, et al
Wenstrup JJ, see Suthers RA, et al
Werner A, see Menzel R, et al
Werner U, Suss-Toby E, Rom A, Minke B (1992) Calcium is necessary for light excitation in barnacle photoreceptors 170:427
West J, see Sivak JG, et al
Whiffler LA, Drusedau MUH, Crewe RM, Hepburn HR (1988) Defensive behaviour and the division of labour in the African honeybee (*Apis mellifera scutellata*) 163:401
Whiffler LA, Hepburn HR (1991) The queen in relation to wax secretion and comb building in honeybees 169:209
Whim MD, Evans PD (1989) Age-dependence of octopaminergic modulation of flight muscle in the locust 165:125
White PR, Chapman RF, Ascoli-Christensen A (1990) Interactions between two neurons in contact chemosensilla of the grasshopper, *Schistocerca americana* 167:431
White RH, see Bennett RR
White RL, see Barry MA, et al
White TD, see Schmitz B, et al
Whitmore AV, Bowmaker JK (1989) Seasonal variation in cone sensitivity and short-wave absorbing visual pigments in the rudd *Scardinius erythrophthalmus* 166:103
Wicklein M, see Meng LZ, et al
Widder EA, see Hiller-Adams P, et al
Wieczorek H, Shimada I, Hopperdietzel C (1988) Treatment with pronase uncouples water and sugar reception in the labellar water receptor of the blowfly 163:413
Wieczorek H, Wolff G (1989) The labellar sugar receptor of *Drosophila* 164:825
Wiegand U, see Hamdorf K, et al
Wiens BL, Brownell PH (1990) Characterization of cardiac innervation in the nudibranch, *Archidoris montereyensis* 167:51
Wiens TJ (1990) The inhibitory innervation of the walking leg of the lobster *Homarus americanus* 167:43
Wiens TJ, Maier L, Rathmayer W (1988) The distribution of the common inhibitory neuron in brachyuran limb musculature. II. Target fibers 163:651
Wiggers W, Roth G (1991) Anatomy, neurophysiology and functional aspects of the nucleus isthmi in salamanders of the family Plethodontidae 169:165
Wilczynski W, Resler C, Capranica RR (1987) Tympanic and extratympanic sound transmission in the leopard frog 161:659
Wilkens LA (1988) Hyperpolarizing photoreceptors in the eyes of the giant clam *Tridacna*: physiological evidence for both spiking and nonspiking cell types 163:73
Williams JLD, see Boyan GS, et al
Williams MA, see Meyertholen EP, et al
Williams TM (1989) Swimming by sea otters: adaptations for low energetic cost locomotion 164:815
Williamson R (1989) Secondary hair cells and afferent neurones of the squid statocyst receive both inhibitory and excitatory efferent inputs 165:845
Williamson R (1990) The responses of primary and secondary sensory hair cells in the squid statocyst to mechanical stimulation 167:655
Willis MA, Arbas EA (1991) Odor-modulated upwind flight of the sphinx moth, *Manduca sexta* L. 169:427
Willis MA, Cardé RT (1990) Pheromone-modulated optomotor response in male gypsy moths, *Lymantria dispar* L.: Upwind flight in a pheromone plume in different wind velocities 167:699
Willis MA, see Olberg RM
Wilson G, see Peaslee AG
Wilson LJ, Paul DH (1987) Tailflipping of *Munida quadrispina* (Galatheidae): conservation of behavior and underlying musculature with loss of anterior contralateral flexor motoneurons and motor giant 161:881
Wilson MJ, Ostroy SE (1987) Studies of the *Drosophila norpA* phototransduction mutant. I. Electrophysiological changes and the offsetting effect of light 161:785
Wiltschko R, see Kowalski U, et al
Wiltschko W, Balda RP (1989) Sun compass orientation in seed-caching scrub jays (*Aphelocoma coerulescens*) 164:717
Winberg S, Nilsson GE, Olsén KH (1991) Social rank and brain levels of monoamines and monoamine metabolites in Arctic charr, *Salvelinus alpinus* (L.) 168:241
Winberg S, Nilsson GE, Olsén KH (1992) Changes in brain serotonergic activity during hierarchic behavior in Arctic charr (*Salvelinus alpinus* L.) are socially induced 170:93
Wingfield JC, Wada M (1989) Changes in plasma levels of testosterone during male-male interactions in the song sparrow, *Melospiza melodia*: Time course and specificity of response 166:189
Winlow E, see Syed NI, et al
Winlow W, see Syed NI
Witkovsky P, see Lasater EM
Wittenberg G, Loer CM, Adamo SA, Kristan Jr WB (1990) Segmental specialization of neuronal connectivity in the leech 167:453
Wittmann D, see Zeil J
Wolf H (1992) Reflex modulation in locusts walking on a treadwheel – intracellular recordings from motoneurons 170:443
Wolf H, Pearson KG (1987) Flight motor patterns recorded in surgically isolated sections of the ventral nerve cord of *Locusta migratoria* 161:103
Wolf H, Pearson KG (1989) Comparison of motor patterns in the intact and deafferented flight system of the locust. III. Patterns of interneuronal activity 165:61
Wolf H, Ronacher B, Reichert H (1988) Patterned synaptic drive to locust flight motoneurons after hemisection of thoracic ganglia 163:761
Wolf H, see Pearson KG
Wolf H, see Ronacher B, et al
Wolf R, Heisenberg M (1990) Visual control of straight flight in *Drosophila melanogaster* 167:269
Wolf R, Heisenberg M (1991) Basic organization of operant behavior as revealed in *Drosophila* flight orientation 169:699
Wolf R, see Heisenberg M
Wolf R, see Mayer M, et al
Wolff G, see Wieczorek H
Wong D, Maekawa M, Tanaka H (1992) The effect of pulse repetition rate on the delay-sensitivity of neurons in the auditory cortex of the FM bat, *Myotis lucifugus* 170:393
Wood DC (1989) Localization of mechanoreceptors in the protozoan, *Stentor coeruleus* 165:229
Woodlee GL, see Cassone VM, et al
Wu CH, see Meng LZ, et al
Wu M, see Pinheiro AD, et al
Wubbels RJ, Kroese ABA, Duifhuis H (1990) Afferent bursting activity of ruff lateral line induced by background noise stimulation 166:585

Y

Yager DD, Hoy RR (1989) Audition in the praying mantis, *Mantis religiosa* L.: identification of an interneuron mediating ultrasonic hearing 165:471
Yamada H, Oshima I, Sato K, Ebihara S (1988) Loss of the circadian rhythms of locomotor activity, food intake, and plasma melatonin concentration induced by constant bright light in the pigeon (*Columba livia*) 163:459
Yamada H, see Oshima I, et al
Yamada K, see Tomioka K, et al
Yamada T, see Uno H, et al
Yamaguchi T, see Okada Y
Yamaoka K, Ikeda K (1988) Electrogenic responses elicited by transmembrane depolarizing current in aerated body wall muscles of *Drosophila melanogaster* larvae 163:705
Yamashita S, see Komiya M, et al
Yamashita S, see Yamazaki S
Yamazaki S, Yamashita S (1991) Efferent control in the ocellus of a noctuid moth 169:647
Yan H-Y, see Zakon HH, et al
Yang E-C, Osorio D (1991) Spectral sensitivities of photoreceptors and lamina monopolar cells in the dragonfly, *Hemicordulia tau* 169:663
Yates GK, see Manley GA, et al
Yokoyama S, see Tomioka K, et al
Yoshihara K, see Seidou M, et al
Young D, see Kavanagh MW

Yu X, Lewis ER, Feld D (1991) Seismic and auditory tuning curves from bullfrog saccular and amphibian papillar axons 169:241

Z

Zacharias D, see Stout J, et al
Zacharias D, see Walikonis R, et al
Zakharov IS, Ierusalimsky VN (1992) The neuroanatomical basis of feeding behavior in the pteropod mollusc, *Clione limacina* (Phipps) 170:525
Zakon HH, Thomas P, Yan H-Y (1991) Electric organ discharge frequency and plasma sex steroid levels during gonadal recrudescence in a natural population of the weakly electric fish *Sternopygus macrurus* 169:493
Zakon HH, see Fleishman LJ, et al
Zakon HH, see Mills A
Zanker JM (1988) How does lateral abdomen deflection contribute to flight control of *Drosophila melanogaster*? 162:581
Zanker JM, Egelhaaf M, Warzecha A-K (1991) On the coordination of motor output during visual flight control of flies 169:127
Zanker JM, see Quenzer T
Zeigler HP, see Bermejo R, et al
Zeil J, Wittmann D (1989) Visually controlled station-keeping by hovering guard bees of *Trigona (Tetragonisca) angustula* (Apidae, Meliponinae) 165:711
Zeil J, see Kelber A
Zeil J, see Nalbach H-O, et al
Zeise M, Lehmann A (1987) Phosphoethanolamine transiently enhances excitability of rat hippocampal neurons in vitro 161:461
Zelick RD, see Shumway CA
Zhang SW, see Srinivasan MV, et al
Ziegler A, Walz B (1989) Analysis of extracellular calcium and volume changes in the compound eye of the honeybee drone, *Apis mellifera* 165:697
Zill SN, Frazier SF, Lankenau J, Jepson-Innes K (1992) Characteristics of dynamic postural reactions in the locust hindleg 170:761
Zill SN, Jepson-Innes K (1988) Evolutionary adaptation of a reflex system: sensory hysteresis counters muscle 'catch' tension 164:43
Zimmermann U, Rheinlaender J, Robinson D (1989) Cues for male phonotaxis in the duetting bush-cricket *Leptophyes punctatissima* 164:621
Zoran MJ, Drewes CD (1987) Rapid escape reflexes in aquatic oligochaetes: variations in design and function of evolutionarily conserved giant fiber systems 161:729
Zucca G, see Valli P, et al
Zufall F, Franke Ch, Hatt H (1988) Acetylcholine activates a chloride channel as well as glutamate and GABA. Single channel recordings from crayfish stomach and opener muscles 163:609
Zufall F, Schmitt M, Menzel R (1989) Spectral and polarized light sensitivity of photoreceptors in the compound eye of the cricket (*Gryllus bimaculatus*) 164:597
Zufall F, see Bufler J, et al
Zundel D, see Lent CM, et al

J Comp Physiol A (1992) 170:819–854

Journal of Comparative Physiology A Sensory, Neural, and Behavioral Physiology
© Springer-Verlag 1992

Subject Index to Volumes 161–170 (1987–1992)

A

Acari, see Ixodoidea
Accommodation in brown kiwi 170:687 (Howland HC, et al)
– in tuatara 170:263 (Schmid KL et al)
–, ocular, in owls 168:299 (Howland HC, et al); 169:515 (Wagner H, Schaeffel F)
Acerina, bursting activity of lateral line 166:585 (Wubbels RJ, et al)
Acetylcholine, effects in chicken auditory telencephalon 161:857 (Müller CM)
–, effects on crayfish muscle chloride channels 163:609 (Zufall F, et al)
– receptor channels in insects 167:521 (Tareilus E, et al)
–, responses of moth antennal lobe neurons to – 164:433 (Waldrop B, Hildebrand JG)
Acheta, ascending auditory interneurons in phonotaxis 170:363 (Atkins G, et al)
–, attractivenes of male calling song to females 164:277 (Stout JF, McGhee R); 169:751 (Walikonis R, et al)
–, cercal sensory system 162:1 (Shepherd D, et al)
–, development of sensory hairs 170:49 (Kämper G)
–, effect of age and juvenile hormone on L3 responses 170:373 (Henley J, et al)
–, hormonal control of phonotactic threshold 169:765 (Stout J, et al)
–, local interneurons in cercal system 168:553 (Bodnar DA, et al)
–, low-pass filtering of sound signals 164:269 (Atkins G, et al)
–, one-eared phonotaxis 170:357 (Kohne R, et al)
–, reaction on air particle movements generated by digger wasp 167:551 (Gnatzy W, Kämper G)
–, syllable period selective responses of L3 165:827 (Atkins S, et al)
Acoustic, see also auditory, hearing
– communication in gray treefrog 162:261 (Gerhardt HC, Doherty JA)
– –, song recognition and localization in cricket – 168:213 (Doherty JA)
– image discrimination in echolocating bats 167:589 (Simmons JA, et al)
– images of complex sonar targets 166:449 (Simmons JA, et al)
– information processing in echolocating bats 165:383 (Moss CF, Schnitzler H-U)
– near field of dancing bee 161:633 (Michelsen A, et al)
– orientation, see phonotaxis
– stimuli, sinusoidally amplitude modulated responses in bat IC to – 161:305 (Reimer K)
Action potential formation in turtle ganglion cells 167:11 (Lasater EM, Witkovsky P)
Acuity, spatial, of honeybee vision 162:159 (Srinivasan MV, Lehrer M)
Adaptation in chemoreceptor cells 164:67 (Borroni PF, Atema J); 165:669 (Borroni PF, Atema J); 166:865 (Voigt R, Atema J)
–, sensory, an informational approach to – 168:151 (Norwich KH, Valter McConville KM)
–, –, in cockroach mechanoreceptor 161:275 (French AS)
Adaptations, environmental, of crab visual pigments 162:479 (Forward RB Jr, et al)
Aerodynamic properties of locust antennae 161:671 (Heinzel H-G, Gewecke M)
Aerodynamics of moth flight 167:145 (Dudley R, DeVries RJ)
Aeshna, luminance dependence of target size selectivity 166:851 (Olberg RM, Pinter RB)
Age, effect on cricket auditory interneuron responses 170:373 (Henley J, et al)
–, effect on cricket phonotaxis 169:751 (Walikonis R, et al)
Age-dependent octopaminergic modulation of locust flight muscle 165:125 (Whim MD, Evans PD)
Ageing, magnetic field effects on honeybee – 164:423 (Martin H, et al)
Agelenopsis, synaptic toxins from venom 164:333 (Adams ME, et al)
Aggressive encounters, effect on melatonin formation in gerbils 164:91 (Heinzeller Th, et al)
Aglais, color stimuli and behavior 161:891 (Scherer C, Kolb G)
Agnatha, see lamprey
Agrotis, noise filter in auditory pathway 164:251 (Boyan GS, Fullard JH)
–, time coding in auditory receptor 162:367 (Surlykke A, et al)
Air-current sense organ, locust antenna as – 161:671 (Heinzel H-G, Gewecke M)
Air particle movement produced by running digger wasp 167:551 (Gnatzy W, Kämper G)
Alarm pheromones of African bees 163:401 (Whiffler LA, et al)
Alligator, electrical properties of hair cells 164:151 (Fuchs PA, Evans MG)
Alloteuthis, hair cell efferents 165:847 (Williamson R)
–, hair cell responses to mechanical stimulation 167:655 (Williamson R)
Amblyomma, perception of breath components 170:665 (Steullet P, Guerin PM); 170:677 (Steullet P, Guerin PM)
–, spectral sensitivity and visual field 165:155 (Kaltenrieder M, et al)
Amblyseius, comparison of photo- and thermoperiodism 167:201 (Van Houten YM, Veerman A)
Ambystoma, lateral line efferents 169:461 (Münz H, Claas B)
–, midbrain representation of lateral line and electrosensory systems 167:347 (Bartels M, et al)
–, muscle function during strike 167:827 (Reilly SM, Lauder GV)
–, trigeminal and olfactory system 164:55 (Silver WL, et al)
Amiloride sensitivity, strain differences in mouse – 166:1 (Ninomyia Y, et al)
Amines, biogenic, effect on cockroach escape circuitry 168:103 (Goldstein RS, Camhi JM)
–, changes in honeybee brain during development 170:715 (Taylor DJ, et al)
–, role in lobster burster neuron activity 170:201 (Johnson BR, et al)
Amino acid reception in catfish facial taste system 168:201 (Wegert S, Caprio J)

Amino acids, taste receptor sites for – in puffer palate system 169:523 (Kiyohara S, Hidaka I)
AMP, cyclic, and dopamine in *Limulus* midgut 170:787 (Groome JR, Lent CM)
Amphibia, acoustic communication in *Hyla* 162:261 (Gerhardt HC, Doherty JA)
–, attraction of *Hyla* to chorus sounds 163:795 (Gerhardt HC, Klump GM)
–, auditory control of *Bombina* calling 164:31 (Walkowiak W)
–, auditory masking in *Hyla* 166:37 (Schwartz JJ, Gerhardt HC)
–, auditory thalamic responses in *Hyla* 161:407 (Mudry KM, Capranica RR)
–, biomechanics of *Rana* vibration reception 163:43 (Hetherington TE)
–, biophysics of anuran directional hearing 169:591 (Jørgensen MB)
–, call timing in *Leptodactylus* 164:309 (Moore SW, et al)
–, cerebral metabolism and habituation in *Bufo* 163:1 (Finkenstädt T, Ewert J-P)
–, comparison of *Ambystoma* trigeminal and olfactory systems 164:55 (Silver WL, et al)
–, configurational pattern discrimination in *Bufo* 170:317 (Wang DL, Ewert J-P)
–, directional hearing in *Eleutherodactylus* 168:223 (Jørgensen MB, et al)
–, directional hearing in *Hyla* 169:177 (Jørgensen MB, Gerhardt HC)
–, evoked activity in *Rana* tadpole optic tectum 167:377 (Debski EA, Constantine-Paton M)
–, excitability of spiking cells in newt regenerating retina 170:411 (Kaneko Y, Saito T)
–, extratympanic sound transmission in *Rana* 161:659 (Wilczynski W, et al)
–, hormone-induced acoustic behavior in *Hyla* 170:73 (Penna M, et al)
–, hydrodynamic events caused by moving 168:749 (Bleckmann H, et al)
–, ipsilateral visual units in *Rana* 162:443 (Garcia R, et al); 164:377 (Garcia R, Gaillard F)
–, K-sensitivity in *Rana* labyrinthine receptors 162:173 (Valli P, et al)
–, lateral line efferents in *Ambystoma* 169:461 (Münz H, Claas B)
–, lingual reflex of *Bufo* 164:173 (Matsushima T, et al)
–, medullary reticular neurons in *Bufo* 166:7 (Matsushima T, et al)
–, midbrain auditory sensitivity in *Bufo* 167:673 (Penna M, et al)
–, midbrain representations in *Ambystoma* 167:347 (Bartels M, et al)
–, motion processing in *Bufo* optic tectum 169:569 (Satou M, Shiraishi A)
–, muscle function during strike of *Ambystoma* 167:827 (Reilly SM, Lauder GV)
–, neural processing in *Rana* torus semicircularis 163:301 (Diekamp B, Schneider H)
–, nucleus isthmi of Plethodontidae 169:165 (Wiggers W, Roth G)
–, orientation of displaced *Bufo* 161:715 (Sinsch U)
–, peripheral sound processing in *Rana* 166:498 (Schwartz JJ, Megela Simmons A)
–, phase locking in *Rana* auditory nerve 170:589 (Schmitz B, et al)
–, responses of *Bufo* medullary neurons to moving stimuli 167:495 (Ewert J-P, et al); 167:509 (Schwippert WW, et al)
–, responses of *Rana* saccular fibers 162:633 (Christensen-Dalsgaard J, Jørgensen MB)
–, responses of retinal and tectal neurons in *Bufo* 161:295 (Tsai HJ, Ewert J-P)
–, retinal elevation as depth cue in *Rana* 163:677 (Collett TS, Udin SB)
–, retino-tectal projections in *Discoglossus* 162:435 (Gaillard F, et al)
–, seismic and auditory tuning in *Rana* 8th nerve 169:241 (Yu X, et al)
–, slow potential shifts in *Rana* optic tectum 170:327 (Roitbak AI, et al)
–, sound detection by *Hyla* 162:397 (Megela Simmons A); 166:791 (Gerhardt HC, et al)
–, stopping response in *Xenopus* embryos 170:171 (Boothby KM, Roberts A)
–, tectal neuron responses to moving objects in *Bufo* 167:857 (Tsai H-J)
–, temporal processing of acoustic stimuli in *Rana* SON 168:709 (Condon CJ, et al)
–, vibration sensitive 8th nerve fibers in *Rana* 169:341 (Jørgensen MB, Christensen Dalsgaard J)
–, vibration-sensitive neurons in *Rana* midbrain 164:495 (Christensen-Dalsgaard J, Jørgensen MB)
–, visual optics of *Bufo* 163:201 (Mathis U, et al)
Amphibian papilla, seismic and auditory tuning in frog – 169:241 (Yu X, et al)
– –, vibration sensitivity of frog – 169:341 (Jørgensen MB, Christensen-Dalsgaard J)
Amphipoda, see also *Talitrus*
–, hyperiid, eye structure 164:751 (Land MF)
Ampullar receptors, K-sensitivity of frog – 162:173 (Valli P, et al)
Anadevidia, efferent control in ocellus 169:647 (Yamazaki S, Yamashita S)
Anas, tetrachromatic colour vision 162:225 (Jane SD, Bowmaker JK)
Androgens, effects on electric fish EOD 161:417 (Mills A, Zakon HH); 169:493 (Zakon HH, et al)
Anesthesia, seasonal effects on lizard hearing 167:139 (Köppl C, et al)
Anesthetic, local, phentolamine as – 167:475 (Ramirez J-M, Pearson KG); 167:485 (Ramirez J-M, Pearson KG)
Anguilla, hearing 165:455 (Jerkø H, et al)
Annelida, action of FMRFamide on *Hirudo* muscle 167:211 (Norris BJ, Calabrese RL)
–, calcium-dependent chloride conductance in *Haementeria* motoneuron 162:57 (Johansen J, Kleinhaus AL)
–, chloride reception in *Hirudo* 168:53 (Wenning A, Calabrese RL)
–, embryonic ganglion cell properties in *Hirudo* 164:645 (Schirrmacher K, Deitmer JW)
–, excitatory drive in leech swimming 161:355 (Nusbaum MP, et al)
–, modulation of *Hirudo* heartbeat 167:665 (Arbas EA, Calabrese RL)
–, neuronal control of *Hirudo* swimming 166:195 (Friesen WO); 166:205 (Friesen WO)
–, octopamine release in *Macrobdella* CNS 162:405 (Belanger JH, Orchard I)
–, rapid escape reflexes in aquatic oligochaetes 161:729 (Zoran MJ, Drewes CD)
–, seasonal serotonin content and learning in *Hirudo* 167:469 (Catarsi S, et al)
–, segmental specialization of neuronal connectivity in *Hirudo* 167:453 (Wittenberg G, et al)
–, sensitization of *Hirudo* bending reflex 168:165 (Lockery SR, Kristan WB Jr)
–, serotonin in *Hirudo* CNS 168:191 (Lent CM, et al)
Anolis, photoperiodic time measurement 167:231 (Underwood H, Hyde LL)
Anoptichthys, effects on stimulus for lateral line organ 163:53 (Teyke T)
–, learning and remembering the environment 164:655 (Teyke T)
Ant, see *Cataglyphis*
Antennae, aerodynamic and mechanical properties of locust – 161:671 (Heinzel H-G, Gewecke M)
Antennal lobe, projection neurones in moth – 165:427 (Kanzaki R, et al)
Antheraea, DC-coupled responses of antennal receptors 167:391 (Gödde J, Haug T)
–, pheromone receptor cells 165:139 (Meng LZ, et al); 165:281 (Rumbo ER, Kaissling K-E)
–, single olfactory receptor cell recordings 161:867 (Kafka WA)
Anurans, biophysics of directional hearing 169:591 (Jørgensen MB)
Apamea, noise filter in auditory pathway 164:251 (Boyan GS, Fullard JH)
Aphelocoma, sun compass orientation 164:717 (Wiltschko W, Balda RP)
Apis, see also honeybee
–, acoustic near field of dancing – 161:633 (Michelsen A, et al)
–, calcium-sequestering ER in photoreceptor cells 165:627 (Baumann O, Walz B)
–, calcium fluxes in eye 165:697 (Ziegler A, Walz B)
–, defensive behavior and division of labour 163:401 (Whiffler LA, et al)
–, endogenous or exogenous circadian rhythms 161:711 (Brady J)
–, hearing 168:85 (Kirchner WH, et al)
–, influence of selection on learning 166:545 (Brandes Ch, Menzel R)
–, kin recognition 164:83 (Moritz RFA, Crewe RM)
–, magnetic field effects on activity and ageing 164:423 (Martin H, et al)
–, magnetic field perception 161:1 (Korall H, Martin H)
–, monopolar cells 170:267 (Souza J de, et al)
–, movement-sensitive neurons in optic lobe 168:91 (Ibbotson MR)
–, pattern recognition 167:649 (Hateren JH van, et al)
–, peripheral eye region in spatial localization 167:173 (Lehrer M)
–, rest and sleep 163:565 (Kaiser W)
–, signal amplification in drone photoreceptors 165:109 (Coles JA, Schneider-Picard G)
–, spatial acuity of vision 162:159 (Srinivasan MV, Lehrer M)
–, use of visual landmarks 161:469 (Cheng K, et al)

Aplysia, bag cell neurites in CNS 168:539 (Shope SB, et al)
–, egg laying 164:835 (Ferguson GP, et al); 164:849 (Ferguson GP, et al)
–, FMRFamide and ocular circadian pacemaker 170:211 (Colwell CS, et al)
–, food-induced firing patterns in motoneurons 161:799 (Nagahama T, Takata M); 162:729 (Nagahama T, Takata M); 166:143 (Nagahama T, Takata M); 166:277 (Nagahama T, Takata M)
–, inhibitory gill innervation 162:533 (Kurokawa M, Kuwasawa K)
–, innervation of buccal muscles 167:1 (Nagahama T, Takata M)
–, light and serotonin effects on circadian system 167:841 (Colwell CS)
–, orientation to food sources 170:281 (Teyke T, et al)
–, peptidergic motoneurons in buccal ganglia 168:323 (Church PJ, et al)
–, respiratory pumping seizure 166:619 (Kanz JE, Quast WD)
Apteronotus, electrolocation 161:811 (Bastian J); 161:825 (Bastian J)
–, electrosensory lateral line lobe brain slice 163:489 (Mathieson WB, Maler L)
–, intracellular recording in medullary pacemaker nucleus 161:187 (Dye J, Heiligenberg W)
–, in vitro chirpitas 163:445 (Dye J)
–, in vitro study of pacemaker nucleus 168:521 (Dye J)
–, pacemaker control 161:175 (Dye J)
–, pyramidal cell adaptation in ELL 168:393 (Bastian J, Courtright J)
Apteryx, focusing and accommodation 170:687 (Howland HC, et al)
Arachnida, see *Agelenopsis*, *Aranaeus*, *Cupiennius*, *Hasarius*, *Heterophrynus*, *Maevia*, *Phidippus*, *Plexippus*, Scorpion
Araneus, spiral orientation of orb webs 162:413 (Vollrath F)
Archidoris, cardiac innervation 167:51 (Wiens BL, Brownell PH)
Arctic charr, see *Salvelinus*
Argyrotaenia, perception of pheromone component ratios 163:641 (Akers RP, O'Connell RJ)
Arthropods, see also Acari, Arachnida, Crustacea, Insecta, *Limulus*
–, chromophore content in rhabdoms 165:589 (Eguchi E, et al)
–, retinal design in low F-number eyes 168:499 (Warrant EJ, McIntyre PD)
Ascalapha, pterothoracic unit responses to acoustic stimuli 165:253 (Coro F, Alonso N)
Ascalaphus, pupil trigger in superposition eye 170:217 (Nilsson D-E, et al)
Ascaris, slow potentials in motor neurons 166:165 (Angstadt JD, Stretton AOW)
Ascidia, see *Chelyosoma*
Astacus, absence of glutamate effect on GABA channels 170:521 (Pasternack M, et al)
Audiovocal interactions in bat ontogenesis 167:771 (Rübsamen R, Schäfer M)
Audition in praying mantis 165:471 (Yager DD, Hoy RR)
Auditory, see also acoustic, hearing
– behavior of cricket 163:13 (Weber T, Thorson J)
– brain stem responses, role in dolphin hearing 166:385 (Popov VV, Supin AYa)
– control of toad calling 164:31 (Walkowiak W)
– cortex, binaural 2DG patterns in gerbil – 168:13 (Caird D, et al)
– –, coding of speech sound in mynah bird – 169:231 (Uno H, et al)
– –, delay-sensitivity of neurons in FM bat – 170:393 (Wong D, et al)
– –, effect on cerebellar responses in bat 166:477 (Sun D, et al)
– –, frequency and space representation in bat – 165:1 (Jen PH-S, et al)
– distance perception in bushcricket 161:33 (Römer H)
– filial imprinting 161:605 (Scheich H)
– fovea, ontogenesis of bat – 167:757 (Rübsamen R, Schäfer M)
– frequency maps, central, postnatal development of – 170:129 (Rübsamen R)
– information processing in bat inferior colliculus 169:69 (Pinheiro AD, et al)
– – – in echolocating bat 166:243 (Roverud RC); 166:251 (Roverud RC)
– interneuron, effect of age and juvenile hormon on cricket – 170:373 (Henley J, et al)
– –, filtering of temporal parameters by grasshopper – 163:517 (Ronacher B, Stumpner A)
– –, hormonal control of cricket – 169:765 (Stout J, et al)
– interneurons, output properties of locust – 169:87 (Baader A)
– –, ascending, in cricket 163:135 (Hennig RM)
– –, –, role in cricket phonotaxis 170:363 (Atkins G, et al)
– masking in treefrog 166:37 (Schwartz JJ, Gerhardt HC)
– nerve, encoding of communication sound in frog's – 166:498 (Schwartz JJ, Megela Simmons A)
– –, role in starling gap detection 168:469 (Klump GM, Gleich O)
– –, unusual discharge patterns of pigeon – 163:99 (Temchin AN)
– – fibres, activity patterns of lizard – 167:111 (Köppl C, Manley GA)
– – –, frequency tuning of lizard – 167:89 (Manley GA, et al)
– – –, phase locking of lizard – 167:129 (Manley GA, et al)
– neuron, courtship song coding by cricket – 163:215 (Harrison L, et al)
– –, response to ultrasound in flying bushcrickets 169:507 (Libersat F, Hoy RR)
– –, syllable period selective responses of cricket L3 165:827 (Atkins S, et al)
– neurons, function in cricket phonotaxis 163:621 (Schildberger K, Hörner M); 163:633 (Schildberger K, et al)
– organ, tonotopic organisation of locust – 164:49 (Inglis M, Oldfield BP)
– pathway, parallel processing in moth – 168:727 (Boyan GS, Miller LA)
– periphery, sensory cells in avian – 164:289 (Manley GA, et al)
– processing of acoustic images in echolocating bat 166:449 (Simmons JA, et al)
– – in a katydid 164:501 (Fullard JH, et al)
– –, ontogenesis of bat collicular tonotopy 165:755 (Rübsamen R, et al)
– properties of bat superior colliculus 169:719 (Reimer K)
– receptor, temporal coding in moth – 162:367 (Surlykke A, et al)
– receptors, activity of locust – during respiration 162:237 (Hedwig B)
– responsiveness, modulation in stridulating grasshoppers 167:847 (Hedwig B)
– sensitivity of toad midbrain 167:673 (Penna M, et al)
– –, hormone-induced, of treefrog midbrain 170:73 (Penna M, et al)
– system, plasticity in cricket – 161:583 (Huber F)
– –, plasticity of locust – 166:553 (Lakes R, et al)
– – of a primitive ensiferan 168:351 (Mason AC)
– –, responses of chicken cochlear ganglion neurons 170:227 (Salvi RJ, et al)
– telencephalon, ACh effects in chicken – 161:857 (Müller CM)
– thalamic responses in a treefrog 161:407 (Mudry KM, Capranica RR)
– thalamus of starling 161:255 (Bigalke-Kunz B, et al)
– tuning in frog 8th nerve 169:241 (Yu X, et al)
Austrapotamobius, channel types of neuromuscular junction 166:757 (Dudel J, et al)
–, single channel recordings from muscles 163:609 (Zufall F, et al)
Aves, ACh in chicken auditory telencephalon 161:857 (Müller DM)
–, arrythmia in *Sturnus* circannual systems 165:35 (Gwinner E, et al)
–, auditory filial imprinting in Guinea fowl 161:605 (Scheich H)
–, auditory thalamus of *Sturnus* 161:255 (Bigalke-Kunz B, et al)
–, azimuthal sound localization in *Sturnus* 170:243 (Klump GM, Larsen ON)
–, binaural temporal window in *Tyto* 169:281 (Wagner H)
–, circadian rhythms of melatonin in pigeons 164:25 (Foà A, Menaker M)
–, collicular neurons and interaural time difference in *Tyto* 170:3 (Wagner H)
–, computation of interaural level difference in *Tyto* 170:161 (Takahashi TT, Keller CH)
–, constant light induced arrhythmicity in *Columba* 163:459 (Yamada H, et al)
–, daily distribution of sleep in *Corvus* 161:321 (Szymczak JT)
–, depth resolution in pigeon 163:33 (Martinoya C, et al)
–, directional hearing in *Tyto* 163:117 (Coles RB, Guppy A)
–, directionality of *Columba* ear 167:533 (Lewald J)
–, discharge patterns of *Columba* auditory nerve 163:99 (Temchin AN)
–, discharge patterns of neurons in *Gallus* cochlear ganglion 170:227 (Salvi RJ, et al)
–, effect of pinealectomy on *Lonchura* annual cycles 164:117 (Chandola-Saklani A, et al)

Aves, effects of interaural canal on hearing 162:491 (Calford MB); 162:503 (Calford MB, Piddington RW)
–, eye development in *Falco* 170:565 (Andison ME, et al)
–, focusing and accommodation in *Apteryx* 170:687 (Howland HC, et al)
–, gap detection in *Sturnus* 164:531 (Klump GM, Maier EH); 164:539 (Buchfellner E, et al); 168:469 (Klump GM, Gleich O)
–, hippocampal ablated homing pigeons 163:559 (Bingman VP, et al)
–, house sparrows entrain to feeding cycles 170:403 (Hau M, Gwinner E)
–, hypothalamic regulation of chick pineal 167:187 (Cassone VM, et al)
–, infrasound sensitive neurons in pigeon brain 166:355 (Schermuly L, Klinke R)
–, jaw activities during drinking in *Columba* 170:303 (Bermejo R, et al)
–, low-frequency neural response in *Gallus* 166:83 (Warchol ME, Dallos P)
–, magnetic field orientation in pigeons 163:593 (Kowalski U, et al)
–, melatonin and circadian rhythms in pigeon 166:217 (Oshima I, et al)
–, melatonin and circadian rhythms in *Sturnus* 164:7 (Beldhuis HJA, et al)
–, melatonin infusions and pigeon circadian rhythms 170:615 (Chabot CC, Menaker M)
–, neural coding in chick cochlear nucleus 166:721 (Warchol ME, Dallos P)
–, neural coding of speech sound in *Gracula* 169:231 (Uno H, et al)
–, ocular accommodation in *Tyto* 168:299 (Howland HC, et al); 169:515 (Wagner H, Schaeffel F)
–, photoperiod and annual cycles in *Sylvia* 162:389 (Gwinner E, et al)
–, photoreceptors in *Coturnix* pineal and retina 165:553 (Foster RG, et al)
–, postnatal development of auditory system in chicken 170:129 (Rübsamen R)
–, respiratory dynamics in singing *Serinus* 165:15 (Schurr Hartley R, Suthers RA)
–, rhythm in quail LH secretion 161:315 (Konishi H, et al)
–, sensory cells in the auditory periphery 164:289 (Manley GA, et al)
–, sensory responses from *Gallus* intramandibular nerve 164:763 (Gentle MJ)
–, sleep and EEG spectra in *Columba* 163:729 (Tobler I, Borbély AA)
–, song acquisition in *Luscinia* 170:275 (Hultsch H)
–, song memorization in *Luscinia* 165:197 (Hultsch H, Todt D)
–, sound localization in *Tyto* 164:629 (Moiseff A); 164:637 (Moiseff A)
–, spectral sensitivities of *Leiothrix* 170:709 (Maier EJ)
–, sun compass orientation in *Aphelocoma* 164:717 (Wiltschko W, Balda RP)
–, tectal cells in pigeons 162:639 (Frost BJ, et al)
–, testosterone levels in *Melospiza* male-male interactions 166:189 (Wingfield JC, Wada M)
–, tetrachromatic colour vision in *Anas* 162:225 (Jane SD, Bowmaker JK)
–, tracheal length and phonation in cranes 161:43 (Gaunt AS, et al)
–, underwater prey missed by *Egretta* 165:573 (Katzir G, et al)
–, use of landmarks by pigeons 162:815 (Cheng K); 166:857 (Cheng K)
–, UV vision 164:787 (Burkhardt D)
–, vibrational sensitivity of *Columba* wing 167:545 (Hörster W)
–, vibration-sensitive receptors in pigeon wing 166:663 (Hörster W)
–, visual ecology of cone oil droplets 165:415 (Partridge JC)
–, visual field and behavior in *Taeniopygia* 163:329 (Bischof H-J)
–, vocalization-evoked stapedius muscle activity in *Gallus* 162:525 (Grassi S, et al)
Avoidance behavior, inhibition of snail – 166:421 (Balaban P, Chase R)
Axolotl, see *Ambystoma*

B

Background noise induced activity of ruff lateral line afferents 166:585 (Wubbels RJ, et al)
Bag cell activity and gastropod egg laying behavior 164:835 (Ferguson GP, et al)
– – axons extending in *Aplysia* CNS 168:539 (Shope SB, et al)
Balanus, calcium is necessary for photoreceptor light excitation 170:427 (Werner U, et al)
Bark beetle, see *Ips*
Barn owl, see *Tyto*
Barnacle, see *Balanus*
Basilar papilla, tonotopy of lizard – 167:101 (Köppl C, Manley GA)
Bass, see *Paralabrax*
Bats, see also *Cardioderma*, *Carollia*, *Eptesicus*, *Hipposideros*, *Macroderma*, *Megaderma*, *Myotis*, *Nyctophilus*, *Pipistrellus*, *Plecotus*, *Pteronotus*, *Rhinolophus*
–, motion perception and signal design 168:259 (Roverud RC, et al)
–, postnatal development of central auditory system 170:129 (Rübsamen R)
Bean bug, see *Riptortus*
Bee, see *Apis*, *Melipona*, *Trigona*
Beetle, see Coleoptera
Behavior, amine levels in honeybee brain during – 170:715 (Taylor DJ, et al)
–, development of cricket mating – 166:775 (Sakai M, et al)
–, aggressive, texture perception of fish during – 169:51 (Bando T)
–, avoidance, inhibition by brain stimulation in snails 166:421 (Balaban P, Chase R)
–, defensive, in African honeybee 163:401 (Whiffler LA, et al)
–, drop and swing – in a spider 169:313 (Barth FG, et al)
–, drug effects on crab – 162:687 (Brunner D, Maldonado H)
–, effects of formamidines on fly – 161:739 (Dudai Y, et al)
–, egg laying in pond snail 164:673 (Ter Maat A, et al)
–, electrolocation in *Apteronotus* 161:811 (Bastian J)
–, escape, see escape behavior
–, exploratory, habituation and learning in crab – 170:749 (Dimant B, Maldonado H)
–, female choice in stalkeyed flies 162:649 (Burkhardt D, Motte I de la)
–, hierarchic, and serotonin in Arctic charr 170:93 (Winberg S, et al)
–, influence of color stimuli on butterfly – 161:891 (Scherer C, Kolb G)
–, innate, JAR development in weakly electric fish 169:15 (Viete S, Heiligenberg W)
–, male-male interactions and hormone levels in sparrows 166:189 (Wingfield JC, Wada M)
–, neural mechanisms in pteropod mollusc feeding 170:525 (Zakharov IS, Ierusalimsky VN)
–, opioid-mediated, in snail 162:551 (Kavaliers M, Ossenkopp K-P)
–, optimization in honeybee foraging 169:729 (Varjú D, Núñez J)
–, polarization vision of fly 167:737 (Philipsborn A von, Labhart T)
–, reflex interactions in a nematode 169:59 (Rankin CH)
–, stereotyped, in *Aplysia* 166:619 (Kanz JE, Quast WD)
–, visually guided, of zebra finch 163:329 (Bischof H-J)
–, water detection by a desert scorpion 170:623 (Gaffin DD, et al)
Behavioral assessment of sculpin lateral line sensitivity 167:557 (Coombs S, Janssen J)
– switching, neuronal mechanisms of mollusc – 166:875 (Huang Z, Satterlie RA)
– test of conspecific EOD detection 170:349 (Fleishman LJ, et al)
Beroë, calcium activation of macrocilia 163:23 (Tamm SL)
Betaine, taste receptor sites for – in puffer palate system 169:523 (Kiyohara S, Hidaka I)
Betta, texture perception 169:51 (Bando T)
Bezold-Brücke phenomenon in insect color vision 170:533 (Chittka L)
Binaural cues, physical, in bird directional hearing 170:243 (Klump GM, Larsen ON)
Bioluminescence, visual pigments of firefly squid 166:769 (Seidou M, et al)
Bird, see Aves
Blaps, defensive secretion 161:377 (Peschke K, Eisner T)
Blind fish, see *Anoptichthys*
Blowfly, see *Calliphora*, *Chrysomyia*, *Lucilia*, *Phormia*
Bobtail lizard, see *Tiliqua*
Boettcherisca, chiral recognition of sugar receptor 165:193 (Shimada I, et al)
Bombina, auditory control of calling 164:31 (Walkowiak W)
Bombus, innate reactions to flower signals 166:827 (Lunau K)
Bombykol receptor cells in moth 165:147 (Kaissling K-E, et al)
Bombyx, bombykol receptor cells 165:147 (Kaissling K-E, et al)
Bont tick, see *Amblyomma*
Bottlenose dolphin, see *Tursiops*
Brain, see also central nervous system
–, ACh in chicken auditory telencephalon 161:857 (Müller CM)

–, ACh pharmacology in moth antennal lobes 164:433 (Waldrop B, Hildebrand JG)
–, auditory fovea representation in bat inferior colliculus 167:757 (Rübsamen R, Schäfer M)
–, auditory information processing in bat inferior colliculus 169:69 (Pinheiro AD, et al)
–, auditory properties of bat superior colliculus 169:719 (Reimer K)
–, auditory sensitivity of toad torus semicircularis 167:673 (Penna M, et al)
–, auditory thalamic responses in treefrog – 161:407 (Mudry KM, Capranica RR)
–, auditory thalamus of starling 161:255 (Bigalke-Kunz B, et al)
–, binaural 2DG patterns in gerbil auditory cortex 168:13 (Caird D, et al)
–, central processing of olfactory messages in moth – 169:259 (Christensen TA, et al)
–, central vestibular physiology in antarctic fish 166:407 (Montgomery JC, et al)
–, cerebral metabolic effects and habituation in toads 163:1 (Finkenstädt T, Ewert J-P)
–, cerebro-cerebellar interactions in bat hearing 166:477 (Sun D, et al)
–, changes of amine levels in honeybee – 170:715 (Taylor DJ, et al)
–, chirping in electric fish in vitro preparation 163:445 (Dye J)
–, coding of speech sound in mynah bird auditory cortex 169:231 (Uno H, et al)
–, comparative tonotopy of bat colliculus 163:271 (Rübsamen R, et al)
–, delay-sensitivity in FM bat auditory cortex neurons 170:393 (Wong D, et al)
–, discrete motor representations in electric fish diencephalon 164:565 (Keller CH, Heiligenberg W)
–, EEG analysis in sleeping chipmunk 165:205 (Dijk DJ, Daan S)
–, EEG of sleeping pigeons 163:729 (Tobler I, Borbély AA)
–, EEG spectra in sleeping hamster 161:449 (Tobler I, Jaggi K)
–, electrosensory processing in fish torus semicircularis 170:253 (Rose GJ, Call SJ)
–, evoked activity in tadpole optic tectum 167:377 (Debski EA, Constantine-Paton M)
–, evoked potentials in cephalopod – 168:141 (Bullock TH, Budelmann BU); 168:247 (Bleckmann H, et al)
–, frequency and space representation in bat auditory cortex 165:1 (Jen PH-S, et al)
–, GABA-immunoreactive descending interneuron in locust – 164:141 (Tyrer NM, et al)
–, GABAergic inhibition in electric fish lateral line lobe 164:391 (Shumway CA, Maler L)
–, gap coding in starling forebrain 164:539 (Buchfellner E, et al)
–, hippocampal ablated homing pigeons 163:559 (Bingman VP, et al)
–, inferior colliculus neurons responding to SAM in horseshoe bats 161:305 (Reimer K)
–, infrasound sensitivity of pigeon cochlear ganglion 166:355 (Schermuly L, Klinke R)
–, intracellular recording in electric fish medullary nucleus 161:187 (Dye J, Heiligenberg W); 165:731 (Kawasaki M, Heiligenberg W)
–, in vitro preparation of electric fish electrosensory lateral line lobe 163:489 (Mathieson WB, Maler L)
–, ipsilateral tectal unit responses in frogs 162:443 (Garcia R, et al); 164:377 (Garcia R, Gaillard F)
–, lateral line mechanoreceptive regions in ray – 161:67 (Bleckmann H, et al); 164:459 (Bleckmann H, et al)
–, medullary electrosensory processing in skate 167:285 (New JG); 167:295 (New JG, Bodznik D)
–, medullary reticular neurons in Japanese toad 166:7 (Matsushima T, et al)
–, neural audiogram from bat inferior colliculus 165:269 (Coles RB, et al)
–, neural coding in chick cochlear nucleus 166:721 (Warchol ME, Dallos P)
–, neuronal control of crayfish equilibrium response 170:291 (Nakagawa H, Hisada M)
–, neuronal pathways of toad's lingual reflex 164:173 (Matsushima T, et al)
–, neuronal processing in frog torus semicircularis 163:301 (Diekamp B, Schneider H)
–, neurones in honeybee deutocerebrum 164:483 (Flanagan D, Mercer AR)
–, neurones in locust optic lobe 161:477 (Rind FC)
–, nonspiking giant interneurons in crayfish – 162:705 (Okada Y, Yamaguchi T)
–, nucleus electrosensorius of gymnotiform fish 169:151 (Heiligenberg W, et al)
–, nucleus isthmi in salamanders 169:165 (Wiggers W, Roth G)
–, nucleus of ventral lateral lemniscus in barn owl 170:161 (Takahashi TT, Keller CH)
–, octavolateralis efferent system of toadfish lateral line 169:25 (Tricas TC, Highstein SM)
–, odour experience and mouse bulbar EEG response 163:771 (Schmidt U, Eckert M)
–, olfactory bulb neurons in rabbit – 170:145 (Buffler J, et al); 170:153 (Buffler J, et al)
–, olfactory interneurons in crayfish – 163:777 (Derby CD, Blaustein DN); 164:231 (Arbas EA, et al)
–, olfactory interneurons in larval sphinx moth – 167:309 (Itagaki H, Hildebrand JG)
–, ontogenesis of bat collicular tonotopy 165:755 (Rübsamen R, et al)
–, pheromone-sensitive neurons in cockroach deutocerebrum 167:321 (Hösl M)
–, prepacemaker neurons in electric fish – 162:13 (Kawasaki M, Heiligenberg W); 162:759 (Rose GJ, et al)
–, projection neurons in moth antennal lobes 165:427 (Kanzaki R, et al)
–, properties of cells in locust medulla 161:431 (Osorio D); 161:441 (Osorio D)
–, protocerebral olfactory neurons in moth – 168:281 (Kanzaki R, et al)
–, pyramidal cell adaptation in fish ELL 168:393 (Bastian J, Courtright J)
–, representation of vocal frequency in bat anterior cingulate cortex 161:283 (Gooler DM, O'Neil WE)
–, representation of lateral line and electrosensory systems in axolotl – 167:347 (Bartels M, et al)
–, responses of avian cochlear nucleus units to infrasound 166:83 (Warchol ME, Dallos P)
–, retino-tectal projections in frogs 162:435 (Gaillard F, et al)
–, role of laminar monopolar cells in fly optomotor response 166:23 (Coombe PE, et al)
–, role of mesocerebrum in snail mating behavior 166:421 (Balaban P, Chase R)
–, role of monoamines in fish social hierarchy 168:241 (Winberg S, et al)
–, serotonergic effects on pyramidal cells in hamster – 167:79 (Horrigan DG, Horowitz JM)
–, slow potential shifts in frog optic tectum 170:327 (Roitbak AI, et al)
–, socially induced change in serotonergic activity in fish – 170:93 (Winberg S, et al)
–, stimulus discrimination in electric fish diencephalon 162:747 (Keller CH)
–, tectal cells in pigeons 162:639 (Frost BJ, et al)
–, teleost Edinger-Westphal nucleus 162:511 (Wathey JC)
–, temporal processing of acoustic stimuli in frog superior olivary nucleus 168:709 (Condon CJ, et al)
–, toad tectal neuron responses to moving objects 167:857 (Tsai H-J)
–, tonotopy of bat cochlear nucleus 166:695 (Kössl M, Vater M)
–, tonotopy of vampire bat inferior colliculus 168:45 (Schmidt U, et al)
–, ultrasound sensitive neurons in cricket – 166:651 (Brodfuehrer PD, Hoy RR)
–, vibration-sensitive neurons in frog midbrain 164:495 (Christensen-Dalsgaard J, Jørgensen MB)
–, visual responses of toad medullary neurons 167:495 (Ewert J-P, et al); 167:509 (Schwippert WW, et al)
Brainstem oscillator of electric fish 168:521 (Dye J)
Breath components, perception by bont tick 170:665 (Steullet P, Guerin PM); 170:677 (Steullet P, Guerin PM)
Breeding season, photoperiodic timing of ewe – 166:835 (Wayne NL, et al)
– site, orientation of toads to – 161:715 (Sinsch U)
Bristle field sensilla, responses to geomagnetic and astrophysical fields in honeybees 161:1 (Korall H, Martin H)
Buccal ganglia, peptidergic motoneurons in mollusc – 168:323 (Church PJ, et al)
– muscles, innervation of *Aplysia* – 167:1 (Nagahama T, Takata M)
Bufo, cerebral metabolism and habituation 163:1 (Finkenstädt T, Ewert J-P)
–, configurational pattern discrimination 170:317 (Wang DL, Ewert J-P)
–, edge preference of retinal and tectal neurons 161:295 (Tsai HJ, Ewert J-P)
–, lingual reflex 164:173 (Matsushima T, et al)
–, medullary reticular neurons 166:7 (Matsushima T, et al)
–, midbrain auditory sensitivity 167:673 (Penna M, et al)
–, motion processing in optic tectum 169:569 (Satou M, Shiraishi A)
–, orientation to breeding site 161:715 (Sinsch U)

Bufo, responses of medullary neurons to moving visual stimuli 167:495 (Ewert J-P, et al); 167:509 (Schwippert WW, et al)
–, tectal neuron responses to moving objects 167:857 (Tsai H-J)
–, visual optics 163:201 (Mathis U, et al)
Bug, see Heteroptera
Bulbus olfactorius, influence of odour experience on responses from mouse – 163:771 (Schmidt U, Eckert M)
– –, neurons in rabbit – 170:145 (Buffler J, et al); 170:153 (Buffler J, et al)
Bulla, calcium channels mediate phase shifts of circadian pacemaker 164:195 (Khalsa SBS, Block GD)
–, conductance changes in pacemaker cells 166:589 (Ralph MR, Block GD)
–, ocular circadian pacemaker 161:335 (MacMahon DG, Block GD); 161:347 (MacMahon DG, Block GD); 166:795 (Geusz ME, Page TL); 170:211 (Colwell CS, et al)
–, opsin-based photopigment effects on circadian pacemaker 168:565 (Geusz ME, Page TL)
Bullfrog, see *Rana*
Bumblebee, see *Bombus*
Burst formation in lobster cardiac ganglion 161:389 (Tameyasu T)
Bushcricket, see *Conocephalus*, *Hemisaga*, *Leptophyes*, *Mygalopsis*, *Neoconocephalus*, Tettigoniid
Butterflies, eyeshine 166:51 (Nilsson D-E, Howard J)
Butterfly, see Lepidoptera

C

Ca, see calcium
Caenorhabditis, reflex interactions 169:59 (Rankin CH)
Calcium in arthropod receptor lymph 161:329 (Grünert U, Gnatzy W)
– activation of ctenophore macrocilia 163:23 (Tamm SL)
– channels mediate mollusc rhythm phase shifts 165:195 (Khalsa SBS, Block GD)
– fluxes in honeybee eye 165:697 (Ziegler A, Walz B)
–, ciliary activation by – 168:687 (Mogami Y, Machemer H)
–, effect in barnacle photoceptor light excitation 170:427 (Werner U, et al)
–, role in chloride conductance in leech motoneuron 162:57 (Johansen J, Kleinhaus AL)
–, role in light adaptation of fly photoreceptor 169:299 (Sandler C, Kirschfeld K)
–, role in *Paramecium* ciliary regulation 166:401 (Nakaoka Y, Machemer H); 170:723 (Nakaoka Y, Iwatsuki K)
– sequestering ER in honeybee drone photoreceptors 165:627 (Baumann O, Walz B)
– stimulated adenylate cyclase, role in fly memory consolidation 162:101 (Dudai Y)
– uptake by crayfish retinal SER 162:91 (Frixione E, Ruiz L)
Call, species-specific, auditory thalamic responses in treefrog to – 161:407 (Mudry KM, Capranica RR)
Call-timing algorithm of frogs 164:309 (Moore SW, et al)
Calling, see also phonation, sound production, stridulation, vocalization
–, auditory control in toads 164:31 (Walkowiak W)
– song, male, attractiveness to female crickets 164:277 (Stout JF, McGhee R); 169:751 (Walikonis R, et al)
– – features, relative importance of cricket – 164:277 (Stout JF, McGhee R)
– – pattern, recognition in cricket phonotaxis 165:165 (Stabel J, et al)
– – syllable period discrimination in cricket 170:357 (Kohne R, et al)
Calliphora, circadian oscillator in photoperiodism 163:365 (Saunders DS, Lewis RD)
–, design of graded potential neuron 166:437 (Hateren JH van, Laughlin SB)
–, dioptrics of facet lenses 166:365 (Stavenga DG, et al)
–, fluorophore system in compound eye 161:227 (Schlecht P, et al); 165:789 (Juse A, et al)
–, gears in flight 165:321 (Nalbach G)
–, K and Ca in receptor lymph 161:329 (Grünert U, Gnatzy W)
–, lanthanum mimicks trp photoreceptor mutant 166:179 (Hochstrate P)
–, light adaptation mechanisms in photoreceptor 169:299 (Sandler C, Kirschfeld K)
–, male-specific visual neurons 169:379 (Strausfeld NJ)
–, mechanosensory control of head roll 163:151 (Hengstenberg R)
–, mitochondrial activation in mutant photoreceptor 168:305 (Mojet MH, et al)
–, movement detectors 165:179 (Schuling FH, et al)
–, neural superposition in the eye 161:849 (Hateren JH van)
–, paradoxical motion detection 169:331 (Quenzer T, Zanker JM)
–, photoconversion of visual pigment 165:75 (Roebroek JGH, et al)
–, pigment system of photoreceptor yellow 7 162:421 (Kirschfeld K, et al)
–, potassium channels in large monopolar cells 167:723 (Hardie RC, Weckström M)
–, pupil mechanism 166:537 (Roebroek JGH, Stavenga DG)
–, sensitizing pigment in ocellar photoreceptors 163:421 (Kirschfeld K, et al)
–, sodium pump in photoreceptors 162:285 (Hamdorf K, et al); 167:461 (Jansonius NM)
–, spectral sensitivity of white-eyed mutant 167:715 (Gribakin FG, Ukhanov K Yu)
–, temporal adaptation of lamina units 168:631 (Jansonius NM, Hateren JH van)
–, temporal resolving power of visual system 168:129 (Straka H, Ammermüller J)
–, visual mutant 165:333 (Torkkeli P, et al)
Campaniform sensilla of locust wings 161:747 (Elson RC); 161:761 (Elson RC)
– –, properties of – on stick insect leg 168:113 (Delcomyn F)
Canary, see *Serinus*
Carassius, olfactory specificity to a steroidal pheromone 166:373 (Sorensen PE, et al)
–, visual processing 168:581 (Ohnishi K)
Carausius, moist-air receptor 166:507 (Tichy H, Loftus R)
Carbon dioxide receptors in tick host finding 170:665 (Steullet P, Guerin PM)
Carcinus, neural control of ventilation 162:375 (DiCaprio RA, Fourtner CR)
–, non-spiking levator elastic strand receptor 165:801 (Cannone AJ, Nijland MJM)
–, properties of gustatory sensilla 166:227 (Schmidt M, Gnatzy W)
–, proprioceptive leg reflexes and motor rhythms 168:445 (Head SI, Bush BMH)
Cardiac ganglion, burst formation in lobster – 161:389 (Tameyasu T)
– innervation in a nudibranch 167:51 (Wiens BL, Brownell PH)
Cardioderma, prey detection 161:59 (Ryan MJ, Tuttle MD)
Carollia, olfactory sensitivity to food odours 166:395 (Laska M)
Carotenoid deficiency, effect on moth visual function 164:321 (Bennett RR, White RH)
Carotenoids, role in fly photopigment formation 166:429 (Stark WS, et al)
Carrion beetle, see *Necrophorus*
Carybdea, eye lens and crystallin 164:577 (Piatigorsky J, et al)
Castration, effect on hamster daily torpor 168:477 (Ouarour A, et al)
Cat, postnatal development of central auditory system 170:129 (Rübsamen R)
Cataglyphis, photoreceptor optics and polarization sensitivity 161:645 (Nilsson D-E, et al)
–, route following 170:435 (Collett TS, et al)
Catfish, see *Ictalurus*, *Plotosus*, *Silurus*
Catostomus, scotopic visual pigments 164:707 (Heinermann PH, Ali MA)
Central control of ascidian ciliary arrest 161:837 (Arkett SA)
– nervous control of cockroach flight 170:379 (Libersat F)
– – – of grasshopper stridulation 169:191 (Ronacher R)
– – – of lamprey respiratory motor pattern 166:675 (Thompson KI)
– – rhythms in crabs 168:445 (Head SI, Bush BMH)
Central nervous system, see also brain, ventral nerve cord
– – –, auditory neuropil in bushcricket 161:33 (Römer H)
– – –, bag cell axons extend into head-ring ganglia of *Aplysia* 168:539 (Shope SB, et al)
– – –, bilateral nonspiking interneurons in crayfish abdominal ganglion 163:601 (Nagayama T, Hisada M)
– – –, burster neuron activity in lobster stomatogastric ganglion 170:201 (Johnson BR, et al)
– – –, circadian rhythm in cockroach – 166:643 (Colwell CS, Page TL)
– – –, coding by locust spiking local interneurones 164:207 (Burrows M)
– – –, effects of biogenic amines on cockroach – 168:103 (Goldstein RS, Camhi JM)
– – –, feeding control system in a gastropod 166:297 (Delaney K, Gelperin A); 166:311 (Delaney K, Gelperin A); 166:327 (Delaney K, Gelperin A)
– – –, flight neurons in locust mesothoracic ganglion 167:61 (Robertson RM)

– – –, GABA inhibition in moth antennal lobes 161:23 (Waldrop B, et al)
– – –, giant interneurons in locust cercal system 165:495 (Boyan GS, et al); 165:511 (Boyan GS, Ball EE); 165:523 (Boyan GS, Ball EE); 165:539 (Boyan GS , et al)
– – –, glutamatergic motoneurons in mantis shrimp – 170:773 (Chiba C, Tazaki K)
– – –, hemiganglionic oscillators for grasshopper stridulation 164:723 (Ronacher B)
– – –, information processing in moth auditory pathway 164:252 (Boyan GS, Fullard JH)
– – –, locust flight after thoracic ganglia hemisection 163:749 (Ronacher B, et al); 163:761 (Wolf H, et al)
– – –, membrane properties of leech embryonic ganglion cells 164:645 (Schirrmacher K, Deitmer JW)
– – –, octopamine release in leech – 162:405 (Belanger JH, Orchard I)
– – –, oscillators in crustacean stomatogastric ganglion 167:23 (Cardi P, et al)
– – –, pathways for *Aplysia* egg laying 164:849 (Ferguson GP, et al)
– – –, peptidergic motoneurons in mollusc – 168:323 (Church PJ, et al)
– – –, projections of locust chordotonal organ to – 170:101 (Matheson T)
– – –, prothoracic DUM neurons in crickets 166:901 (Gras H, et al)
– – –, responses of moth pterothoracic units to acoustic stimuli 165:253 (Coro F, Alonso N)
– – –, role of trigeminal ganglion in development of toad locomotion 170:171 (Boothby KM, Roberts A)
– – –, segmental specialization of neuronal connectivity in leech 167:453 (Wittenberg G, et al)
– – –, selective warming of grasshopper – 161:95 (Bauer M, Helversen O von)
– – –, sensitization in leech – 168:165 (Lockery SR, Kristan WB Jr)
– – –, sensory information processing in electric fish – 161:621 (Heiligenberg W)
– – –, serotonin in leech – 168:191 (Lent CM, et al)
– – –, sound activated interneurons in cricket – 161:681 (Atkins G, Pollack GS)
– – –, spinal mechanisms of EOD synchronization 167:447 (Lorenzo D, et al)
– – –, suboesophageal DUM neuron of locust 163:835 (Bräunig P)
– – –, target interneurons in dragonfly ventral nerve cord 166:851 (Olberg RM, Pinter RB)
– – –, temperature effects on cricket suboesophageal neurons 162:739 (Janiszewski J, Otto D)
– – –, temperature effects on locust central synapse 165:687 (Burrows M)
– – –, thoracic output of crayfish giant fibres 166:117 (Heitler WJ, Fraser K); 166:125 (Fraser K, Heitler WJ)
– – –, vasopressin-like immunoreactive neurons in locust – 168:605 (Thompson KSJ, et al); 168:619 (Thompson KSJ, Bacon JP)
– – –, visual interneurons in moth ventral nerve cord 167:707 (Olberg RM, Willis MA)
Central pattern generator in snail respiration 169:541 (Syed NI, et al); 169:557 (Syed NI, Winlow W)
– – –, pyloric, in crustaceans 163:715 (Bal T, et al)
Cepaea, magnetic fields, opioids, and behavior 162:551 (Kavaliers M, Ossenkopp K-P)
Cephalopods, see also *Alloteuthis*, *Loliguncula*, *Octopus*, *Sepia*, *Watensia*
–, low frequency hearing 166:501 (Packard A, et al)
Cercal sensory system of crickets 162:1 (Shepherd D, et al)
– – –, ecdysis of cricket – 162:573 (Kanou M, et al)
– system, activity dependence of cockroach neuronal plasticity 162:781 (Volman SF, Camhi JM)
– –, development of filiform hairs in crickets 170:49 (Kämper G)
– –, filiform afferent input onto cockroach giant inteneurons 166:133 (Blagburn JM)
– –, local interneurons in cricket – 168:553 (Bodnar DA, et al)
– –, modulation of activity in cockroach – 163:479 (Goldstein RS, Camhi JM)
– –, synaptic efficacy in cockroach – 167:363 (Hamon A, et al)
– –, supernumerary afferents in cockroach – 169:607 (Blagburn JM, et al)
– –, white noise analysis in cockroach – 168:429 (Kondoh Y, et al); 169:653 (Kondoh Y, et al)
– –, wind-sensitive, of locust 165:495 (Boyan GS, et al); 165:511 (Boyan GS, Ball EE); 165:523 (Boyan GS, Ball EE); 165:539 (Boyan GS, et al)
Cerebro-cerebellar interactions in bat hearing 166:477 (Sun D, et al)
Chasmagnathus, effect of morphine and naloxone on habituation 162:687 (Brunner D, Maldonado H)
–, habituation and learning in exploratory behavior 170:749 (Dimant B, Maldonado H)
Chelyosoma, central control of ciliary arrest 161:837 (Arkett SA)
Chemical communication in heliothine moths 169:249 (Almaas TJ, et al); 169:259 (Christensen TA, et al); 169:275 (Vickers NJ, et al)
– – in social insects 161:567 (Hölldobler B, Carlin NF)
– signals in bee kin recognition 164:83 (Moritz RFA, Crewe RM)
Chemoreception, see also olfactory
–, adaptation in moth pheromone receptors 170:691 (Borroni PF, O'Connell RJ)
–, amiloride inhibition of mouse NaCl response 166:1 (Ninomyia Y, et al)
–, amino acid and betaine taste receptor sites in fish 169:523 (Kiyohara S, Hidaka I)
–, amino acid receptors in catfish facial taste system 168:201 (Wegert S, Caprio J)
–, appetitive learning in slug 167:339 (Sahley CL, et al)
– by salamander trigeminal and olfactory systems 164:55 (Silver WL, et al)
–, chiral recognition of fly sugar receptor 165:193 (Shimada I, et al)
–, electroantennogram of cockroach 170:651 (Kapitskii SV, Gribakin FG)
–, gustatory sensilla on crab dactyls 166:227 (Schmidt M, Gnatzy W)
–, hydroxy-proline sensitive olfactory receptors in lobster 162:201 (Johnson BR, et al)
–, hygroreceptor in stick insect 166:507 (Tichy H, Loftus R)
–, interaction between neurons in grasshopper receptors 167:431 (White PR, et al)
–, labellar sugar receptor in fly 164:825 (Wieczorek H, Wolff G)
–, monoclonal antibodies against glutathione in *Hydra* 168:409 (Sakaguchi M, et al)
–, odour experience and bulbar EEG response in mice 163:771 (Schmidt U, Eckert M)
–, odor-modulated upwind flight in moths 169:427 (Willis MA, Arbas EA)
–, odor perception in honeybees 169:215 (Getz WM, Smith KB)
– of host volatiles in bark beetle 161:705 (Tømmerås BÅ, Mustaparta H)
– of phenolic acids and flavonoids in caterpillars 166:889 (Loon JJA van)
–, olfactory neurons and pheromone perception in moths 163:641 (Akers RP, O'Connell RJ)
–, perception of breath components by ticks 170:665 (Steullet P, Guerin PM); 170:677 (Steullet P, Guerin PM)
–, pheromone-modulated optomotor response in moth 167:699 (Willis MA, Cardé RT); 167:707 (Olberg RM, Willis MA)
–, pheromone receptor cells in moths 165:139 (Meng LZ, et al); 165:147 (Kaissling K-E, et al); 165:281 (Rumbo ER, Kaissling K-E)
–, pheromone-sensitive neurons in cockroach brain 167:321 (Hösl M)
–, purinoceptors in mosquitoes 163:665 (Galun R, et al)
–, sensitivity of moth pheromone receptor neurons 168:739 (Mankin RW, et al)
–, sex pheromone perception in pine sawfly 168:533 (Hansson BS, et al)
–, uncoupling of receptor sites in fly water receptor 163:413 (Wieczorek H, et al)
–, water detection by a desert scorpion 170:623 (Gaffin DD, et al)
Chemoreceptor cells, adaptation in lobster – 164:67 (Borroni PF, Atema J); 165:669 (Borroni PF, Atema J); 166:865 (Voigt R, Atema J)
Chemosensillum, interactions of neurons in locust – 167:431 (White PR, et al)
Chemotaxis in *Aplysia* 170:281 (Teyke T, et al)
Cherax, prey attack 165:99 (Varjú D)
–, tactile localization 163:525 (Sandeman DC, Varjú D)
Chicken, see also *Gallus*
–, ACh in auditory telencephalon 161:857 (Müller CM)
–, hypothalamic regulation of pineal 167:187 (Cassone VW, et al)
–, postnatal development of auditory system 170:129 (Rübsamen R)
Chipmunk, see *Eutamias*
Chiral recognition of fly sugar receptor 165:193 (Shimada I, et al)
Chloride conductance, calcium-dependent, in leech motoneuron 162:57 (Johansen J, Kleinhaus AL)

Chloride sensitivity of leech nephridial cells 168:53 (Wenning A, Calabrese RL)
Choleva, cold receptor response 161:399 (Loftus R, Corbière-Tichané G)
Cholinergic sensitivity of cockroach presynaptic terminal 161:215 (Blagburn JM, Sattelle DB)
Chordotonal organ, central projections of locust – 170:101 (Matheson T)
– –, range fractionation in locust – 170:509 (Matheson T)
– –, sensory physiology of locust – 166:915 (Matheson T)
Chorthippus, auditory response modulation 167:847 (Hedwig B)
–, bilateral coordination of hindlegs during stridulation 169:191 (Ronacher R)
–, filtering of song temporal parameters by interneuron 163:517 (Ronacher B, Stumpner A)
–, hemiganglionic oscillators for stridulation 164:723 (Ronacher B)
–, interaural intensity and time discrimination 162:333 (Helversen D von, Rheinlaender J)
–, selective warming of CNS 161:95 (Bauer M, Helversen O von)
Chorus sounds, attraction of frogs to – 163:795 (Gerhardt HC, Klump GM)
Chromaticity diagram of insect colour vision 170:533 (Chittka L)
Chromophore content in arthropod rhabdoms 165:589 (Eguchi E, et al)
Chrysomyia, dioptrics of facet lenses 166:365 (Stavenga DG, et al)
–, specialized dorsal eye region 164:297 (Hateren JH van, et al)
Ciliary activation by Ca in a ciliate 168:687 (Mogami Y, Machemer H)
– arrest, central control in a urochordate 161:837 (Arkett SA)
– beating, hyperpolarization activated, in *Paramecium* 170:723 (Nakaoka Y, Iwatsuki K)
– –, role of cyclic nucleotides and Ca in *Paramecium* – 166:401 (Nakaoka Y, Machemer H)
Circadian, see also rhythmicity
– activity rhythms, masking of hamster – by darkness 162:559 (Aschoff J, Goetz C von)
– oscillation in guinea pig SCN 162:301 (Kurumiya S, Kawamura H)
– pacemaker in opisthobranch eye 161:335 (MacMahon DG, Block GD); 161:347 (MacMahon DG, Block GD)
– – interactions in crickets 169:291 (Tomioka K, et al)
– photoreceptor organs in *Limulus* 162:127 (Horne JA, Renninger GH); 162:133 (Hanna WJB, et al)
– rhythms in honeybees 161:711 (Brady J)
Circannual cycles, effects of fall and spring cold pulses on squirrel – 167:683 (Mrosovsky N)
Circasemilunar timing, temperature compensation of midge – 163:671 (Neumann D)
Cl, see chloride
Clam, see *Tridacna*
Clione, behavioral switching 166:875 (Huang Z, Satterlie RA)
–, neuroanatomical basis of feeding behavior 170:525 (Zakharov IS, Ierusalimsky VN)
Clock models in fly photoperiodism 170:121 (Saunders DS)
Clunio, temperature compensation of circasemilunar timing 163:671 (Neumann D)
CNS, see central nervous system
CO_2, see carbon dioxide
Coccinella, approach of nearby stalks 163:355 (Collett TS)
Cochlea, electrical properties of alligator hair cells 164:151 (Fuchs PA, Evans MG)
–, resonance phenomena in bat – 166:711 (Kössl M, Vater M)
Cochlear ganglion, discharge patterns of neurons in chicken – 170:227 (Salvi RJ, et al)
– –, infrasound sensitivity of pigeon – 166:355 (Schermuly L, Klinke R)
– nerve responses in gerbil 167:329 (Ohlemiller KK, Echteler SM)
– nucleus, neural coding in chick – 166:721 (Warchol ME, Dallos P)
– –, tonotopy of bat – 166:695 (Kössl M, Vater M)
Cockroach, see *Leucophaea*, *Periplaneta*
Coelenterata, calcium activation of *Beroë* macrocilia 163:23 (Tamm SL)
–, dopamine receptors in *Polyorchis* 169:599 (Chung J, Spencer AN)
–, eye lens and crystallin of jellyfish 164:577 (Piatigorsky J, et al)
–, molecular mechanisms of *Hydra* chemoreception 168:409 (Sakaguchi M, et al)
Cold cell responses on locust antenna 163:507 (Ameismeier F, Loftus R)
– receptor response in beetles to changing temperature 161:399 (Loftus R, Corbière-Tichané G)
Coleoptera, see *Blaps*, *Choleva*, *Coccinella*, Fireflies, *Ips*, *Loricera*, *Necrophorus*, *Onitis*, *Speophyes*
Colliculus, comparative tonotopy of bat – 163:271 (Rübsamen R, et al)
–, inferior, see inferior colliculus
–, superior, see superior colliculus
Color, see also spectral
– discrimination in blowfly 166:57 (Fukushi T)
– saturation and bumblebee reactions to flower signals 166:827 (Lunau K)
– stimuli and behavior in butterflies 161:891 (Scherer C, Kolb G)
– vision, chromaticity diagram of insect – 170:533 (Chittka L)
– –, comparative – in Hymenoptera 170:545 (Chittka L, et al)
– –, effects of screening pigments in normal and mutant bee eye 164:123 (Gribakin FG)
– – in bluegill sunfish 164:107 (Hawryshyn CW, et al)
– – in stingless bee 166:151 (Menzel R, et al)
– –, tetrachromatic, of ducks 162:225 (Jane SD, Bowmaker JK)
– –, UV-vision in birds 164:787 (Burkhardt D); 170:709 (Maier EJ)
Columba, see also pigeon
–, circadian rhythms of melatonin 164:25 (Foà A, Menaker M)
–, constant light induced arrhythmicity 163:459 (Yamada H, et al)
–, directionality of ear 167:533 (Lewald J)
–, discharge patterns of auditory nerve 163:99 (Temchin AN)
–, jaw activities during drinking 170:303 (Bermejo R, et al)
–, sleep and EEG spectra 163:729 (Tobler I, Borbély AA)
–, use of landmarks 162:815 (Cheng K); 166:857 (Cheng K)
–, vibrational sensitivity of wings 167:545 (Hörster W)
–, vibration-sensitive receptors in wing 166:663 (Hörster W)
Comb building, effect of queen on honeybee – 169:209 (Whiffler LA, Hepburn HR)
Communication, detection of conspecific EOD in electric fish 170:335 (Fleishman LJ); 170:349 (Fleishman LJ, et al)
–, acoustic, in gray treefrog 162:261 (Gerhardt HC, Doherty JA)
– by seismic signals in mole-rats 170:13 (Narins PM, et al)
–, chemical, in social insects 161:567 (Hölldobler B, Carlin NF)
–, magnetic resonance and misdirection in bee waggle-dance 162:279 (Korall H, et al)
– sound, encoding in frog's auditory nerve 166:498 (Schwartz JJ, Megela Simmons A)
–, vibrational, in fidder crab 166:345 (Aicher B, Tautz J)
–, vibratory, in a spider 166:817 (Schüch W, Barth FG)
Compound eye, calcium fluxes in honeybee – 165:697 (Ziegler A, Walz B)
– –, chromophore content in arthropod rhabdoms 165:589 (Eguchi E, et al)
– –, daily changes in crab – 161:161 (Arikawa K, et al)
– –, dioptrics of facet lenses of male blowflies 166:365 (Stavenga DG, et al)
– –, eyeshine in butterfly – 166:51 (Nilsson D-E, Howard J)
– –, fluorophore systems in insect – 165:789 (Juse A, et al)
– –, properties of beetle – 167:785 (Warrant EJ, McIntyre PD); 167:805 (Warrant EJ, McIntyre PD); 167:817 (Warrant EJ, et al)
– –, refracting superposition, in crustaceans 167:71 (Nilsson D-E)
– –, specialization of water strider – 169:623 (Dahmen H)
– –, specialized dorsal region in blowfly – 164:297 (Hateren JH van, et al)
Computer simulation of crayfish electrical synapses 169:707 (Heitler WJ, et al)
Cones, short-wavelength, in goldfish 161:85 (Mackintosh RM, et al)
Conocephalus, auditory processing 164:501 (Fullard JH, et al)
Copulation behavior, motor acts during cricket – 162:589 (Sakai M, Ootsubo T)
Corn earworm moth, see *Heliothis*
Cortex, anterior cingulate, vocal frequency representation in bat – 161:283 (Gooler DM, O'Neil WE)
Corvus, daily distribution of sleep 161:321 (Szymczak JT)
Cottus, lateral line sensitivity 167:557 (Coombs S, Janssen J)
Corturnix, photoreceptor characteristics in pineal and retina 165:553 (Foster RG, et al)
Courtship behavior in a spider 166:817 (Schüch W, Barth FG)

Coxal hair plates in spiders 166:633 (Seyfarth E-A, et al)
Crabs, see also *Carcinus*, *Chasmagnathus*, *Erichia*, *Hemigrapsus*, *Leptograpsus*, *Uca*
–, multisensory control of eye-stalk orientation 165:643 (Nalbach H-O, et al)
–, visual eye-stalk stabilization 165:577 (Nalbach H-O, et al)
–, visual pigments 162:463 (Cronin TW, Forward RB Jr); 162:479 (Forward RB Jr, et al)
Crayfish, see *Astacus*, *Austrapotamobius*, *Cherax*, *Pacifastacus*, *Procambarus*
Cranes, tracheal length and phonation 161:43 (Gaunt AS, et al)
Cricetus, gonadal steroids and hibernation 163:339 (Darrow JM, et al)
–, photoperiodic regulations 163:549 (Canguilhem B, et al)
Crickets, see also *Acheta*, *Gryllus*, *Teleogryllus*, *Gryllotalpa*
–, oscillation of filiform hairs in low-frequency sound field 167:193 (Kämper G, Kleindienst H-U)
–, plasticity in auditory system 161:583 (Huber F)
Crop load, role in honeybee foraging 169:729 (Varjú D, Núñez J)
Crustacea, abdominal motor neuron responses in *Homarus* 161:695 (Kotak VC, Page CH)
–, abdominal positioning interneurons in *Procambarus* 165:461 (Murphy BF, et al)
–, absence of glutamate effect on *Astacus* GABA channels 170:521 (Pasternack M, et al)
–, action of GABA on *Procambarus* optic lobe 168:373 (Pfeiffer-Linn C, Glantz RM)
–, adaptation in *Homarus* chemoreceptor cells 164:67 (Borroni PF, Atema J); 165:669 (Borroni PF, Atema J); 166:865 (Voigt R, Atema J)
–, adaptive swimmeret activity of *Jasus* 162:187 (Cattaert D, et al)
–, bilateral non-spiking interneurons in *Procambarus* abdominal ganglion 163:601 (Nagayama T, Hisada M)
–, burst in *Panulirus* cardiac ganglion 161:389 (Tameyasu T)
–, Ca and light excitation in *Balanus* photoreceptors 170:427 (Werner U, et al)
–, calcium uptake by *Procambarus* retinal SER 162:91 (Frixione E, Ruiz L)
–, central nervous rhythms in *Carcinus* 168:445 (Head SI, Bush BMH)
–, channel types of *Austropotamobius* neuromuscular junction 166:757 (Dudel J, et al)
–, chromophore content in crayfish and crab rhabdoms 165:589 (Eguchi E, et al)
–, common inhibitory neuron in *Eriphia* limb musculature 163:651 (Wiens TJ, et al)
–, coordination of movements in *Procambarus* 170:739 (Murchison D, Larimer JL)
–, daily changes in *Hemigrapsus* compound eye 161:161 (Arikawa K, et al)
–, effects of octopamine on *Procambarus* escape reaction 169:369 (Bustamante J, Krasne FB)
–, exploratory behavior of *Chasmagnathus* 170:749 (Dimant B, Maldonado H)
–, eye movements in *Daphnia* 166:411 (Consi TR, et al)
–, eye movements of *Odontodactylus* 167:155 (Land MF, et al)
–, eye structure of hyperiid amphipods 164:751 (Land MF)
–, functional organization of crayfish lamina ganglionaris 161:131 (Wang-Bennett LT, Glantz RM); 161:147 (Wang-Bennett LT, Glantz RM)
–, gate control of *Procambarus* descending statocyst-motor pathway 170:463 (Takahata M, Murayama M)
–, glutamatergic motoneurons in *Squilla* stomatogastric ganglion 170:773 (Chiba C, Tazaki K)
–, gustatory sensilla in *Carcinus* 166:227 (Schmidt M, Gnatzy W)
–, habituation in *Chasmagnathus* 162:687 (Brunner D, Maldonado H)
–, hydrodynamic events caused by moving 168:749 (Bleckmann H, et al)
–, hydroxy-proline sensitive olfactory receptors of *Homarus* 162:201 (Johnson BR, et al)
–, inhibitory innervation of *Homarus* walking leg muscles 167:43 (Wiens TJ)
–, interaction of oscillators in *Homarus* stomatogastric ganglion 167:23 (Cardi P, et al)
–, ionic dependence of *Panulirus* burster neuron activity 170:201 (Johnson BR, et al)
–, light-modulated motoneurone activity in *Galathea* 168:513 (Maitland DP, et al)
–, light-evoked walking in *Procambarus* 166:745 (Simon TW, Edwards DH)
–, mechanosensory afferents innervating *Homarus* swimmerets 170:491 (Killian KA, Page CH); 170:501 (Killian KA, Page CH)
–, monosynaptic reflex in *Procambarus* walking legs 168:337 (El Manira A, et al)
–, multiple spectral classes of gonodactyloid stomatopod photoreceptors 166:261 (Cronin TW, Marshall NJ)
–, multiple types of *Pacifastacus* electrical synapses 169:707 (Heitler WJ, et al)
–, multisensory control of crab eye-stalk orientation 165:643 (Nalbach H-O, et al)
–, myogenic oscillation in *Squilla* pyloric muscle 169:737 (Tazaki K, Chiba C)
–, neural control of *Carcinus* ventilation 162:375 (DiCaprio RA, Fourtner CR)
–, neural control of *Squilla* stomach muscle 168:265 (Tazaki K, Miyazaki T)
–, neuronal control of *Procambarus* equilibrium response 170:291 (Nakagawa H, Hisada M)
–, nonspiking giant interneurons in *Procambarus* brain 162:705 (Okada Y, Yamaguchi T)
–, non-spiking levator elastic strand receptor in crab 165:801 (Cannone AJ, Nijland MJM)
–, olfactory interneurons in *Procambarus* 163:777 (Derby CD, Blaustein DN); 164:231 (Arbas EA, et al)
–, optokinesis in mantis shrimps 168:233 (Cronin TW, et al)
–, orientation of *Talitrus* 162:453 (Ugolini A, Scapini F)
–, phototransductive membrane turnover in *Leptograpsus* photoreceptors 170:189 (Blest AD, et al)
–, plasticity in *Procambarus* phasic motor axon 161:367 (Pahapill BA, et al)
–, plasticity in *Talitrus* sun orientation 163:739 (Scapini F, et al)
–, postural motor system interactions in *Procambarus* 163:187 (Moore D, Larimer JL)
–, prey attack in *Cherax* 165:99 (Varjú D)
–, protein synthesis in *Procambarus* retina 163:253 (Hafner GS, Tokarski TR)
–, pyloric central pattern generator in *Jasus* 163:715 (Bal T, et al)
–, refracting superposition eyes 167:71 (Nilsson D-E)
–, single channel recordings from *Austropotamobius* muscles 163:609 (Zufall F, et al)
–, stimulus timing and synaptic efficacy in *Procambarus* 165:371 (Bittner GD, Segundo JP)
–, stomatopod visual physiology 164:737 (Cronin TW)
–, swimming and neuromusculature in *Munida* 161:881 (Wilson LH, Paul DH)
–, tactile localization in *Cherax* 163:525 (Sandeman DC, Varju D)
–, tail flip in *Nephrops* 166:517 (Newland PL, Neil DM); 166:529 (Newland PL, Neil DM)
–, thoracic output of *Pacifastacus* giant fibres 166:117 (Heitler WJ, Fraser K); 166:125 (Fraser K, Heitler WJ)
–, TTX sensitivity of *Procambarus* stretch receptor 168:313 (Barrio LC, et al)
–, underwater polarotaxis of *Palaemonetes* 169:479 (Goddard SM, Forward RB Jr)
–, uropod righting reaction of *Procambarus* 164:685 (Newland PL)
–, UV-receptors in *Daphnia* eye 166:597 (Smith RC, Macagno ER)
–, vibrational communication in *Uca* 166:345 (Aicher B, Tautz J)
–, visual control of turning in *Procambarus* 163:175 (Copp NH, Watson D)
–, visual eye-stalk stabilization in crabs 165:577 (Nalbach H-O, et al)
–, visual pigments of crabs 162:463 (Cronin TW, Forward RB Jr); 162:479 (Forward RB Jr, et al)
–, visual pigments of four deep-sea species 163:63 (Hiller-Adams P, et al)
Ctenophore, see *Beroë*
Culex, purinergic reception 163:665 (Galun R, et al)
Cuniculina, properties of leg campaniform sensilla 168:113 (Delcomyn F)
Cupiennius, coxal hair plates 166:633 (Seyfarth E-A, et al)
–, drop and swing dispersal 169:313 (Barth FG, et al)
–, K and Ca in receptor lymph 161:329 (Grünert U, Gnatzy W)
–, tactile hairs and leg reflexes 162:611 (Eckweiler W, Seyfarth E-A); 162:623 (Milde JJ, Seyfarth E-A)
–, vibratory communication 166:817 (Schüch W, Barth FG)
Cuttle fish, see *Sepia*
Cyclic AMP, involvement in fly sensory fatigue 167:437 (Corfas G, Dudai Y)

Cyclic nucleotides, role in *Paramecium* ciliary regulation 166:401 (Nakaoka Y, Machemer H)
Cycnia, neuroethology of sound production 170:575 (Fullard JH)
Cynops, excitability of spiking cells during retinal regeneration 170:411 (Kaneko Y, Saito T)
Cyphoderris, auditory system 168:351 (Mason AC)
Cyrtodiopsis, female choice 162:649 (Burkhardt D, Motte I de la)
Cystophora, eye in air and water 165:771 (Sivak JG, et al)

D

Dance, acoustic near field of honey-bee during – 161:633 (Michelsen A, et al)
–, magnetic resonance and misdirection in bee – 162:279 (Korall H, et al)
– language, role of sound signals in bee – 168:85 (Kirchner WH, et al)
Daphnia, eye movements 166:411 (Consi TR, et al)
–, UV receptors in compound eye 166:597 (Smith KC, Macagno ER)
Dasyurus, wheel-running activity 166:607 (Kennedy GA, et al)
Deep-sea crustaceans, visual pigments 163:63 (Hiller-Adams P, et al)
– – fish, visual pigments 162:543 (Partridge JC, et al); 163:685 (Bowmaker JK, et al); 164:513 (Partridge JC, et al)
– – squid, visual pigments 166:769 (Seidou M, et al)
Deermouse, see *Peromyscus*
Defensive secretion of a beetle 161:377 (Peschke K, Eisner T)
Deilephila, pupil trigger in superposition eye 170:217 (Nilsson D-E, et al)
2-Deoxyglucose patterns, binaural, in gerbil auditory cortex 168:13 (Caird D, et al)
Depression, low-frequency, in crayfish phasic motor axon 161:367 (Pahapill PA, et al)
Deprivation effects on vole ultradian rhythms 168:591 (Gerkema MP, Leest F van der)
Depth resolution in pigeon 163:33 (Martinoya G, et al)
Desmodus, hearing 168:45 (Schmidt U, et al)
Deutocerebrum, neurones in bee – 164:483 (Flanagan D, Mercer AR)
Development, see also ontogenesis
–, audiovocal interactions in bat during – 167:771 (Rübsamen R, Schäfer M)
– of cricket mating behavior 166:775 (Sakai M, et al)
– of cricket sensory hairs 170:49 (Kämper G)
– of locust flight motor patterns 162:247 (Stevenson PA, Kutsch W)
– of pre-ecdysis motor pattern in moth larvae 168:179 (Miles CI, Weeks JC)
Didinum, current components 164:551 (Pernberg J, Machemer H)
Diapause, photoperiodic induction in bug – 167:167 (Numata H)
Diencephalon, stimulus discrimination in electric fish – 162:747 (Keller CH)
Digger wasp, see *Liris*
Dipsosaurus, circadian locomotor rhythms 166:803 (Janik DS, Menaker M); 166:811 (Janik DS, et al)
Diptera, see *Boettcherisca*, *Calliphora*, *Chrysomyia*, *Clunio*, *Culex*, *Cyrtodiopsis*, *Drosophila*, *Eristalis*, *Musca*, *Phormia*, *Sarcophaga*
Directional sensitivity of bat hearing 165:269 (Coles RB, et al)
Discoglossus, retino-tectal projections 162:435 (Gaillard F, et al)
Dispersal behavior in a spider 169:313 (Barth FG, et al)
Distance cue, accommodation in owls as – 169:515 (Wagner H, Schaeffel F)
– measuring in honeybees 165:605 (Srinivasan MV, et al); 167:173 (Lehrer M)
– – by motion parallax in locusts 167:579 (Sobel EC)
– – in praying mantis 169:101 (Rossel S)
– vision in locusts 169:615 (Collett TS, Patterson CJ)
Djungarian hamster, see *Phodopus*
Dogfish, see *Scyliorhinus*
Dolphin, see *Tursiops*
Dopamine inhibition of *Limulus* midgut 170:787 (Groome JR, Lent CM)
– receptor on a jellyfish motor neuron 169:599 (Chung J, Spencer AN)
Doppler shift compensation in echolocating horseshoe bat 169:109 (Neumann I, Schuller G)
Dragonfly, see *Aeshna*, *Hemicordulia*
Drift compensation in waterstriders 167:441 (Junger W, Varjú D); 169:633 (Junger W)
Drinking, jaw kinematics and muscle activity during pigeon – 170:303 (Bermejo R, et al)
Dronefly, see *Eristalis*
Drosophila, basis of operant behavior 169:699 (Wolf R, Heisenberg M)
–, cAMP and sensory fatigue 167:437 (Corfas G, Dudai Y)
–, electrical excitability of larval muscles 163:705 (Yamaoka K, Ikeda K)
–, flight control during free yaw turns 163:389 (Mayer M, et al)
–, interaction of formamidines 161:739 (Dudai Y, et al)
–, labellar sugar receptor 164:825 (Wieczorek H, Wolff G)
–, lateral abdomen deflection 162:581 (Zanker JM)
–, learning in rhythm mutants 169:685 (Gailey D, et al)
–, leg coordination during walking 167:403 (Strauß R, Heisenberg M)
–, memory and its consolidation in a mutant 162:101 (Dudai Y, et al)
–, photopigment formation 166:429 (Stark WS, et al)
–, phototransduction mutant *norp A* 161:785 (Wilson MJ, Ostroy SE); 161:793 (Meyertholen EP, et al)
–, plasticity of landing response 169:323 (Waldvogel F-M, Fischbach K-F)
–, reafferent control of optomotor yaw torque 163:373 (Heisenberg M, Wolf R)
–, spectral sensitivity of white-eyed mutant 167:715 (Gribakin FG, Ukhanov KYu)
–, straight flight control 167:269 (Wolf R, Heisenberg M)
Duck, see *Anas*
DUM neuron, suboesophageal, of locust 163:835 (Bräunig P)
– neurons in cricket walking behavior 166:901 (Gras H, et al)
Dunnart, see *Sminthopsis*

E

Ear directionality in bat 170:57 (Fuzessery ZM, et al)
– – in pigeon 167:533 (Lewald J)
Eardrum vibration in anuran hearing 168:223 (Jørgensen MB, et al); 169:177 (Jørgensen MB, Gerhardt HC); 169:591 (Jørgensen MB)
Ecdysis of cricket cercal sensory system 162:573 (Kanou M, et al)
–, eclosion hormone control of moth – 168:697 (Hewes RS, Truman JW)
– motor pattern, metamorphosis in hawkmoth 163:287 (Mesce KA, Truman JW)
Echolocation, classification of insects by horseshoe bats 167:423 (Emde G von der, Schnitzler H-U)
–, delay-sensitivity of bat auditory cortex neurons 170:393 (Wong D, et al)
–, discrimination of jittered sonar echoes by bats 167:589 (Simmons JA, et al)
–, effects of moth clicks on bat range difference discrimination 168:571 (Miller LA)
–, energy cost of bat – 165:679 (Speakman JR, et al)
–, fluttering target discrimination by bats 163:349 (Sum YW, Menne D)
–, FM sweep and target ranging in bat 170:83 (Surlykke A)
–, gating mechanisms in bat – 169:109 (Neumann I, Schuller G)
–, gleaning bat predation on tympanate moths 166:843 (Faure PA, et al)
–, insect wingbeat discrimination in bats 164:663 (Emde G von der, Menne D)
–, motion perception and signal design in bats 168:259 (Roverud RC, et al)
–, perception of acoustic images by bats 166:449 (Simmons JA, et al)
–, role in bat prey detection 161:59 (Ryan MJ, Tuttle MD); 161:267 (Schnitzler H-U, et al)
–, signal detection in dolphin by – 164:451 (Au WWL, Pawloski DA)
–, sound pattern recognition in horseshoe bat 166:243, 251 (Roverud RC)
–, target detection and range resolution in bat 166:65 (Masters WM, Jacobs SC)
–, target ranging accuracy in bats 165:383 (Moss CF, Schnitzler H-U)
–, thickness difference discrimination by dolphin 170:41 (Au WWL, Pawloski DA)
–, tonotopy of bat cochlear nucleus 166:695 (Kössl M, Vater M)
– system, ontogenesis of bat – 161:899 (Rübsamen R); 165:755 (Rübsamen R, et al)
– –, spatial processing in bat – 170:57 (Fuzessery ZM, et al)
Edinger-Westphal nucleus of teleosts 162:511 (Wathey JC)
Editor's plea 170:1 (Autrum H)
EEG, see electroencephalogram
Eel, see *Anguilla*

Efference to locust ocellar system 165:27 (Rotzler S)
Efferent activity in axolotl lateral line 169:461 (Münz H, Claas B)
– control in moth ocellus 169:647 (Yamazaki S, Yamashita S)
– system of toadfish lateral line 169:25 (Tricas TC, Highstein SM)
Egg laying in *Aplysia* 164:835 (Ferguson GP, et al); 164:849 (Ferguson GP, et al)
– – behavior in pond snail 164:673 (Ter Maat A, et al)
Egretta, underwater prey localization 165:573 (Katzir G, et al)
Eigenmannia, development of JAR 169:15 (Viete S, Heiligenberg W)
–, discrete diencephalic motor representations 164:565 (Keller CH, Heiligenberg W)
–, electrosensory processing in torus semicircularis 170:253 (Rose GJ, Call SJ)
–, GABAergic inhibition in lateral line lobe 164:391 (Shumway CA, Maler L)
–, nucleus electrosensorius 169:151 (Heiligenberg W, et al)
–, prepacemaker neurons 162:13 (Kawasaki M, Heiligenberg W); 162:759 (Rose GJ, et al)
–, signal coding in electric communication 169:135 (Metzner W, Heiligenberg W)
–, small-cell simulations 169:117 (Lytton WW)
–, stimulus discrimination in diencephalon 162:747 (Keller CH)
Elasmobranchs, see *Raja*, ray, *Mustelus*, *Platyrhinoidis*, *Scyliorhinus*
Electric fish, see also *Apteronotus*, *Eigenmannia*, *Gnathonemus*, *Gymnotus*, *Hypopomus*, *Sternopygus*
– –, central processing of sensory information 161:621 (Heiligenberg W)
– organ, abdominal electrocytes of *Gymnotus* 162:141 (Lorenzo D, et al)
– –, innervation of *Gymnotus* – 165:343 (Trujillo-Cenóz O, Echagüe JA)
Electric organ discharge (EOD), detection of conspecific – 170:335 (Fleishman LJ); 170:349 (Fleishman LJ, et al)
– – –, effects of androgens on fish – 161:417 (Mills A, Zakon HH); 169:493 (Zakon HH, et al)
– – –, in vitro chirpitas in *Apteronotus* 163:445 (Dye J)
– – –, neuronal control of modulations 169:441 (Keller CH, et al)
– – –, prepacemaker neurons in *Eigenmannia* 162:13 (Kawasaki M, Heiligenberg W); 162:759 (Rose GJ, et al)
– – –, sex recognition in *Hypopomus* 163:465 (Shumway CA, Zelick RD)
– – –, spinal mechanisms of synchronization 167:447 (Lorenzo D, et al)
– – –, waveform generation in *Gymnotus* – 165:343 (Trujillo-Cenóz O, Echagüe JA); 165:353 (Macadar O, et al); 165:361 (Caputi A, et al)
Electric source, fish body as – 165:361 (Caputi A, et al)
Electrical model of cockroach electroantennogram 170:651 (Kaptiskii SV, Gribakin FG)
– properties of hair cells 164:151 (Fuchs PA, Evans MG)
– synapses, multiple types of crayfish – 169:707 (Heitler W, et al)
Electroantennogram, effect of oxygen on cockroach – 170:651 (Kapitskii SV, Gribakin FG)
Electro-communication, pacemaker control in *Apteronotus* 161:175 (Dye J)
Electrocytes, properties of *Gymnotus* single – 165:353 (Macadar O, et al)
–, abdominal, electrophysiological properties 162:141 (Lorenzo D, et al)
Electroencephalogram (EEG), influence of odour experience on mouse bulbar – 163:771 (Schmidt U, Eckert M)
– of sleeping pigeons 163:729 (Tobler I, Borbély AA)
– spectra in sleeping hamster 161:449 (Tobler I, Jaggi K)
–, spectral analysis in sleeping chipmunk 165:205 (Dijk DJ, Daan S)
Electrogenic Na-K pump in catfish electroreceptor 164:589 (Sugawara Y)
– responses from fly larval body wall muscles 163:705 (Yamaoka K, Ikeda K)
Electrolocation of *Apteronotous* 161:811, 825 (Bastian J)
– conditioning in *Sternopygus* 168:461 (Rose GJ, Canfield JG)
–, object-discrimination in mormyrid fish 167:413 (Emde G von der)
Electromyographic activities, rhythmic, in salmon sexual behavior 165:293 (Matsushima T, et al)
Electromyography of pigeon jaw muscles during drinking 170:303 (Bermejo R, et al)
– in sleeping bees 163:565 (Kaiser W)
– of salamander prey capture 167:827 (Reilly SM, Lauder GV)
– of spawning salmon trunk muscles 168:417 (Satou M, et al)
Electro-olfactogram (EOG) studies on fish pheromone sensitivity 166:373 (Sorensen PW, et al)
Electrophysiology of ciliate membrane 164:551 (Pernberg J, Machemer H)
– on fly phototransduction mutant 161:785 (Wilson MJ, Ostroy SE)
Electroreception, discrimination of sign of frequency differences 168:461 (Rose GJ, Canfield JG)
–, neurotransmitters in skate Lorenzinian ampulla 168:639 (Akoev G, et al); 168:647 (Akoev G, et al)
–, prepacemaker neurons in electric fish brain 162:13 (Kawasaki M, Heiligenberg W); 162:759 (Rose GJ, et al)
–, stimulus discrimination in diencephalon 162:747 (Keller CH)
Electroreceptor, Na-K pump in catfish – 164:589 (Sugawara Y)
– physiology in *Apteronotus* 161:825 (Bastian J)
Electrosensory lateral line lobe (ELL), GABAergic inhibition in – 164:391 (Shumway CA, Maler L)
– – – –, brain slice preparation of electric fish – 163:489 (Mathieson WM, Maler L)
– – – –, pyramidal cell adaptation in – 168:393 (Bastian J, Courtright J)
Electrosensory processing in fish torus semicircularis 170:253 (Rose GJ, Call SJ)
– –, medullary, in skate 167:285 (New JG); 167:295 (New JG, Bodznik D)
– system, midbrain representation in axolotl 167:347 (Bartels M, et al)
– –, role in gymnotiform fish social communication 169:135 (Metzner W, Heiligenberg W); 169:151 (Heiligenberg W, et al)
– –, small-cell simulations in *Eigenmannia* – 169:117 (Lytton WW)
Eleutherodactylus, directional hearing 168:223 (Jørgensen MB, et al)
Empyreuma, pterothoracic unit responses to acoustic stimuli 165:253 (Coro F, Alonso N)
Endoplasmic reticulum, calcium-sequestering, in bee photoreceptor 165:627 (Baumann O, Walz B)
Energy cost of bat echolocation 165:679 (Speakman JR, et al)
Enhydra, energetics and hydrodynamics of swimming 164:815 (Williams TM)
Ensiferan auditory system 168:351 (Mason AC)
EOD, see electric organ discharge
Epidermal head line, responses to water movements in cephalopod – 168:247 (Bleckmann H, et al)
Eptesicus, acoustic image perception 166:449 (Simmons JA)
–, discrimination of jittered sonar echoes 167:589 (Simmons JA, et al)
–, effect of masking on sonar signal detection 165:119 (Møhl B, Surlykke A)
–, encoding of stimulus properties in inferior colliculus 169:69 (Pinheiro AD, et al)
–, FM sweep and target ranging 170:83 (Surlykke A)
–, frequency and space representation in auditory cortex 165:1 (Jen PH-S, et al)
–, moth clicks and range difference discrimination 168:571 (Miller LA)
–, target detection and range resolution 166:65 (Masters WM, Jacobs SC)
–, target ranging accuracy 165:383 (Moss CF, Schnitzler H-U)
Equilibrium response in crayfish 164:685 (Newland PL); 170:291 (Nakagawa H, Hisada M)
Eriphia, common inhibitory neuron in limb musculature 163:651 (Wiens TJ, et al)
Eristalis, physiology of visual neurons 162:317 (Guy RG, Srinivasan MV)
–, spectral properties of movement perception 166:287 (Srinivasan MV, Guy RG)
Escape behavior, cell assembly mediating cockroach – 165:83 (Camhi JM, Levy A)
– circuitry, effects of biogenic amines on cockroach – 168:103 (Goldstein RS, Camhi JM)
– movements of cockroach 163:317 (Camhi JM, Levy A)
– reaction, effects of octopamine on crayfish – 169:369 (Bustamante J, Krasne FB)
– reflexes, rapid, in oligochaetes 161:729 (Zoran MJ, Drewes CD)
– response, visually evoked, in housefly 169:451 (Holmqvist MH, Srinivasan MV)
– system, modulation of activity in cockroach – 163:479 (Goldstein RS, Camhi JM)
European hamster, see *Cricetus*
Eutamias, sleep EEG analysis 165:205 (Dijk DJ, Daan S)
Ewe, see *Ovis*

Eye, see also ocular
–, circadian pacemaker in opisthobranch – 166:795 (Geusz ME, Page TL)
–, compound, see compound eye
– crystallins of jellyfish 164:577 (Piatigorsky J, et al)
– development in kestrel 170:565 (Andison ME, et al)
–, focus in crocodiles 163:441 (Fleishman LJ, et al)
–, lateral, eccentric cell of *Limulus* – 163:259 (Renninger GH, et al)
– lens, cellular, of jellyfish 164:577 (Piatigorsky J, et al)
– movements in *Daphnia* 166:411 (Consi TR, et al)
– – in mantis shrimp 167:155 (Land MF, et al); 168:233 (Cronin TW, et al)
– region, peripheral, role in bee spatial localization 167:173 (Lehrer M)
–, seal – in air and water 165:771 (Sivak JG, et al)
– -span, role in stalk-eyed fly female choice 162:649 (Burkhardt D, Motte I de la)
– -stalk orientation, multisensory control of crab – 165:643 (Nalbach H-O, et al)
– structure of hyperid amphipods 164:751 (Land MF)
Eyes, role in desert iguana circadian organization 166:803 (Janik DS, Menaker M)
–, ventral, median and lateral, circadian photoreceptors in *Limulus* – 162:127 (Horne JA, Renninger GH)
Eyeshine, intensity and polarization of butterfly – 166:51 (Nilsson D-E, Howard J)

F

Facet lens, dioptrics of male blowfly – 166:365 (Stavenga DG, et al)
Facilitation, long-term, in crayfish phasic motor axon 161:367 (Pahapill PA, et al)
Falco, eye development 170:565 (Andison ME, et al)
Feathers, UV-reflection of bird's – 164:787 (Burkhardt D)
Feeding, effect of serotonin on leech – 168:191 (Lent CM, et al)
– behavior, neuroanatomical basis on pteropod mollusc – 170:525 (Zakharov IS, Ierusalimsky VN)
– control system in gastropod brain 166:297 (Delaney K, Gelperin A); 166:311 (Delaney K, Gelperin A); 166:327 (Delaney K, Gelperin A)
– cycles, house sparrows entrain to – 170:403 (Hau M, Gwinner E)
–, innervation of *Aplysia* buccal muscles 167:1 (Nagahama T, Takata M)
–, restricted, effect on marsupial circadian rhythm 166:607 (Kennedy GA, et al)
Fiddler crab, see *Uca*
Filiform afferent input onto cockroach giant interneurons 166:133 (Blagburn JM)
– hairs, development of cricket – 170:49 (Kämper G)
– –, ecdysis of cricket cercal – 162:573 (Kanou M, et al)
– –, oscillation of cricket – 167:193 (Kämper G, Kleindienst H-U)
Fireflies, screening pigments in – 162:23 (Lall AB, et al)
Fish, see Pisces
Flavonoids, chemoreception of – in caterpillars 166:889 (Loon JJA van)
Fleshfly, see *Boettcherisca*, *Sarcophaga*
Flies, see also Diptera
–, role of laminar LMCs in optomotor response 166:23 (Coombe PE, et al)
Flight, feedback loops and giant interneurons in cockroach during – 165:651 (Libersat F, et al)
– behavior of locusts after thoracic ganglia hemisection 163:749 (Ronacher B, et al)
– – in response to pheromone components in moths 169:275 (Vickers NJ, et al)
central pattern generator in locusts 161:115 (Stevenson PA, Kutsch W)
– control in flies 162:581 (Zanker JM); 163:389 (Mayer M, et al)
– –, learning in locust – 163:803 (Möhl B)
– – in stingless bee 167:569 (Kelber A, Zeil J)
–, head movements of locusts during – 166:685 (Hensler K, Robert D); 166:735 (Miall RC)
– in a pheromone plume by gypsy moth 167:699 (Willis MA, Cardé RT)
– initiation, role of interneurons in locust – 162:669 (Ramirez J-M)
– interneurons in locust 165:61 (Wolf H, Pearson KG)
–, modulation of audition in locusts during – 164:409 (Hedwig B)
–, modulation by giant interneurons in cockroach 170:379 (Libersat F)
– motor neurone reflexes in locusts 161:747 (Elson RC)
– motor pattern in locust forewing muscle 165:217 (Pearson KG, Wolf H)
– – patterns in crickets 164:219 (Wang S, Robertson RM); 167:629 (Hennig RM)
– – – in locust ventral nerve cord 161:103 (Wolf H, Pearson KG)
– – – in Phasmida 168:483 (Kutsch W, Kittmann R)
– muscle, octopaminergic modulation of locust – 165:125 (Whim MD, Evans PD)
–, neuronal control of cricket forewings during – 167:617 (Hennig RM)
–, neuronal plasticity in locust – 166:75 (Möhl B)
– neurons, activity of locust – 167:61 (Robertson RM)
–, ontogeny of bat – 168:675 (Powers LV, et al)
– orientation, operant behavior in flies 169:699 (Wolf R, Heisenberg M)
– oscillator, entrainment of locust – 162:77 (Reye DN, Pearson KG)
– pattern, development of locust – 162:247 (Stevenson PA, Kutsch W)
– physiology of migrating moths 167:145 (Dudley R, DeVries RJ)
–, response of bushcrickets to ultrasound during – 169:507 (Libersat F, Hoy RR)
–, straight, control in flies 167:269 (Wolf R, Heisenberg M)
– system, deafferentiation of locust – by phentolamine 167:485 (Ramirez J-M, Pearson KG)
–, tethered, gears in fly – 165:321 (Nalbach G)
Fluorophore systems in insect eyes 165:789 (Juse A, et al)
– –, photoreconvertible, in blowfly compound eye 161:227 (Schlecht P, et al)
Fly, see Diptera
FMRFamide action on leech muscle 167:211 (Norris BJ, Calabrese RL)
– – on mollusc ocular circadian pacemaker 170:211 (Colwell CS, et al)
Food-induced firing patterns in *Aplysia* motoneurons 161:799 (Nagahama T, Takata M); 162:729 (Nagahama T, Takata M); 166:143 (Nagahama T, Takata M); 166:277 (Nagahama T, Takata M)
– odour, olfactory sensitivity of fruit bat to – 166:395 (Laska M)
– searching in *Aplysia* 170:281 (Teyke T, et al)
Footdrumming signals in mole-rats 170:13 (Narins PM, et al)
Foraging, optimization in honeybee – 169:729 (Varjú D, Núñez J)
–, use of visual information in fly during – 168:365 (Conlon D, Bell WJ)
Formamidines, interaction of – in *Drosophila* 161:739 (Dudai Y, et al)
Frog, see *Eleutherodactylus*, *Hyla*, *Leptodactylus*, *Rana*
Fugu, amino acid and betaine taste receptor sites 169:523 (Kiyohara S, Hidaka I)

G

GABA, action in crayfish medulla interneurons 168:373 (Pfeiffer-Linn C, Glantz RM)
– channels, absence of glutamate effects on crayfish – 170:521 (Pasternack M, et al)
–, effect on crayfish muscle chloride channels 163:609 (Zufall F, et al)
– -immunoreactive descending interneuron in locust brain 164:141 (Tyrer NM, et al)
– inhibition in moth antennal lobes 161:23 (Waldrop B, et al)
– -receptors in rabbit olfactory bulb 170:153 (Buffler J, et al)
GABAergic inhibition in electric fish lateral line lobe 164:391 (Shumway CA, Maler L)
Gain control in locust photoreceptors 170:729 (Pece AEC, French AS)
Galathea, light-modulated motoneurone activity 168:513 (Maitland DP, et al)
Gallus, see also chicken
–, cochlear ganglion neuron discharge patterns 170:227 (Salvi RJ, et al)
–, low-frequency neural response 166:83 (Warchol ME, Dallos P)
–, neural coding in cochlear nucleus 166:721 (Warchol ME, Dallos P)
–, sensory responses from intramandibular nerve 164:763 (Gentle MS)
–, vocalization-evoked stapedius muscle activity 162:525 (Grassi S, et al)
Gap detection in starling 164:531 (Klump GM, Maier EH); 164:539 (Buchfellner E, et al); 168:469 (Klump GM, Gleich O)
Garter snake, see *Thamnophis*
Gating mechanisms in echolocating bat 169:109 (Neumann I, Schuller G)

Genetic selection, effect on honeybee learning 166:545 (Brandes Ch, Menzel R)
Genetics of hamster photoresponsiveness 164:475 (Lynch GR, et al)
Georychus, seismic signalling 170:13 (Narins PM, et al)
Gerbil, see *Meriones*
Gerris, eye specialization 169:623 (Dahmen H)
–, drift compensation 167:441 (Junger W, Varjú D); 169:633 (Junger W)
–, response to self-motion 169:641 (Junger W, Dahmen HJ)
Giant fiber system and rapid escape reflexes in oligochaetes 161:729 (Zoran MJ, Drewes D)
– – – in whip spider forelegs 168:63 (Igelmund P, Wendler G); 168:75 (Igelmund P, Wendler G)
– fibres in lobster tail flip 166:517 (Newland PL, Neil DM)
Gill, inhibitory innervation of *Aplysia* – 162:533 (Kurokawa M, Kuwasawa K)
Gin trap reflex, development in moth 165:743 (Waldrop B, Levine RB)
Glutamate, absence of effects on crayfish GABA channels 170:521 (Pasternack M, et al)
–, effects on crayfish muscle chloride channels 163:609 (Zufall F, et al)
Glutamatergic channel types of crayfish neuromuscular junction 166:757 (Dudel J, et al)
– motoneurons in mantis shrimp stomatogastric ganglion 170:773 (Chiba C, Tazaki K)
Gnathonemus, object-discrimination through electrolocation 167:413 (Emde G von der)
Goldfish, see also *Carassius*
–, short wavelength cones 161:85 (Mackintosh RM, et al)
Gonodactylus, spectral classes of photoreceptors 166:261 (Cronin TW, Marshall NJ)
Gracula, coding of speech sound in auditory cortex 169:231 (Uno H, et al)
Grasshopper, see *Chorthippus*, *Omocestus*
Gravikinesis in *Paramecium* 168:1 (Machemer H, et al)
Gravity, effect on orientation of spider orb webs 162:413 (Vollrath F)
Ground squirrel, see *Spermophilus*
Gryllotalpa, sound production 166:43 (Kavanagh MW, Young D)
Gryllus, auditory behavior 163:13 (Weber T, Thorson J)
–, circadian pacemaker interactions 169:291 (Tomioka K, et al)
–, development of mating behavior 166:775 (Sakai M, et al)
–, ecdysis of cercal sensory system 162:573 (Kanou M, et al)
–, function of auditory neurons in phonotaxis 163:621 (Schildberger K, Hörner M); 163:633 (Schildberger K, et al)
–, localization in phonotaxis 165:165 (Stabel J, et al)
–, mechanics of stridulation 162:213 (Koch UT, et al)
–, motor acts during copulation 162:589 (Sakai M, Ootsubo T)
–, neural control of head movements 162:111 (Hensler K)
–, neurohormonal control of mating interval 168:159 (Nagao T, et al)
–, neuroplasticity and phonotaxis in monaural females 164:343 (Schmitz B)
–, omega-type neuron responses at different temperatures 164:443 (Janiszewski J, Otto D)
–, phonotaxis of one-eared females 162:715 (Schmitz B, et al)
–, photoreceptor optics and polarization sensitivity 161:645 (Nilsson D-E, et al)
–, prothoracic DUM neurons 166:901 (Gras H, et al)
–, song recognition and localization 168:213 (Doherty JA)
–, sound localization 165:615 (Schildberger K, Kleindienst H-U)
–, spectral and polarized light sensitivity of photoreceptors 164:597 (Zufall F, et al)
–, spectral sensitivity and polarization vision 165:315 (Herzmann D, Labhart T)
–, temperature and activity of suboesophageal neurons 162:739 (Janiszewski J, Otto D)
Guinea fowl, auditory filial imprinting in – 161:605 (Scheich H)
Guinea pig, circadian oscillation in SCN 162:301 (Kurumiya S, Kawamura H)
Gustatory sensilla, responses of crab – 166:227 (Schmidt M, Gnatzy W)
Gymnotus, abdominal electrocytes 162:141 (Lorenzo D, et al)
–, spinal mechanisms of EOD synchronization 167:447 (Lorenzo D, et al)
–, waveform generation of electric organ discharge 165:343 (Trujillo-Cenóz O, Echagüe JA); 165:353 (Macadar O, et al); 165:361 (Caputi A, et al)

H

Habituation, cerebral metabolic effects in toad – 163:1 (Finkenstädt T, Ewert J-P)
–, effect of morphine and naloxone on – in crabs 162:687 (Brunner D, Maldonado H)
– in crab exploratory behavior 170:749 (Dimant B, Maldonado H)
– in toad visual pattern recognition 170:317 (Wang DL, Ewert J-P)
Haementeria, calcium-dependent chloride conductance in motoneuron 162:57 (Johansen J, Kleinhaus AL)
Hair cell efferences in squid statocyst 165:847 (Williamson R)
– – responses in squid statocyst 167:655 (Williamson R)
– cells, electrical properties of alligator – 164:151 (Fuchs PA, Evans MG)
Hairs, mechanoreceptive, in lobster swimmerets 170:501 (Killian KA, Page CH)
–, sensory, development of cricket – 170:49 (Kämper G)
–, –, oscillation of cricket – 167:193 (Kämper G, Kleindienst H-U)
Hamster, see *Cricetus*, *Mesocricetus*, *Phodopus*
Hasarius, turning reactions 163:585 (Komiya M, et al)
Hawkmoth, see *Manduca*
Head movements, neural control in crickets 162:111 (Hensler K)
– roll, mechanosensory control in fly 163:151 (Hengstenberg R)
Hearing, see also acoustic, auditory, echolocation, phonotaxis
–, attraction of treefrogs to chorus sounds 163:795 (Gerhardt HC, Klump GM)
–, audiovocal interactions in developing bat 167:771 (Rübsamen R, Schäfer M)
–, bi-coordinate sound localization by owls 164:637 (Moiseff A)
–, binaural disparities in owl sound localization 164:629 (Moiseff A)
–, binaural temporal window in barn owl 169:281 (Wagner H)
–, brain stem responses in dolphin 166:385 (Popov VV, Supin AYa)
–, cochlear nerve responses in gerbil 167:329 (Ohlemiller KK, Echteler SM)
–, comparative collicular tonotopy in bats 163:271 (Rübsamen R, et al)
–, computation of interaural level difference in barn owl 170:161 (Takahashi TT, Keller CH)
–, directional, in barn owl 163:117 (Coles RB, Guppy A)
–, –, biophysics of anuran – 169:591 (Jørgensen MB)
–, –, in coqui frog 168:223 (Jørgensen MB, et al)
–, –, in starling 170:243 (Klump GM, Larsen ON)
–, –, in tree frog 169:177 (Jørgensen MB, Gerhardt HC)
–, directionality of bat ear 170:57 (Fuzessery ZM, et al)
–, directionality of phase locking in frog auditory nerve 170:589 (Schmitz B, et al)
–, directionality of pigeon ear 167:533 (Lewald J)
–, eardrum vibrations and phonotaxis in tree frog 169:177 (Jørgensen MB, Gerhardt HC)
–, effect of masking on bat sonar signal detection 165:119 (Møhl B, Surlykke A)
–, effects of brain temperature on grasshopper – 161:95 (Bauer M, Helverson O von)
–, effects of interaural canal on – in birds 162:491 (Calford MB); 162:503 (Calford MB, Piddington RW)
–, filtering of temporal parameters by grasshopper interneuron 163:517 (Ronacher B, Stumpner A)
–, gap detection in starling 164:531 (Klump GM, Maier EH); 164:539 (Buchfellner E, et al); 168:469 (Klump GM, Gleich O)
–, IC neurons sense brief appearances of ITD in barn owls 170:3 (Wagner H)
– in gleaning bats 162:653 (Guppy A, Coles RB); 165:269 (Coles RB, et al)
– in honeybees 168:85 (Kirchner WH, et al)
–, infrasound sensitive neurones in pigeon cochlear ganglion 166:355 (Schermuly L, Klinke R)
– in piranhas 162:67 (Stabentheiner A)
–, insect wingbeat discrimination in horseshoe bat 164:663 (Emde G von der, Menne D)
–, interaural intensity and time discrimination in a grasshopper 162:333 (Helversen D von, Rheinlaender J)
– in the eel 165:455 (Jerkø H, et al)

Hearing, low frequency – in cephalopods 166:501 (Packard A, et al)
–, low-frequency neural response in chicken 166:83 (Warchol ME, Dallos P)
–, low-pass filtering of sound signals in cricket brain 164:269 (Atkins G, et al)
–, masking by noise in bushcricket – 164:609 (Römer H, et al)
–, modulation of audition in flying locusts 164:409 (Hedwig B)
–, modulation of locust auditory interneuron activity 164:697 (Lang F, Elsner N)
–, modulation of locust tympanal receptor activity 163:243 (Hedwig B, et al)
–, moth pterothoracic unit responses to acoustic stimuli 165:253 (Coro F, Alonso N)
–, neural coding in chick cochlear nucleus 166:721 (Warchol ME, Dallos P)
–, neuronal processing of calls in frog torus semcircularis 163:301 (Diekamp B, Schneider H)
–, neuroplasticity and phonotaxis in monaural crickets 164:343 (Schmitz B)
–, noise filter in moth auditory pathway 164:252 (Boyan GS, Fullard JH)
–, ontogenesis of bat echolocation system 161:899 (Rübsamen R); 165:755 (Rübsamen R, et al)
–, peripheral auditory processing in bobtail lizard 167:89 (Manley GA, et al); 167:101 (Köppl C, Manley GA); 167:113 (Köppl C, Manley GA); 167:129 (Manley GA, et al); 167:139 (Köppl C, et al)
–, peripheral processing of complex sounds in frog 166:498 (Schwartz JJ, Megela Simmons A)
–, relative importance of cricket calling song features 164:277 (Stout JF, McGhee R)
–, resonance phenomena in bat cochlea 166:711 (Kössl M, Vater M)
–, responses of tympanate moths to bat echolocation calls 166:843 (Faure PA, et al)
–, sensory cells in avian auditory periphery 164:289 (Manley GA, et al)
–, sexual dimorphism in tettigoniid auditory sensitivity 169:349 (Bailey WJ, Römer H)
–, sound activated interneurons in cricket CNS 161:681 (Atkins G, Pollack GS)
–, sound detection by treefrogs 162:397 (Megela Simmons A); 166:791 (Gerhardt HC, et al)
–, sound localization in intact and one-eared crickets 165:615 (Schildberger K, Kleindienst H-U)
–, syllable period selective responses of cricket L3 165:827 (Atkins S, et al)
–, target discrimination by FM-bat 163:349 (Sum YW, Menne D)
–, temporal processing in frog superior olivary nucleus 168:709 (Condon CJ, et al)
–, time coding in moth's ear 162:367 (Surlykke A, et al)
–, tympanic and extratympanic sound transmission in frogs 161:659 (Wilczynski W, et al)
–, ultrasonic, in praying mantis 165:471 (Yager DD, Hoy RR)
–, ultrasound sensitive neurons in cricket brain 166:651 (Brodfuehrer PD, Hoy RR)
Heart, burst formation in lobster cardiac ganglion 161:389 (Tameyasu T)
–, innervation of nudibranch – 167:51 (Wiens BL, Brownell PH)
– rate conditioning, study of pigeon wing vibrational sensitivity by – 167:545 (Hörster W)
Heartbeat, modulation of leech – 167:665 (Arbas EA, Calabrese RL)
Helicoverpa, chemical communication 169:249 (Almaas TJ, et al); 169:259 (Christensen TA, et al); 169:275 (Vickers NJ, et al)
Heliothis, chemical communication 169:249 (Almaas TJ, et al); 169:259 (Christensen TA, et al); 169:275 (Vickers NJ, et al)
Helix, inhibition of avoidance behavior 166:421 (Balaban P, Chase R)
Hemicordulia, spectral sensitivity of visual system 169:663 (Yang E-C, Osorio D)
Hemigrapsus, daily changes in compound eye 161:161 (Arikawa K, et al)
Hemisaga, hearing in the field 164:609 (Römer H, et al)
Herbst corpuscles in pigeon wing 166:663 (Hörster W)
Heron, see *Egretta*
Heterometrus, sleep-like state 163:227 (Tobler I, Stalder J)
Heteronympha, optics of compound eye 162:341 (Nilsson D-E, et al)
Heterophrynus, giant fiber system 168:63 (Igelmund P, Wendler G); 168:75 (Igelmund P, Wendler G)
Heteroptera, see *Gerris*, *Riptortus*, *Triatoma*
Hibernation, influence of photoperiod and steroids on hamster – 163:339 (Darrow JM, et al)
Hippocampal ablated homing pigeons 163:559 (Bingman VP, et al)
– neurons, excitability of rat – 161:461 (Zeise M, Lehmann A)
Hipposideros, collicular tonotopy 163:271 (Rübsamen R, et al); 165:755 (Rübsamen R, et al)
Hirudo, action of FMRFamide on muscle 167:211 (Norris BJ, Calabrese RL)
–, chloride sensitivity of nephridial cells 168:53 (Wenning A, Calabrese RL)
–, excitatory drive in swimming 161:355 (Nusbaum MP, et al)
–, membrane properties of embryonic ganglion cells 164:645 (Schirrmacher K, Deitmer JW)
–, modulation of heartbeat 167:665 (Arbas EA, Calabrese RL)
–, neuronal control of swimming movements 166:195 (Friesen WO); 166:205 (Friesen WO)
–, seasonal serotonin content and learning 167:469 (Catarsi S, et al)
–, segmental specialization of neuronal connectivity 167:453 (Wittenberg G, et al)
–, sensitization of bending reflex 168:165 (Lockery SR, Kristan WB Jr)
–, serotonin in CNS 168:191 (Lent CM, et al)
Histamine, a neurotransmitter in insect photoreceptors 161:201 (Hardie RC)
Homarus, abdominal motor neuron responses 161:695 (Kotak VC, Page CH)
–, adaptation in chemoreceptor cells 164:67 (Borroni PF, Atema J); 165:669 (Borroni PF, Atema J); 166:865 (Voigt R, Atema J)
–, hydroxy-proline sensitive olfactory receptors 162:201 (Johnson BR, et al)
–, inhibitory innervation of walking leg muscles 167:43 (Wiens TJ)
–, interacting oscillators in stomatogastric nervous system 167:23 (Cardi P, et al)
–, mechanosensory afferents innervating swimmerets 170:491 (Killian KA, Page CH); 170:501 (Killian KA, Page CH)
Honeybee, see also *Apis*
–, brain amine levels during development 170:715 (Taylor DJ, et al)
–, effect of queen on wax secretion and comb building 169:209 (Whiffler LA, Hepburn HR)
–, effect of screening pigments in normal and mutant eye 164:123 (Gribakin FG)
–, enhancement of photoreceptor sensitivity 170:605 (Walz B)
–, magnetic resonance 162:279 (Korall H, et al)
–, measuring of distance 165:605 (Srinivasan MV, et al)
–, neurones in deutocerebrum 164:483 (Flanagan D, Mercer AR)
–, olfactory perception 169:215 (Getz WM, Smith KB)
–, optimization in foraging 169:729 (Varjú D, Núñez J)
–, retrieval of visuo-spatial memories 163:145 (Collett TS, Kelber A)
Hormonal effect on cricket phonotaxis 169:751 (Walikonis R, et al); 169:765 (Stout J, et al)
Hormone, see also melatonin
–, eclosion, role in moth ecdysis behavior 168:697 (Hewes RS, Truman JW)
– -induced treefrog vocal behavior and auditory sensitivity 170:73 (Penna M, et al)
–, juvenile, see juvenile hormone
–, rhythm in quail LH secretion 161:315 (Konishi H, et al)
Hormones, effects of androgens on electric fish EOD 161:417 (Mills A, Zakon HH); 169:493 (Zakon HH, et al)
–, testosterone levels and male-male interactions in sparrows 166:189 (Wingfield JC, Wada M)
Horseshoe bat, see *Rhinolophus*
– crab, see *Limulus*
Hunting behavior and echolocation of a bat 161:267 (Schnitzler H-U, et al)
Hyalomma, spectral sensitivity and visual field 165:155 (Kaltenrieder M, et al)
Hydra, molecular mechanisms of chemoreception 168:409 (Sakaguchi M, et al)
Hydrodynamic events caused by moving animals 168:749 (Bleckmann H, et al)
Hydromedusa, see *Polyorchis*
Hydroxy-proline, lobster olfactory receptors sensitive to – 162:201 (Johnson BR, et al)
Hygroreceptor, antennal, DC-coupled responses of moth – 167:391 (Gödde J, Haug T)
– responses to temperature in stick insect 166:507 (Tichy H, Loftus R)
Hyla, acoustic communication 162:261 (Gerhardt HC, Doherty JA)

–, attraction to chorus sounds 163:795 (Gerhardt HC, Klump GM)
–, auditory masking 166:37 (Schwartz JJ, Gerhardt HC)
–, auditory thalamic responses 161:407 (Mudry KM, Capranica RR)
–, directional hearing 169:177 (Jørgensen MB, Gerhardt HC)
–, hormone-induced acoustic behavior 170:73 (Penna M, et al)
–, sound detection 162:397 (Megela Simmons A); 166:791 (Gerhardt HC)
Hymenoptera, see also *Apis*, *Bombus*, *Cataglyphis*, *Liris*, *Melipona*, *Neodiprion*, *Trigona*
–, comparative colour vision 170:545 (Chittka L, et al)
–, photoreceptor responses 165:237 (Souza JM de, Ventura DF)
–, spectral sensitivities 170:23 (Peitsch D, et al)
Hypopomus, modulation of an endogenous neuronal oscillator 165:731 (Kawasaki M, Heiligenberg W)
–, sex recognition 163:465 (Shumway CA, Zelick RD)
Hypothalamic regulation of chick pineal 167:187 (Cassone VM, et al)
Hypothalamus, role in desert iguana circadian organization 166:811 (Janik DS, et al)
Hysteresis, sensory, in locust reflex system 164:43 (Zill SN, Jepson-Innes K)

I

Ichthyomyzon, control of respiration 166:675 (Thompson KI)
Ictalurus, amino acid reception in facial taste system 168:201 (Wegert S, Caprio J)
Iguana, see *Dipsosaurus*
Imprinting, auditory filial 161:605 (Scheich H)
Inferior colliculus, auditory information processing in bat – 169:69 (Pinheiro AD, et al)
– –, neurons in owl – sense brief appearances of ITD 170:3 (Wagner H)
– –, responses to SAM in bat – 161:305 (Reimer K)
– –, tonotopy of bat – 165:755 (Rübsamen R, et al); 167:757 (Rübsamen R, Schäfer M); 168:45 (Schmidt U, et al)
Information theory 168:151 (Norwich KH, Valter McConville KM)
Infrasound, responses of avian cochlear nucleus to – 166:83 (Warchol ME, Dallos P)
– hearing in cephalopods 166:501 (Packard A, et al)
– sensitive neurons in pigeon cochlear ganglion 166:355 (Schermuly L, Klinke R)
Innervation, multimodal inhibitory, of *Aplysia* gill 162:533 (Kurokawa M, Kuwasawa K)
Inositol polyphosphate-sensitivity of bee photoreceptor ER 165:627 (Baumann O, Walz B)
– triphosphate, response of *Limulus* photoreceptors to – 170:311 (Payne R, Flores TM)
Insecta, ACh pharmacology in *Manduca* antennal lobes 164:433 (Waldrop B, Hildebrand JG)
–, acetylcholine receptors in *Locusta* 167:521 (Tareilus E, et al)
–, acoustic near field of dancing *Apis* 161:633 (Michelsen A, et al)
–, activity modulation in *Periplaneta* cercal system 163:479 (Goldstein RS, Camhi JM)
–, activity of *Locusta* auditory receptors during respiration 162:237 (Hedwig B)
–, activity of *Locusta* flight neurons 167:61 (Robertson RM)
–, adaptation in *Trichoplusia* pheromone receptors 170:691 (Borroni PF, O'Connell RJ)
–, aerodynamic and mechanical properties of *Locusta* antennae 161:671 (Heinzel H-G, Gewecke M)
–, age and juvenile hormone effects on *Acheta* auditory neuron 170:373 (Henley J, et al)
–, antennal receptor responses in *Antheraea* 167:391 (Gödde J, Haug T)
–, ascending auditory interneurons in *Teleogryllus* 163:135 (Hennig RM)
–, attractiveness of male *Acheta* calling song to females 164:277 (Stout JF, McGhee R); 169:751 (Walikonis R, et al)
–, audition in flying *Locusta* 164:409 (Hedwig B)
–, audition in *Mantis* 165:471 (Yager DD, Hoy RR)
–, auditory behavior of *Gryllus* 163:13 (Weber T, Thorson J)
–, auditory distance perception in *Mygalopsis* 161:33 (Römer H)
–, auditory neuron function in *Gryllus* phonotaxis 163:621 (Schildberger K, Hörner M); 163:633 (Schildberger K, et al)
–, auditory organ of *Valanga* 164:49 (Inglis M, Oldfield BP)
–, auditory processing in *Conocephalus* 164:501 (Fullard JH, et al)
–, auditory response modulation in grasshoppers 167:847 (Hedwig B)
–, auditory sensitivity in zaprochiline tettigoniid 169:349 (Bailey WJ, Römer H)
–, auditory system of *Cyphoderris* 168:351 (Mason AC)
–, basis of *Drosophila* operant behavior 169:699 (Wolf R, Heisenberg M)
–, biogenic amines and *Periplaneta* escape circuitry 168:103 (Goldstein RS, Camhi JM)
–, brain amines in honeybee behaviour 170:715 (Taylor DJ, et al)
–, bushcricket hearing in the field 164:609 (Römer H, et al)
–, calcium fluxes in *Apis* eye 165:697 (Ziegler A, Walz B)
–, calcium-sequestering ER in drone photoreceptors 165:627 (Baumann O, Walz B)
–, cAMP and sensory fatigue in *Drosophila* 167:437 (Corfas G, Dudai Y)
–, carotenoid deficieny and visual function in *Manduca* 164:321 (Bennett RR, White RH)
–, cell assembly code in *Periplaneta* 165:83 (Camhi JM, Levy A)
–, cercal sensory system of *Acheta* 162:1 (Shepherd D, et al)
–, chemical communication in heliothine moths 169:249 (Almaas TJ, et al); 169:259 (Christensen TA, et al); 169:275 (Vickers NJ, et al)
–, chemoreception of host volatiles in *Ips* 161:705 (Tømmerås BÅ, Mustaparta H)
–, chemoreception of phenolics in *Pieris* larvae 166:889 (Loon JJA van)
–, chiral recognition of *Boettcherisca* sugar receptor 165:193 (Shimada I, et al)
–, cholinergic sensitivity of *Periplaneta* presynaptic terminal 161:215 (Blagburn JM, Sattelle DB)
–, chordotonal organ central projections in *Locusta* 170:101 (Matheson T)
–, chordotonal organ of *Locusta* 166:915 (Matheson T)
–, chromaticity diagram of colour vision 170:533 (Chittka L)
–, chromophore content in rhabdoms 165:589 (Eguchi E, et al)
–, circadian oscillators in fly photoperiodism 163:365 (Saunders DS, Lewis RD)
–, circadian pacemaker development in *Leucophaea* 165:41 (Barrett RK, Page TL); 165:51 (Page TL, Barrett RK)
–, circadian pacemaker interactions in *Gryllus* 169:291 (Tomioka K, et al)
–, circadian rhythm in *Leucophaea* CNS 166:643 (Colwell CS, Page TL)
–, closed-loop visual steering by flying *Locusta* 164:13 (Robert D)
–, coding by *Schistocerca* spiking local interneurones 164:207 (Burrows M)
–, cold cell responses in *Locusta* 163:507 (Ameismeier F, Loftus R)
–, cold receptor response in beetles 161:399 (Loftus R, Corbière-Tichané G)
–, color discrimination in *Lucilia* 166:57 (Fukushi T)
–, color vision in *Melipona* 166:151 (Menzel R, et al)
–, comparative colour vision in Hymenoptera 170:545 (Chittka L, et al)
–, control systems of visually guided turning in *Musca* 161:777 (Egelhaaf M)
–, courtship song coding in *Teleogryllus* 163:215 (Harrison L, et al)
–, deafferentiation effects on locust auditory system 166:553 (Lakes R, et al)
–, deafferentiation of *Locusta* flight system by phentolamine 167:485 (Ramirez J-M, Pearson KG)
–, defensive behavior and division of labour in African honeybee 163:401 (Whiffler LA, et al)
–, defensive secretion of *Blaps* 161:377 (Peschke K, Eisner T)
–, design of a graded potential neuron in *Calliphora* 166:437 (Hateren JV van, Laughlin SB)
–, development of *Acheta* sensory hairs 170:49 (Kämper G)
–, development of *Gryllus* mating behavior 166:775 (Sakai M, et al)
–, digger wasp against crickets 167:551 (Gnatzy W, Kämper G)
–, dioptrics of facet lenses of male blowflies 166:365 (Stavenga DG, et al)
–, drift compensation in *Gerris* 167:441 (Junger W, Varjú D); 169:633 (Junger W)
–, ecdysis motor pattern in *Manduca* 163:287 (Mesce KA, Truman JW)
–, ecdysis of *Gryllus* cercal sensory system 162:573 (Kanou M, et al)
–, eclosion hormone and ecdysis in *Manduca* 168:697 (Hewes RS, Truman JW)

Insecta, effect of honeybee queen on wax secretion and comb building 169:209 (Whiffler LA, Hepburn HR)
–, effect of lanthanum on *Calliphora* photoreceptors 166:179 (Hochstrate P)
–, effect of luminance on *Aeshna* target size selectivity 166:851 (Olberg RM, Pinter RB)
–, effect of temperature on *Gryllus* suboesophageal neurons 162:739 (Janiszewski J, Otto D)
–, efference to *Locusta* ocellar system 165:27 (Rotzler S)
–, efferent control in *Anadevidia* ocellus 169:647 (Yamazaki S, Yamashita S)
–, electrical excitability of *Drosophila* larval muscles 163:705 (Yamaoka K, Ikeda K)
–, electroantennogram of *Periplaneta* 170:651 (Kapitskii SV, Gribakin FG)
–, endogenous or exogenous circadian rhythms in *Apis* 161:711 (Brady J)
–, enhancement of honeybee drone photoreceptor sensitivity 170:605 (Walz B)
–, entrainment of *Locusta* flight oscillator 162:77 (Reye DN, Pearson KG)
–, escape movements of *Periplaneta* 163:317 (Camhi JM, Levy A)
–, eye specialization in *Gerris* 169:623 (Dahmen H)
–, eyeshine in butterflies 166:51 (Nilsson D-E, Howard J)
–, feedback loops and giant interneurons in flying *Periplaneta* 165:651 (Libersat F, et al)
–, female choice in *Cyrtodiopsis* 162:649 (Burkhardt D, Motte I de la)
–, filiform afferent input onto *Periplaneta* giant interneurons 166:133 (Blagburn JM)
–, filtering of song temporal parameters by *Chorthippus* auditory interneuron 163:517 (Ronacher B, Stumpner A)
–, flight central pattern generator in *Locusta* 161:115 (Stevenson PA, Kutsch W)
–, flight control during *Drosophila* free yaw turns 163:389 (Mayer M, et al)
–, flight interneurons of *Locusta* 165:61 (Wolf H, Pearson KG)
–, flight modulation in *Periplaneta* by giant interneurons 170:379 (Libersat F)
–, flight motor pattern in *Locusta* forewing muscle 165:217 (Pearson KG, Wolf H)
–, flight motor pattern in Phasmida 168:483 (Kutsch W, Kittmann R)
–, flight motor patterns in *Locusta* ventral nerve cord 161:103 (Wolf H, Pearson KG)
–, flight motor patterns in *Teleogryllus* 164:219 (Wang S, Robertson RM); 167:629 (Hennig RM)
–, flight pattern development in *Locusta* 162:247 (Stevenson PA, Kutsch W)
–, flight physiology of migrating *Urania* moths 167:145 (Dudley R, DeVries RJ)
–, fluorophore systems in compound eyes 165:789 (Juse A, et al)
–, FMRFamide-like peptide in *Schistocerca* muscle 168:383 (Lange AB, et al)
–, function of sensory hysteresis in *Schistocerca* 164:43 (Zill SN, Jepson-Innes K)
–, GABA-immunoreactive interneuron in *Locusta* brain 164:141 (Tyrer NM , et al)
–, GABA inhibition in *Manduca* antennal lobes 161:23 (Waldrop B, et al)
–, gears in *Calliphora* flight 165:321 (Nalbach G)
–, head movements in flying *Locusta* 166:685 (Hensler K, Robert D); 166:735 (Miall RC)
–, hearing in *Apis* 168:85 (Kirchner WH, et al)
–, hemiganglionic oscillators for *Chorthippus* stridulation 164:723 (Ronacher B)
–, hindleg coordination during stridulation 169:191 (Ronacher R)
–, histamine in fly photoreceptors 161:201 (Hardie RC)
–, hormonal control of *Acheta* phonotactic threshold 169:765 (Stout J, et al)
–, how *Coccinella* approach nearby stalks 163:355 (Collett TS)
–, how honeybees measure distance 165:605 (Srinivasan MV, et al)
–, innervation of *Schistocerca* salivary glands 165:395 (Baines RA, et al); 165:407 (Baines RA, Tyrer NM)
–, interaction of formamidines in *Drosophila* 161:739 (Dudai Y, et al)
–, interactions between neurons in *Schistocerca* chemosensilla 167:431 (White PR, et al)
–, interaural intensity and time discrimination in *Chorthippus* 162:333 (Helversen D von, Rheinlaender J)
–, interneuronal processing of *Schistocerca* wing sensory inputs 161:761 (Elson RC)
–, kin recognition in *Apis* 164:83 (Moritz RFA, Crewe RM)
–, labellar sugar receptor of *Drosophila* 164:825 (Wieczorek H, Wolff G)
–, landing system of *Musca* 163:167 (Borst A, Bahde S)
–, larval and pupal reflex responses in *Manduca* 165:743 (Waldrop B, Levine RB)
–, lateral abdomen deflection in *Drosophila* 162:581 (Zanker JM)
–, learning in *Apis* 166:545 (Brandes Ch, Menzel R)
–, learning in *Drosophila* rhythm mutants 169:685 (Gailey D, et al)
–, learning in *Locusta* flight control 163:803 (Möhl B)
–, leg campaniform sensilla in *Cuniculina* 168:113 (Delcomyn F)
–, leg coordination in *Drosophila* walking 167:403 (Strauß R, Heisenberg M)
–, light adaptation in *Calliphora* photoreceptor 169:299 (Sandler C, Kirschfeld K)
–, light sensitivity of *Gryllus* photoreceptors 164:597 (Zufall F, et al)
–, local circuits of *Schistocerca* intersegmental interneurones 162:145 (Laurent G)
–, local interneurons in *Acheta* cercal system 168:553 (Bodnar DA, et al)
–, localization in *Gryllus* phonotaxis 165:165 (Stabel J, et al)
–, locust flight after thoracic ganglia hemisection 163:749 (Ronacher B, et al); 163:761 (Wolf H, et al)
–, low current mechanoreceptor in *Loricera* 165:779 (Gödde J, Hintzpeter U)
–, low-pass filtering of sound signals in *Acheta* brain 164:269 (Atkins G, et al)
–, magnetic field effects on *Apis* physiology 164:423 (Martin H, et al)
–, magnetic field perception in honeybees 161:1 (Korall H, Martin H)
–, magnetic resonance in honeybees 162:279 (Korall H, et al)
–, male-specific visual system in blowflies 169:379 (Strausfeld NJ); 169:395 (Gilbert C, Strausfeld NJ); 169:413 (Gronenberg W, Strausfeld NJ)
–, mechanics of *Gryllus* stridulation 162:213 (Koch UT, et al)
–, mechanosensory control of head roll in *Calliphora* 163:151 (Hengstenberg R)
–, medullar interneurons in *Periplaneta* optic lobe 167:745 (Kelly KM, Mote MI)
–, memory consolidation in *Drosophila* mutant 162:101 (Dudai Y, et al)
–, metabolic correlates in *Pieris* photoperiodic clock 166:785 (Lavialle M, Dumortier B)
–, metathoracic interneurons and stridulation in *Omocestus* 163:813 (Gramoll S)
–, modulation of *Locusta* auditory interneuron activity 164:697 (Lang F, Elsner N)
–, modulation of *Locusta* tympanal receptor activity 163:243 (Hedwig B, et al)
–, moist-air receptor in *Carausius* 166:507 (Tichy H, Loftus R)
–, monopolar cells in *Apis* 170:267 (Souza J de, et al)
–, motion parallax in *Schistocerca* 167:579 (Sobel EC); 169:615 (Collett TS, Patterson CJ)
–, motion-sensitive neurons in *Papilio* brain 169:355 (Ibbotson MR, et al)
–, motor acts during *Gryllus* copulation behavior 162:589 (Sakai M, Ootsubo T)
–, motor output in *Musca* visual orientation 169:127 (Zanker JM, et al)
–, movement detectors in *Calliphora* 165:179 (Schuling FH, et al)
–, movement perception in *Eristalis* 166:287 (Srinivasan MV, Guy RG)
–, movement-sensitive neurons in *Apis* lobula 168:91 (Ibbotson MR)
–, neural control of *Gryllus* head movements 162:111 (Hensler K)
–, neural superposition in *Calliphora* eye 161:849 (Hateren JH van)
–, neurohormonal control of mating interval in *Gryllus* 168:159 (Nagao T, et al)
–, neuromuscular activity during *Teleogryllus* stridulation 165:837 (Hennig RM)
–, neuronal plasticity in *Locusta* flight system 166:75 (Möhl B)
–, neuronal plasticity in *Periplaneta* 162:781 (Volman SF, Camhi JM)
–, neurones in honeybee deutocerebrum 164:483 (Flanagan D, Mercer AR)
–, neurones in locust optic lobe 161:477 (Rind FC)
–, neuroplasticity and phonotaxis in monaural *Gryllus* 164:343 (Schmitz B)
–, noise filter in moth auditory pathway 164:251 (Boyan GS, Fullard JH)
–, octopaminergic modulation of *Schistocerca* flight muscle 165:125 (Whim MD, Evans PD)
–, odor-modulated upwind flight in *Manduca* 169:427 (Willis MA, Arbas EA)
–, olfactory interneurons in *Manduca* brain 167:309 (Itagaki H, Hildebrand JG);

168:281 (Kanzaki R, et al); 169:1 (Kanzaki R, et al)
–, olfactory pathway of *Periplaneta* 161:549 (Boeckh J, Ernst K-D)
–, olfactory perception in honeybees 169:215 (Getz WM, Smith KB)
–, optics of *Heteronympha* eye 162:341 (Nilsson D-E, et al)
–, oscillation of cricket sensory hairs 167:193 (Kämper G, Kleindienst H-U)
–, output properties of *Locusta* auditory interneurons 169:87 (Baader A)
–, paradoxical motion in *Calliphora* 169:331 (Quenzer T, Zanker JM)
–, parallel processing in *Noctua* auditory pathway 168:727 (Boyan GS, Miller LA)
–, pattern recognition in *Apis* 167:649 (Hateren JH van, et al)
–, perception of pheromone component ratios by *Argyrotaenia* 163:641 (Akers RP, O'Connell RJ)
–, phentolamine action on *Locusta* and *Periplaneta* mechanoreceptors 167:475 (Ramirez J-M, Pearson KG)
–, pheromone-modulated optomotor response in *Lymantria* 167:699 (Willis MA, Cardé RT); 167:707 (Olberg RM, Willis MA)
–, pheromone perception in *Neodiprion* 168:533 (Hansson BS, et al)
–, pheromone receptor cells in *Bombyx* 165:147 (Kaissling K-E, et al)
–, pheromone receptor cells of *Antheraea* 165:139 (Meng LZ, et al); 165:281 (Rumbo ER, Kaissling K-E)
–, pheromone-sensitive neurons in *Periplaneta* brain 167:321 (Hösl M)
–, phonotaxis in duetting *Leptophyes* 164:621 (Zimmermann U, et al)
–, phonotaxis of one-eared *Acheta* 170:357 (Kohne R, et al)
–, phonotaxis of one-eared *Gryllus* 162:715 (Schmitz B, et al)
–, photoconversion of *Calliphora* visual pigment 165:75 (Roebroek JGH, et al)
–, photoperiodic clock and counter in *Sarcophaga* 170:121 (Saunders DS)
–, photoperiodic response of *Riptortus* 167:167 (Numata H)
–, photopigment formation in *Drosophila* 166:429 (Stark WS, et al)
–, photoreceptor physiology in blowfly mutants 168:305 (Mojet MH, et al)
–, photoreceptors and polarization sensitivity in *Cataglyphis* and *Gryllus* 161:645 (Nilsson D-E, et al)
–, photoreconvertible fluorophore systems in *Calliphora* eye 161:227 (Schlecht P, et al)
–, physiology of *Eristalis* visual neurons 162:317 (Guy RG, Srinivasan MV)
–, pigment system of fly photoreceptor 7 yellow 162:421 (Kirschfeld K, et al)
–, plasticity in auditory system of crickets 161:583 (Huber F)
–, plasticity of *Drosophila* landing response 169:323 (Waldvogel F-M, Fischbach K-F)
–, plasticity of *Manduca* central synapse 168:27 (Trimmer BA, Weeks JC)
–, polarization vision of *Musca* 167:737 (Philipsborn A von, Labhart T)
–, positive feedback from *Schistocerca* proprioceptors 163:425 (Burrows M, Pflüger HJ)
–, postural reactions in *Schistocerca* hindleg 170:761 (Zill SN, et al)
–, potassium and calcium in *Calliphora* receptor lymph 161:329 (Grünert U, Gnatzy W)
–, potassium channels in *Calliphora* LMCs 167:723 (Hardie RC, Weckström M)
–, pre-ecdysis motor pattern in *Manduca* larvae 168:179 (Miles CI, Weeks JC)
–, projection neurones in *Manduca* antennal lobe 165:427 (Kanzaki R, et al)
–, properties of cells in *Locusta* medulla 161:431 (Osorio D); 161:441 (Osorio D)
–, prothoracic DUM neurons in *Gryllus* 166:901 (Gras H, et al)
–, pterothoracic unit responses to acoustic stimuli in noctuoid moths 165:253 (Coro F, Alonso N)
–, pupil mechanism in *Calliphora* 166:537 (Roebroek JGH, Stavenga DG)
–, pupil trigger in superposition eyes 170:217 (Nilsson D-E, et al)
–, purinergic reception by *Culex* 163:665 (Galun R, et al)
–, range fractionation in *Locusta* chordotonal organ 170:509 (Matheson T)
–, reactions of *Bombus* to flower signals 166:827 (Lunau K)
–, reafferent control of *Drosophila* yaw torque 163:373 (Heisenberg M, Wolf R)
–, receptive fields of *Schistocerca* interneurones 166:471 (Nagayama T)
–, recordings from *Antheraea* olfactory receptor cells 161:867 (Kafka WA)
–, reflex modulation in *Locusta* walking 170:443 (Wolf H)
–, response characteristics of *Locusta* stretch receptor 165:247 (Pfau HK, et al)
–, response to self-motion in *Gerris* 169:641 (Junger W, Dahmen HJ)
–, responses from hymenopteran photoreceptors 165:237 (Souza JM de, Ventura DF)
–, responses of tympanate moths to bat echolocation calls 166:843 (Faure PA, et al)
–, rest and sleep in *Apis* 163:565 (Kaiser W)
–, role of *Apis* peripheral eye region in spatial localization 167:173 (Lehrer M)
–, role of ascending auditory interneurons in *Acheta* phonotaxis 170:363 (Atkins G, et al)
–, role of interneurons in *Locusta* flight initiation 162:669 (Ramirez J-M)
–, role of LMCs in fly optomotor response 166:23 (Coombe PE, et al)
–, role of octopamine in *Schistocerca* muscle kinetics 162:827 (Malamud J, et al)
–, route following in *Cataglyphis* 170:435 (Collett TS, et al)
–, screening pigment effects in normal and mutant bee eye 164:123 (Gribakin FG)
–, screening pigments in firefly compound eyes 162:23 (Lall AB, et al)
–, selective warming of *Chorthippus* CNS 161:95 (Bauer M, Helversen O von)
–, sensitivity of *Trichoplusia* pheromone receptor neurons 168:739 (Mankin RW, et al)
–, sensitizing pigment in fly ocellar photoreceptors 163:421 (Kirschfeld K, et al)
–, sensory adaptation of *Periplaneta* mechanoreceptor 161:275 (French AS)
–, signal amplification in *Apis* photoreceptors 165:109 (Coles JA, Schneider-Picard G)
–, single photon responses in *Locusta* photoreceptors 164:365 (Pece AEC, French AS)
–, sodium pump in *Calliphora* photoreceptors 162:285 (Hamdorf K, et al); 167:461 (Jansonius NM)
–, song recognition and localization in *Gryllus* 168:213 (Doherty JA)
–, sound activated interneurons in *Teleogryllus* 161:681 (Atkins G, Pollack GS)
–, sound localization in *Gryllus* 165:615 (Schildberger K, Kleindienst H-U)
–, sound production in *Cycnia* 170:575 (Fullard JH)
–, sound production in *Gryllotalpa* 166:43 (Kavanagh MW, Young D)
–, spatial acuity of *Apis* vision 162:159 (Srinivasan MV, Lehrer M)
–, spatial vision in *Sphodromantis* 169:101 (Rossel S)
–, specialized dorsal eye region in *Chrysomyia* 164:297 (Hateren JH van, et al)
–, spectral sensitivities in hymenopterans 170:23 (Peitsch D, et al)
–, spectral sensitivity and polarization vision in *Gryllus* 165:315 (Herzmann D, Labhart T)
–, spectral sensitivity in *Hemicordulia* 169:663 (Yang E-C, Osorio D)
–, spectral sensitivity of fly white-eyed mutants 167:715 (Gribakin FG, Ukhanov KYu)
–, spectral sensitivity of *Lucidota* compound eye 166:257 (Lall AB, Lloyd JE)
–, steering muscles controlling *Musca* optomotor responses 165:719 (Egelhaaf M)
–, straight flight control in *Drosophila* 167:269 (Wolf R, Heisenberg M)
–, stridulation and flight in *Teleogryllus* 167:617 (Hennig RM)
–, studies on *Drosophila* phototransduction mutant 161:785 (Wilson MJ, Ostroy SE); 161:793 (Meyertholen EP, et al)
–, sublinear summation in *Locusta* photoreceptors 170:729 (Pece AEC, French AS)
–, suboesophageal DUM neuron in *Locusta* 163:835 (Bräunig P)
–, supernumerary cercal afferents in *Periplaneta* 169:607 (Blagburn JM, et al)
–, superposition eye of *Onitis* 167:785 (Warrant EJ, McIntyre PD); 167:805 (Warrant EJ, McIntyre PD); 167:817 (Warrant EJ, et al)
–, syllable period selective responses of *Acheta* L3 165:827 (Atkins S, et al)
–, synaptic efficacy in *Periplaneta* cercal system 167:363 (Hamon A, et al)
–, tactile reflexes in *Schistocerca* 162:563 (Laurent GJ, Burrows M)
–, tactile spine recordings in *Periplaneta* 169:471 (Stockbridge LL, French AS)
–, temperature and central synapse in *Schistocerca* 165:687 (Burrows M)
–, temperature and ocellar neurons in *Schistocerca* 166:575 (Simmons PJ)
–, temperature compensation of *Clunio* circasemilunar timing 163:671 (Neumann D)

Insecta, temperature effects on *Gryllus* omega neuron responses 164:443 (Janiszewski J, Otto D)
–, temporal adaptation in *Calliphora* lamina units 168:631 (Jansonius NM, Hateren JH van)
–, temporal resolving power of *Calliphora* visual system 168:129 (Straka H, Ammermüller J)
–, ultrasonic startle behavior in *Neoconocephalus* 169:507 (Libersat F, Hoy RR)
–, ultrasound-induced negative phonotaxis in *Teleogryllus* 164:243 (May ML, et al)
–, ultrasound sensitive neurons in *Teleogryllus* brain 166:651 (Brodfuehrer PD, Hoy RR)
–, uncoupling of receptor sites in *Phormia* water receptor 163:413 (Wieczorek H, et al)
–, use of visual information by foraging *Musca* 168:365 (Conlon D, Bell WJ)
–, use of visual landmarks by *Apis* 161:469 (Cheng K, et al)
–, vasopressin-like immunoreactive neurons in *Locusta* 168:605 (Thompson KSJ, et al); 168:619 (Thompson KSJ, Bacon JP)
–, visual detection of wind-drift by high-flying *Locusta* 162:793 (Riley JR, et al)
–, visual lateral fixation and tracking in *Triatoma* 167:527 (Lazzari C, Varjú D)
–, visual motion discrimination by neurons in *Sarcophaga* medulla 168:653 (Gilbert C, et al)
–, visual mutant of *Calliphora* 165:333 (Torkkeli P, et al)
–, visual stabilization of *Trigona* hovering flight position 167:569 (Kelber A, Zeil J)
–, visually controlled station-keeping by *Trigona* 165:711 (Zeil J, Wittmann D)
–, visually evoked escape response in *Musca* 169:451 (Holmqvist MH, Srinivasan MV)
–, visuo-spatial memories in honeybees 163:145 (Collett TS, Kelber A)
–, what do foraging honeybees optimize? 169:729 (Varjú D, Núñez J)
–, white noise analysis in *Periplaneta* interneurone 168:429 (Kondoh Y, et al); 169:653 (Kondoh Y, et al)
–, wind-orientation of *Necrophorus* 164:775 (Heinzel H-G, Böhm H); 169:671 (Böhm H, et al)
–, wind-sensitive cercal system of *Locusta* 165:495 (Boyan GS, et al); 165:511 (Boyan GS, Ball EE); 165:523 (Boyan GS, Ball EE); 165:539 (Boyan GS, et al)
–, wing reflexes in *Schistocerca* 161:747 (Elson RC)
Insects, aquatic, polarization vision 169:531 (Schwind R)
–, social, chemical communication in – 161:567 (Hölldobler B, Carlin NF)
Interaural canal, effects on avian hearing 162:491 (Calford MB); 162:503 (Calford MB, Piddington RW)
– time difference (ITD), owl collicular neurons sense brief appearances of – 170:3 (Wagner H)
Interneuron, GABA-immunoreactive, in locust brain 164:141 (Tyrer NM, et al)
–, nonspiking, white noise analysis in cockroach – 168:429 (Kondoh Y, et al)
Interneuronal processing of locust wing sensory inputs 161:761 (Elson RC)
Interneurons, abdominal positioning, in crayfish 165:461 (Murphy BF, et al)
–, auditory ascending, in crickets 163:135 (Hennig RM)
–, bilateral nonspiking, in crayfish abdominal ganglion 163:601 (Nagayama T, Hisada M)
–, cerebral, controlling feeding in gastropod 166:297 (Delaney K, Gelperin A); 166:311 (Delaney K, Gelperin A); 166:327 (Delaney K, Gelperin A)
–, giant, and feedback loops in flying cockroach 165:651 (Libersat F, et al)
–, –, in whip spider forelegs 168:75 (Igelmund P, Wendler G)
–, –, modulating cockroach flight 170:379 (Libersat F)
–, intersegmental, local circuits of locust – 162:145 (Laurent G)
–, local nonspiking, and locust tactile reflexes 162:563 (Laurent GJ, Burrows M)
–, local spiking, role in crayfish equilibrium response 170:291 (Nakagawa H, Hisada M)
–, metathoracic, and stridulation in grasshopper 163:813 (Gramoll S)
–, nonspiking giant, in crayfish brain 162:705 (Okada Y, Yamaguchi T)
–, olfactory, in crayfish 163:777 (Derby CD, Blaustein DN)
–, sound activated, in cricket CNS 161:681 (Atkins G, Pollack GS)
–, spiking local, coding by locust – 164:207 (Burrows M)
–, spiking local, receptive fields of locust – 166:471 (Nagayama T)
–, wind-sensitive local, in cricket cercal system 168:553 (Bodnar DA, et al)
In vitro brain slice preparation of ELL of electric fish 163:489 (Mathieson WB, Maler L)
– – chirpitas in electric fish 163:445 (Dye J)
Ion receptors in leech nephridium 168:53 (Wenning A, Calabrese RL)
Ionic dependence of lobster burster neuron activity 170:201 (Johnson BR, et al)
Ips, chemoreception of host volatiles 161:705 (Tømmerås BÅ, Mustaparta H)
Ixodoidea, see *Amblyomma*, *Amblyseius*, *Hyalomma*

J

Jamming avoidance response (JAR), development in weakly electric fish 169:15 (Viete S, Heiligenberg W)
– – –, pacemaker control in *Apteronotus* 161:175 (Dye J)
Jamming signals and electrolocation of *Apteronotus* 161:811, 825 (Bastian J)
Jasus, adaptive swimmeret activity 162:187 (Cattaert D, et al)
–, pyloric central pattern generator 163:715 (Bal T, et al)
Jaw movements and muscle activity during pigeon drinking 170:303 (Bermejo R, et al)
Jay, see *Aphelocoma*
Jellyfish, see *Carybdea*, *Polyorchis*, *Tripedalia*
Jitter discrimination in echolocating bats 167:589 (Simmons JA, et al)
Jumping spider, see *Phidippus*, *Plexippus*
Juvenile hormone, effect on cricket auditory interneuron 170:373 (Henley J, et al)
– –, effect on cricket phonotaxis 169:751 (Walikonis R, et al); 169:765 (Stout J, et al)

K

K, see potassium
Kestrel, see *Falco*
Kin recognition in honeybees 164:83 (Moritz RFA, Crewe RM)
Kiwi, see *Apteryx*

L

Labyrinth, K-sensitivity of frog ampullar receptors 162:173 (Valli P, et al)
Ladybird, see *Coccinella*
Lamina ganglionaris, functional organization of crayfish – 161:131 (Wang-Bennett LT, Glantz RM); 161:147 (Wang-Bennett LT, Glantz RM)
Lamprey, see *Ichthyomyzon*, *Petromyzon*
Landing response, plasticity of fly – 169:323 (Waldvogel F-M, Fischbach K-F)
– system of fly 163:167 (Borst A, Bahde S)
Landmark use in desert ant route following 170:435 (Collett TS, et al)
– – in octopus navigation 168:491 (Mather JA)
Landmarks and pigeon orientation 162:815 (Cheng K); 166:857 (Cheng K)
–, visual, use by honeybees 161:469 (Cheng K, et al)
Lanthanum, effect on blowfly photoreceptors 166:179 (Hochstrate P)
Lateral line, action of octavolateralis efferent system on toadfish – 169:25 (Tricas TC, Highstein SM)
– –, afferent bursting activity of ruff – 166:585 (Wubbels RJ, et al)
– – analogue in cephalopods 164:1 (Budelmann BU, Bleckmann H)
– – efferent activity in axolotl 169:461 (Münz H, Claas B)
– –, hydrodynamic stimuli caused by moving animals 168:749 (Bleckmann H, et al)
– – mechanoreceptive regions in ray brain 161:67 (Bleckmann H, et al); 164:459 (Bleckmann H, et al)
– – organ, effects on stimulus for blind fish – 163:53 (Teyke T)
– –, sensitivity of sculpin – 167:557 (Coombs S, Janssen J)
– – sensory function in antarctic fish 163:827 (Montgomery JC, et al)
– – system, midbrain representation in axolotl 167:347 (Bartels M, et al)
Leafroller moth, see *Argyrotaenia*
Learning, associative, in crab exploratory behavior 170:749 (Dimant B, Maldonado H)
–, effect of seasonal variation of serotonin content on leech – 167:469 (Catarsi S, et al)
– ability, effect of formamidines on fly – 161:739 (Dudai Y, et al)
–, appetitive, in slug 167:339 (Sahley CL, et al)

– in fly rhythm mutants 169:685 (Gailey DA, et al)
– in honeybee odor perception 169:215 (Getz WM, Smith KB)
– in locust flight control 163:803 (Möhl B)
–, influence of genetic selection on honeybee – 166:545 (Brandes Ch, Menzel R)
–, non-associative, in toad visual pattern recognition 170:317 (Wang DL, Ewert J-P)
– of visual stimuli in goldfish 168:581 (Ohnishi K)
–, serial, in nightingales 170:275 (Hultsch H)
– the environment in blind cave fish 164:655 (Teyke T)
Leech, see *Haementeria*, *Hirudo*, *Macrobdella*
Leiothrix, spectral sensitivities 170:709 (Maier EJ)
Leopard frog, see *Rana*
Lepidoptera, see *Aglais*, *Agrotis*, *Anadevidia*, *Antheraea*, *Apamea*, *Argyrotaenia*, *Ascalapha*, *Bombyx*, *Cycnia*, *Empyreuma*, *Heteronympha*, *Manduca*, moth, *Noctua*, *Papilio*, *Pararge*, *Pieris*, *Trichoplusia*
Lepomis, color vision 164:107 (Hawryshyn CW, et al)
Leptodactylus, call timing 164:309 (Moore SW, et al)
Leptograpsus, phototransductive membrane turnover in photoreceptors 170:189 (Blest AD, et al)
Leptophyes, phonotaxis during duetting 164:621 (Zimmermann U, et al)
Leucophaea, circadian pacemakers 165:41 (Barrett RK, Page TL); 165:51 (Page TL, Barrett RK)
–, circadian rhythm in CNS 166:643 (Colwell CS, Page TL)
Leydig cells, octopamine release by leech – 162:405 (Belanger JH, Orchard I)
– neuron, modulation of leech heartbeat by activity of – 167:665 (Arbas EA, Calabrese RL)
L-glutamic acid, responses of *Paramecium* to – 164:75 (Preston RR, Usherwood PNR)
Light, effect on cockroach circadian pacemaker development 165:41 (Barrett RK, Page TL); 165:51 (Page TL, Barrett RK)
–, constant, inducing arrhythmicity in pigeon 163:459 (Yamada H, et al)
– -evoked walking in crayfish 166:745 (Simon TW, Edwards DW)
Limax, appetitive learning 167:339 (Sahley CL, et al)
–, cerebral interneurons controlling feeding 166:297 (Delaney K, Gelperin A); 166:311 (Delaney K, Gelperin A); 166:327 (Delaney K, Gelperin A)
Limulus, circadian photoreceptor organs 162:127 (Horne JA, Renninger GH); 162:133 (Hanna WJB, et al); 163:259 (Renninger GH, et al); 164:95 (Kass L, et al)
–, dopamine inhibition of midgut 170:787 (Groome JR, Lent CM)
–, latency of photoreceptor response to inositol triphosphate 170:311 (Payne R, Flores TM)
–, peptidergic regulation of midgut 170:631 (Groome JR, et al)
Lingual reflex, neuronal pathways of toad's – 164:173 (Matsushima T, et al)
Liris, production of airborne signal 167:551 (Gnatzy W, Kämper G)
Lizard, see *Anolis*, *Podarcis*, *Tiliqua*
Lobster, see *Galathea*, *Homarus*, *Jasus*, *Munida*, *Nephrops*, *Panulirus*
Locomotion, abdominal postural motor neuron responses in lobster 161:695 (Kotak VC, Page CH)
–, activation of ciliate cirral movement by Ca 168:687 (Mogami Y, Machemer H)
–, activity of crayfish abdominal positioning interneurons 165:461 (Murphy BF, et al)
–, activity of locust flight neurons 167:61 (Robertson RM)
–, adaptations for low energetic cost in sea otters 164:815 (Williams TW)
–, adaptive swimmeret activity of spiny lobster 162:187 (Cattaert D, et al)
–, behavioral switching in a mollusc 166:875 (Huang Z, Satterlie RA)
–, bilateral coordination of grasshopper hindlegs during stridulation 169:191 (Ronacher R)
–, calcium activation of ctenophore macrocilia 163:23 (Tamm SL)
–, central generators and sensory interaction in fish respiration 162:695 (Roberts BL, Ballintijn CM)
–, central pattern generator concept for locust flight 161:115 (Stevenson PA, Kutsch W)
–, cercal activation of locust thoracic motor pathway 165:523 (Boyan GS, Ball EE)
–, chemical deafferentiation of locust flight system 167:485 (Ramirez J-M, Pearson KG)
–, ciliary beating in *Paramecium* 166:401 (Nakaoka Y, Machemer H); 170:723 (Nakaoka Y, Iwatsuki K)
–, cockroach escape movements 163:317 (Camhi JM, Levy A)
–, control of fly straight flight 167:269 (Wolf R, Heisenberg M)
–, control of visually guided turning in flies 161:777 (Egelhaaf M)
–, coordination of swimmeret and abdominal movement in crayfish 170:739 (Murchison D, Larimer JL)
–, crustacean pyloric central pattern generator 163:715 (Bal T, et al)
–, cyclic nucleotides and Ca in *Paramecium* ciliary regulation 166:401 (Nakaoka Y, Machemer H)
–, development of locust flight pattern 162:247 (Stevenson PA, Kutsch W)
–, drift compensation in waterstriders 167:441 (Junger W, Varjú D); 169:633 (Junger W)
–, DUM neurons in cricket walking behavior 166:901 (Gras H, et al)
–, dynamic postural reactions in locust hindleg 170:761 (Zill SN, et al)
–, elastic strand receptor in crab 165:801 (Cannone AJ, Nijland MJM)
–, entrainment of locust flight oscillator 162:77 (Reye DN, Pearson KG)
–, excitatory drive in leech swimming 161:355 (Nusbaum MP, et al)
–, feedback loop and giant interneurons in flying cockroach 165:651 (Libersat F, et al)
–, flight control during fly free yaw turns 163:389 (Mayer M, et al)
–, flight interneurons in locust 165:61 (Wolf H, Pearson KG)
–, flight motor neurone reflexes in locusts 161:747 (Elson RC)
–, flight motor pattern in locust forewing levator 165:217 (Pearson KG, Wolf H)
–, flight motor patterns in crickets 164:219 (Wang S, Robertson RM); 167:629 (Hennig RM)
–, flight motor patterns in locust ventral nerve cord 161:103 (Wolf H, Pearson KG)
–, flight motor patterns in Phasmida 168:483 (Kutsch W, Kittmann R)
–, flight physiology of migrating moths 167:145 (Dudley R, DeVries RJ)
–, fly lateral abdomen deflection 162:581 (Zanker JM)
–, food-induced firing patterns in *Aplysia* motoneurons 161:799 (Nagahama T, Takata M); 162:729 (Nagahama T, Takata M); 166:143 (Nagahama T, Takata M)
–, gate control in crayfish descending statocyst-motor pathway 170:463 (Takahata M, Murayama M)
–, gears in flight of flies 165:321 (Nalbach G)
–, head and abdomen movements produced by locust auditory interneurons 169:87 (Baader A)
–, head movements in flying locusts 166:685 (Hensler K, Robert D); 166:735 (Miall RC)
–, inhibitory innervation of lobster walking leg muscles 167:43 (Wiens TJ)
–, interneuronal processing of locust wing sensory inputs 161:761 (Elson RC)
–, larval and pupal reflex responses in moth 165:743 (Waldrop B, Levine RB)
–, learning in locust flight control 163:803 (Möhl B)
–, leg coordination in walking and turning fly 167:403 (Strauß R, Heisenberg M)
–, leg reflex interactions with central motor rhythms in crabs 168:445 (Head SI, Bush BMH)
–, light-evoked walking in crayfish 166:745 (Simon TW, Edwards DH)
–, light-modulated motoneurone activity in lobster 168:513 (Maitland DP, et al)
–, local circuits of locust intersegmental interneurones 162:145 (Laurent G)
–, locust flight after thoracic ganglia hemisection 163:749 (Ronacher B, et al); 163:761 (Wolf H, et al)
–, male-specific visual motor control in flies 169:413 (Gronenberg W, Strausfeld NJ)
–, mechanosensory afferents innervating lobster swimmerets 170:491 (Killian KA, Page CH); 170:501 (Killian KA, Page CH)
–, mechanosensory control of fly head roll 163:151 (Hengstenberg R)
–, metamorphosis of hawkmoth ecdysis motor pattern 163:287 (Mesce KA, Truman JW)
–, metathoracic interneurons and stridulation in grasshopper 163:813 (Gramoll S)
–, modulation of cockroach flight by giant interneurons 170:379 (Libersat F)
–, modulation of cricket auditory responses during – 163:633 (Schildberger K, et al)
–, monosynaptic reflex in crayfish walking legs 168:337 (El Manira A, et al)

Locomotion, motor acts during cricket copulation behavior 162:589 (Sakai M, Ootsubo T)
–, motor control of fly visual orientation 169:127 (Zanker JM, et al)
–, multisensory control of crab eye-stalk orientation 165:643 (Nalbach H-O, et al)
–, muscle function during strike of salamander 167:827 (Reilly SM, Lauder GV)
–, neural control of crab ventilation 162:375 (DiCaprio RA, Fourtner CR)
–, neural control of cricket head movements 162:111 (Hensler K)
–, neuromuscular activity during cricket stridulation 165:837 (Hennig RM)
–, neuronal control of leech swimming movements 166:195 (Friesen WO); 166:205 (Friesen WO)
–, neuronal plasticity in locust flight system 166:75 (Möhl B)
–, octopaminergic modulation of locust flight muscle 165:125 (Whim MD, Evans PD)
–, ontogeny of bat flight 168:675 (Powers LV, et al)
–, plasticity in crayfish phasic motor axon 161:367 (Pahapill PA, et al)
–, plasticity of insect central synapse 168:27 (Trimmer BA, Weeks JC)
–, positive feedback from locust proprioceptors 163:425 (Burrows M, Pflüger HJ)
–, postural motor system interactions in crayfish abdomen 163:187 (Moore D, Larimer JL)
–, pre-ecdysis motor pattern in tobacco hornworm 168:179 (Miles CI, Weeks JC)
–, prey attack in crayfish 165:99 (Varjú D)
–, rapid escape reflexes in oligochaetes 161:729 (Zoran MJ, Drewes CD)
–, reafferent control of fly optomotor yaw torque 163:373 (Heisenberg M, Wolf R)
–, receptive fields of locust spiking local interneurons 166:471 (Nagayama T)
–, reflex modulation in locust walking 170:443 (Wolf H)
–, response characteristics of locust stretch receptor 165:247 (Pfau HK, et al)
–, role of interneurons in locust flight initiation 162:669 (Ramirez J-M)
–, role of locust chordotonal organ in – 166:915 (Matheson T)
–, scanning in nematode phototaxis 167:245 (Burr AHJ, et al); 167:257 (Burr AHJ, Babinszki CPF)
–, sensory hysteresis in locust reflex system 164:43 (Zill SN, Jepson-Innes K)
–, slow potentials in nematode motor neurons 166:165 (Angstadt JD, Stretton AOW)
–, spinal motor rhythms in tortoises 163:537 (Schomburg ED, Steffens H)
–, steering muscles controlling fly optomotor responses 165:719 (Egelhaaf M)
–, stopping response in toad embryos 170:171 (Boothby KM, Roberts A)
–, stridulation and flight in crickets 167:617 (Hennig RM)
–, swimming and neuromusculature in squat lobster 161:881 (Wilson LR, Paul DH)
–, tail flip in Norway lobster 166:517 (Newland PL, Neil DM); 166:529 (Newland PL, Neil DM)
–, temperature effects on locust central synapse 165:687 (Burrows M)
–, tentacle regulating potentials in *Noctiluca* 162:179 (Oami K, et al)
–, thoracic output of crayfish giant fibres 166:117 (Heitler WJ, Fraser K); 166:125 (Fraser K, Heitler WJ)
–, turning reactions in jumping spiders 163:585 (Komiya M, et al)
–, uropod righting reaction of crayfish 164:685 (Newland PL)
–, visual control of crab eye-stalk orientation 165:577 (Nalbach H-O, et al)
–, visual control of crayfish turning 163:175 (Copp NH, Watson D)
–, wind-oriented walking of carrion beetles 164:775 (Heinzel H-G, Böhm H); 169:671 (Böhm H, et al)
Locomotor rhythms, circadian, in desert iguana 166:803 (Janik DS, Menaker M); 166:811 (Janik DS, et al)
Locust, see also *Locusta*, *Schistocerca*, *Valanga*
–, flight after thoracic ganglion hemisection 163:749 (Ronacher B, et al); 163:761 (Wolf H, et al)
–, neurones in the optic lobe 161:477 (Rind FC)
Locusta, acetylcholine receptors 167:521 (Tareilus E, et al)
–, activity of auditory receptors and respiration 162:237 (Hedwig B)
–, activity of mesothoracic flight neurons 167:61 (Robertson RM)
–, aerodynamic and mechanical properties of antennae 161:671 (Heinzel H-G, Gewecke M)
–, audition in flight 164:409 (Hedwig B)
–, central pattern generator concept for flight 161:115 (Stevenson PA, Kutsch W)
–, chordotonal organ central projections 170:101 (Matheson T)
–, chordotonal organ sensory physiology 166:915 (Matheson T)
–, closed-loop visual steering 164:15 (Robert D)
–, cold cell responses 163:507 (Ameismeier F, Loftus R)
–, deafferentiation of flight system by phentolamine 167:485 (Ramirez J-M, Pearson KG)
–, effect of deafferentation on auditory system 166:553 (Lakes R, et al)
–, efference to ocellar system 165:27 (Rotzler S)
–, entrainment of flight oscillator 162:77 (Reye DN, Pearson KG)
–, flight interneurons 165:61 (Wolf H, Pearson KG)
–, flight motor pattern in forewing muscle 165:217 (Pearson KG, Wolf H)
–, flight motor patterns in ventral nerve cord 161:103 (Wolf H, Pearson KG)
–, flight pattern development 162:247 (Stevenson PA, Kutsch W)
–, GABA-immunoreactive descending interneuron 164:141 (Tyrer NM, et al)
–, head movements during flight 166:685 (Hensler K, Robert D); 166:735 (Miall RC)
–, interneurons and flight initiation 162:669 (Ramirez J-M)
–, modulation of auditory interneuron activity 164:697 (Lang F, Elsner N)
–, modulation of tympanal receptor activity 163:243 (Hedwig B, et al)
–, neuronal plasticity in flight system 166:75 (Möhl B)
–, output properties of auditory interneurons 169:87 (Baader A)
–, phentolamine action on mechanoreceptors 167:475 (Ramirez J-M, Pearson KG)
–, properties of cells in medulla 161:431 (Osorio D); 161:441 (Osorio D)
–, range fractionation in femoral chordotonal organ 170:509 (Matheson T)
–, reflex modulation in walking 170:443 (Wolf H)
–, short-term learning during flight control 163:803 (Möhl B)
–, single photon responses in photoreceptors 164:365 (Pece AEC, French AS)
–, stretch receptor response characteristics 165:247 (Pfau HK, et al)
–, sublinear summation in photoreceptors 170:729 (Pece AEC, French AS)
–, suboesophageal DUM neuron 163:835 (Bräunig P)
–, vasopressin-like immunoreactive neurons 168:605 (Thompson KSJ, et al); 168:619 (Thompson KSJ, Bacon JP)
–, visual detection of wind-drift 162:793 (Riley JR, et al)
–, wind-sensitive cercal system 165:495 (Boyan GS, et al); 165:511 (Boyan GS, Ball EE); 165:523 (Boyan GS, Ball EE); 165:539 (Boyan GS, et al)
Lolliguncula, lateral line analogue 164:1 (Budelmann BU, Bleckmann H)
Lonchura, pinealectomy effect on circannual cycles 164:117 (Chandola-Saklani A, et al)
Lorenzinian ampulla, neurotransmitters in skate – 168:639 (Akoev G, et al); 168:647 (Akoev G, et al)
Loricera, low-current mechanoreceptor 165:779 (Gödde J, Hintzpeter U)
Lucidota, spectral sensitivity of compound eye 166:257 (Lall AB, Lloyd JE)
Lucilia, colour discrimination 166:57 (Fukushi T)
–, mitochondrial activation in mutant photoreceptor 168:305 (Mojet MH, et al)
Luscinia, song acquisition 170:275 (Hultsch H)
–, song memorization 165:197 (Hultsch H, Todt D)
Lymantria, pheromone-modulated optomotor response 167:699 (Willis MA, Cardé RT); 167:707 (Olberg RM, Willis MA)
Lymnaea, egg laying behavior 164:673 (Ter Maat A, et al)
–, respiratory behavior 169:541 (Syed NI, et al); 169:557 (Syed NI, Winlow W)

M

Macrobdella, excitatory drive in swimming 161:355 (Nusbaum MP, et al)
–, octopamine release in CNS 162:405 (Belanger JH, Orchard I)
Macrocilia, calcium activation in a ctenophore 163:23 (Tamm SL)
Macroderma, hearing 162:653 (Guppy A, Coles RB)

Maevia, spectral sensitivity 164:359 (Peaslee AG, Wilson G)
Magnetic field orientation in pigeons 163:593 (Kowalski U, et al)
– – perception in honeybees 161:1 (Korall H, Martin H)
– fields, effects on honeybee activity and ageing 164:423 (Martin H, et al)
– –, effects on opioid-mediated behavior in a snail 162:551 (Kavaliers M, Ossenkopp K-P)
– resonance in honeybees 162:279 (Korall H, et al)
Mammalia, acoustic image perception in *Eptesicus* 166:449 (Simmons JA, et al)
–, activity-induced phase shifts in *Mesocricetus* circadian rhythms 165:811 (Reebs SG, et al); 165:819 (Reebs SG, Mrosovsky N)
–, amiloride sensitivity in *Mus* 166:1 (Ninomyia Y, et al)
–, audiovocal interactions during *Rhinolophus* ontogenesis 167:771 (Rübsamen R, Schäfer M)
–, auditory and directional sensitivity of *Plecotus* 165:269 (Coles RB, et al)
–, auditory brain stem responses in *Tursiops* 166:385 (Popov VV, Supin AYa)
–, binaural 2DG patterns in *Meriones* auditory cortex 168:13 (Caird D, et al)
–, cerebro-cerebellar interactions in *Rhinolophus* 166:477 (Sun D, et al)
–, circadian oscillation in guinea pig SCN 162:301 (Kurumiya S, Kawamura H)
–, circadian photoreception in retinally degenerate mouse 169:39 (Foster RG, et al)
–, circadian rhythmicity in *Phodopus* 162:309 (Puchalski W, Lynch GR)
–, circannual cycles in *Spermophilus* 167:683 (Mrosovsky N)
–, classification of insects by *Rhinolophus* 167:423 (Emde G von der, Schnitzler H-U)
–, cochlear nerve responses in *Meriones* 167:329 (Ohlemiller KK, Echteler SM)
–, comparative collicular tonotopy in two bat species 163:271 (Rübsamen R, et al)
–, daily torpor in *Phodopus* 161:245 (Elliott JA, et al); 168:121 (Kirsch R, et al); 168:477 (Ouarour A, et al)
–, delay-sensitivity of *Myotis* auditory cortex neurons 170:393 (Wong D, et al)
–, differential effects of melatonin in *Peromyscus* 169:501 (Blank JL, Freeman DA)
–, discrimination of jittered sonar echoes by *Eptesicus* 167:589 (Simmons JA, et al)
–, echolocation and auditory information processing in *Rhinolophus* 166:243 (Roverud RC); 166:251 (Roverud RC)
–, effect of masking on *Eptesicus* sonar signal detection 165:119 (Møhl B, Surlykke A)
–, effects of cold on *Phodopus* pineal N-acetyltransferase activity 168:599 (Stieglitz A, et al)
–, encoding of stimulus properties in *Eptesicus* IC 169:69 (Pinheiro AD, et al)
–, energy cost of *Pipistrellus* echolocation 165:679 (Speakman JR, et al)
–, excitability of rat hippocampal neurons 161:461 (Zeise M, Lehmann A)
–, eye of *Cystophora* in air and water 165:771 (Sivak JG, et al)
–, fighting effects on melatonin formation in *Meriones* 164:91 (Heinzeller TH, et al)
–, FM sweep and ranging in *Eptesicus* 170:83 (Surlykke A)
–, frequency and space representation in *Eptesicus* auditory cortex 165:1 (Jen PH-S, et al)
–, gating mechanisms in echolocating *Rhinolophus* 169:109 (Neumann I, Schuller G)
–, genetics of *Phodopus* photoresponsiveness 164:475 (Lynch GR, et al)
–, gonadal steroids and hibernation in *Cricetus* 163:339 (Darrow JM, et al)
–, hearing in *Desmodus* 168:45 (Schmidt U, et al)
–, hearing in gleaning bats 162:653 (Guppy A, Coles RB)
–, hoarding opportunity entrains *Mesocricetus* activity rhythms 164:165 (Rusak B, et al)
–, hunting behavior of *Pipistrellus* 161:267 (Schnitzler H-U, et al)
–, insect wingbeat discrimination in *Rhinolophus* 164:663 (Emde G von der, Menne D)
–, masking of *Mesocricetus* activity rhythms by darkness 162:559 (Aschoff J, Goetz C von)
–, maternal entrainment of *Mesocricetus* circadian rhythms 162:601 (Davis FC, Gorski RA)
–, maternal entrainment of *Mus* activity rhythms 163:237 (Viswanathan N, Chandrashekaran MK)
–, melatonin and reentrainment of rat circadian rhythms 166:97 (Illnerová H, et al)
–, moth clicks and range difference discrimination in *Eptesicus* 168:571 (Miller LA)
–, motion perception and signal design in bats 168:259 (Roverud RC, et al)
–, muscimol phase-shifts *Mesocricetus* circadian clock 164:805 (Smith RD, et al)
–, odour experience and mouse bulbar EEG response 163:771 (Schmidt U, Eckert M)
–, olfactory sensitivity in *Carollia* 166:395 (Laska M)
–, ontogenesis of *Hipposideros* collicular tonotopy 165:755 (Rübsamen R, et al)
–, ontogenesis of *Rhinolophus* auditory fovea 167:757 (Rübsamen R, Schäfer M)
–, ontogenesis of *Rhinolophus* echolocation system 161:899 (Rübsamen R)
–, ontogeny of *Myotis* flight 168:675 (Powers LV, et al)
–, photoperiod in *Cricetus* 163:549 (Canguilhem B, et al)
–, photoperiodic timing of *Ovis* breeding season 166:835 (Wayne NL, et al)
–, photoperiodicity in female *Oryctolagus* 167:225 (Hudson R, Distel H)
–, photoreceptors in *Phodopus* pineal and retina 165:565 (Foster RG, et al)
–, physiology of rabbit olfactory bulb neurons 170:145 (Buffler J, et al); 170:153 (Buffler J, et al)
–, pineal NAT rhythm in rat 161:495 (Illnerová H, Vaněček J)
–, postnatal development of central auditory frequency maps 170:129 (Rübsamen R)
–, predation on tympanate moths by *Myotis* 166:843 (Faure PA, et al)
–, prey detection in *Cardioderma* 161:59 (Ryan MJ, Tuttle MD)
–, production of sonar pulses by *Rhinolophus* 162:799 (Suthers RA, et al)
–, range discrimination by echolocation in *Eptesicus* 166:65 (Masters WM, Jacobs SC)
–, representation of vocal frequency in *Pteronotus* ACg 161:283 (Gooler DM, O'Neil WE)
–, resonance in *Pteronotus* cochlea 166:711 (Kössl M, Vater M)
–, retinal spectral mechanisms in *Sciurus* 162:773 (Blakeslee B, et al)
–, SAM in *Rhinolophus* inferior colliculus 161:305 (Reimer K)
–, seismic signalling in *Georychus* 170:13 (Narins PM, et al)
–, serotonergic modulation of *Mesocricetus* neural activity 167:79 (Horrigan DG, Horowitz JM)
–, signal detection by echolocating *Tursiops* 164:451 (Au WWL, Pawloski DA)
–, sleep EEG analysis in *Eutamias* 165:205 (Dijk DJ, Daan S)
–, sleep in *Mesocricetus* 161:449 (Tobler I, Jaggi K)
–, social entrainment of *Mesocricetus* circadian rhythms 162:35 (Mrosovsky N); 170:181 (Refinetti R, et al)
–, spatial processing in *Pteronotus* echolocation system 170:57 (Fuzessery ZM, et al)
–, splitting in *Phodopus* circadian rhythm 169:185 (Puchalski W, Lynch GR)
–, superior colliculus of *Rhinolophus* 169:719 (Reimer K)
–, swimming by *Enhydra* 164:815 (Williams TM)
–, tactile stimulation of rat nipples 170:645 (Karyakin MG, Alekseev NP)
–, target discrimination by *Pipistrellus* 163:349 (Sum YW, Menne D)
–, target ranging accuracy in *Eptesicus* 165:383 (Moss CF, Schnitzler H-U)
–, temperature entrainment of *Sminthopsis* circadian activity 167:357 (Francis AJP, Coleman GJ)
–, thickness difference discrimination by *Tursiops* 170:41 (Au WWL, Pawloski DA)
–, tonotopy of *Pteronotus* cochlear nucleus 166:695 (Kössl M, Vater M)
–, ultradian rhythms in *Microtus* 168:591 (Gerkema MP, Leest F van der)
–, wheel-running activity of *Dasyurus* 166:607 (Kennedy GA, et al)
Manduca, acetylcholine pharmacology in antennal lobes 164:433 (Waldrop B, Hildebrand JG)
–, carotenoid deficiency and visual function 164:321 (Bennett RR, White RH)
–, ecdysis motor pattern 163:287 (Mesce KA, Truman JW)
–, GABA inhibition in antennal lobes 161:23 (Waldrop B, et al)
–, larval and pupal reflex responses 165:743 (Waldrop B, Levine RB)
–, odor-modulated upwind flight 169:427 (Willis MA, Arbas EA)
–, olfactory brain neurons 167:309 (Itagaki H, Hildebrand JG); 168:281 (Kanzaki R, et al); 169:1 (Kanzaki R, et al)
–, plasticity of a central synapse 168:27 (Trimmer BA, Weeks JC)

Manduca, pre-ecdysis motor pattern 168:179 (Miles CI, Weeks JC)
–, projection neurones in antennal lobe 165:427 (Kanzaki R, et al)
–, role of eclosion hormone in ecdysis behavior 168:697 (Hewes RS, Truman JW)
Mantis, audition and ultrasonic hearing 165:471 (Yager DD, Hoy RR)
Mantis shrimps, see also *Odontodactylus*, *Squilla*
– – , optokinesis in – 168:233 (Cronin TW, et al)
Marsupialia, see *Dasyurus*, *Sminthopsis*
Masking, auditory, in treefrog 166:37 (Schwartz JJ, Gerhardt HC)
Matched filters 161:511 (Wehner R)
Maternal entrainment of hamster circadian rhythms 162:601 (Davis FC, Gorski RA)
– – of mouse activity rhythm 163:237 (Viswanathan N, Chandrashekaran MK)
Mating interval, neurohormonal control of cricket – 168:159 (Nagao T, et al)
Maturation of beetle compound eye optics 167:817 (Warrant EJ, et al)
– rhythm, circannual, entrainment of trout – 164:259 (Duston J, Bromage N)
Mechanical properties of locust antennae 161:671 (Heinzel H-G, Gewecke M)
Mechanoreception, activity modulation in cockroach cercal system 163:479 (Goldstein RS, Camhi JM)
–, code for stimulus direction in cockroach escape system 165:83 (Camhi JM, Levy A)
–, coxal hair plates in spiders 166:633 (Seyfarth E-A, et al)
–, development of cricket filiform hairs 170:49 (Kämper G)
–, effects on stimulus for blind fish lateral line organ 163:53 (Teyke T)
–, filiform afferent input onto cockroach giant interneurons 166:133 (Blagburn JM)
–, giant fiber system in whip spider forelegs 168:63 (Igelmund P, Wendler G); 168:75 (Igelmund P, Wendler G)
–, gravikinesis in *Paramecium* 168:1 (Machemer H, et al)
–, hair cell efferences in squid statocyst 165:847 (Williamson R)
–, hair cell responses in squid statocyst 167:655 (Williamson R)
–, Herbst corpuscles in pigeon wing 166:663 (Hörster W)
–, hydrodynamic stimuli caused by moving animals 168:749 (Bleckmann H, et al)
–, lateral line areas in elasmobranch brain 162:67 (Bleckmann H, et al); 164:459 (Bleckmann H, et al)
–, lateral line sensory function in antarctic fish 163:827 (Montgomery JC, et al)
–, locust wind-sensitive cercal system 165:495 (Boyan GS, et al); 165:511 (Boyan GS, Ball EE); 165:523 (Boyan GS, Ball EE); 165:539 (Boyan GS, et al)
–, low-current circuit in beetle trap setae 165:779 (Gödde J, Hintzpeter U)
–, oscillation of cricket sensory hairs 167:193 (Kämper G, Kleindienst H-U)
–, properties of stick insect leg campaniform sensilla 168:113 (Delcomyn F)
–, response characteristics of frog saccular fibers 162:633 (Christensen-Dalsgaard J, Jørgensen MB)
–, responses of a cephalopod to water movements 168:247 (Bleckmann H, et al)
–, spiracular organ of elasmobranchs 163:85 (Barry MA, et al); 163:93 (Barry MA, et al)
–, tactile hairs and leg reflexes in spiders 162:611 (Eckweiler W, Seyfarth E-A); 162:623 (Milde JJ, Seyfarth E-A)
–, tactile localization in crayfish 163:525 (Sandeman DC, Varju D)
–, tactile reflexes in locusts 162:563 (Laurent GJ, Burrows M)
–, tactile spine recordings in cockroach 169:471 (Stockbridge LL, French AS)
–, tactile stimulation of rat nipples 170:645 (Karyakin MG, Alekseev NP)
–, vibration reception in frog 163:43 (Hetherington TE)
–, water wave reception by cephalopod epidermal head line 164:1 (Budelmann BU, Bleckmann H)
–, white noise analysis by cockroach cercal wind receptors 169:653 (Kondoh Y, et al)
Mechanoreceptor, K and Ca in receptor lymph of arthropod – 161:329 (Grünert U, Gnatzy W)
–, hypodermal, in lobster swimmeret 170:491 (Killian KA, Page CH)
–, local anesthetic action of phentolamine on insect – 167:475 (Ramirez J-M, Pearson KG)
–, sensory adaptation and Na inactivation in cockroach – 161:275 (French AS)
Mechanoreceptors in a protozoan 165:229 (Wood DC)
Mechanosensory afferents innervating lobster swimmerets 170:491 (Killian KA, Page CH); 170:501 (Killian KA, Page CH)
– control of fly head roll 163:151 (Hengstenberg R)
– neuron, sensory fatigue in fly – 167:437 (Corfas G, Dudai Y)
Medulla, action of GABA on visual neurons in crayfish – 168:373 (Pfeiffer-Linn C, Glantz RM)
– interneurons in cockroach optic lobe 167:745 (Kelly KM, Mote MI)
–, motion detection by units in fly – 168:653 (Gilbert C, et al)
–, motion-sensitive neurons in butterfly – 169:355 (Ibbotson MR, et al)
–, properties of cells in locust – 161:431 (Osorio D); 161:441 (Osorio D)
Medullary electrosensory neurons, responses of – in skate 167:285 (New JG)
– neurons, visual responses of toad – 167:495 (Ewert J-P, et al); 167:509 (Schwippert WW, et al)
– pacemaker nucleus, intracellular recordings in electric fish – 161:187 (Dye J, Heiligenberg W); 165:731 (Kawasaki M, Heiligenberg W)
Megaderma, collicular tonotopy 163:271 (Rübsamen R, et al)
Melatonin, circadian rhythms in pigeons 164:25 (Foà A, Menaker M)
–, circadian rhythms in starlings 164:7 (Beldhuis HJA, et al)
–, differential effects in deermice 169:501 (Blank JL, Freeman DA)
–, effects of infusions on pigeon rhythmicity 170:615 (Chabot CC, Menaker M)
–, fighting effects on – formation in gerbil pineal 164:91 (Heinzeller Th, et al)
– modulates trout pineal neural activity 167:641 (Meissl H, et al)
–, photic regulation of – in trout pineal 170:479 (Max M, Menaker M)
–, role in pigeon circadian rhythms 166:217 (Oshima I, et al)
–, role in reentrainment of rat circadian rhythm 166:97 (Illnerová H, et al)
Melipona, color vision 166:151 (Menzel R, et al)
Melospiza, testosterone levels and male-male interactions 166:189 (Wingfield JC, Wada M)
Membrane current components in a ciliate 164:551 (Pernberg J, Machemer H)
– potentials in *Noctiluca* 162:179 (Oami K, et al)
Memory, acquistion, consolidation and retention in a fly mutant 162:101 (Dudai Y, et al)
–, package formation in nightingale song 165:197 (Hultsch H, Todt D)
–, spatial, in octopus navigation 168:491 (Mather JA)
–, visuo-spatial, in honeybees 163:145 (Collett TS, Kelber A)
Meriones, binaural 2-deoxyglucose patterns in auditory cortex 168:13 (Caird D, et al)
–, cochlear nerve responses 167:329 (Ohlemiller KK, Echteler SM)
–, fighting effects on melatonin formation 164:91 (Heinzeller Th, et al)
Mermis, phototaxis 167:245 (Burr AHJ, et al); 167:257 (Burr AHJ, Babinszki CPF)
Mesocricetus, activity-induced phase shifts of circadian rhythms 165:811 (Reebs SG, et al); 165:819 (Reebs SG, Mrosovsky N)
–, hoarding opportunity entrains activity rhythms 164:165 (Rusak B, et al)
–, masking of activity rhythms by darkness 162:559 (Aschoff J, Goetz C von)
–, maternal entrainment of circadian rhythms 162:601 (Davis FC, Gorski RA)
–, muscimol phase-shifts circadian clock 164:805 (Smith RD, et al)
–, sleep and EEG spectra 161:449 (Tobler I, Jaggi K)
–, social entrainment of circadian rhythms 162:35 (Mrosovsky N); 170:181 (Refinetti R, et al)
–, thermal effects on serotonin modulation 167:79 (Horrigan DJ, Horowitz JM)
Metabolic correlates in insect photoperiodic clock 166:785 (Lavialle M, Dumortier B)
Metamorphosis of hawkmoth ecdysis motor pattern 163:287 (Mesce KA, Truman JW)
Microtus, ultradian rhythms 168:591 (Gerkema MP, Leest F van der)
Midbrain, vibration-sensitive neurons in frog – 164:495 (Christensen-Dalsgaard J, Jørgensen MB)
Midgut, dopamine inhibition of *Limulus* – 170:787 (Groome JR, Lent CM)
–, peptidergic regulation of *Limulus* – 170:631 (Groome JR, et al)
Milk ejection reflex in rats 170:645 (Karyakin MG, Alekseev NP)

Mite, see *Amblyseius*
Mitochondria activation in fly photoreceptors 168:305 (Mojet MH, et al)
Mole cricket, see *Gryllotalpa*
Mole-rat, see *Georychus*
Mollusca, appetive learning in *Limax* 167:339 (Sahley CL, et al)
–, bag cell axons in *Aplysia* CNS 168:539 (Shope SB, et al)
–, behavioral switching in *Clione* 166:875 (Huang Z, Satterlie RA)
–, calcium channels mediate *Bulla* rhythm phase shifts 165:195 (Khalsa SBS, Block GD)
–, cardiac innervation in *Archidoris* 167:51 (Wiens BL, Brownell PH)
–, cerebral interneurons controlling *Limax* feeding 166:297 (Delaney K, Gelperin A); 166:311 (Delaney K, Gelperin A); 166:327 (Delaney K, Gelperin A)
–, chemotaxis in *Aplysia* 170:281 (Teyke T, et al)
–, circadian rhythm of *Bulla* eye 166:795 (Geusz ME, Page TL)
–, conductance changes in *Bulla* pacemaker cells 166:589 (Ralph MR, Block GD)
–, egg laying behavior in *Lymnaea* 164:673 (Ter Maat A, et al)
–, egg laying in *Aplysia* 164:835 (Ferguson GP, et al); 164:849 (Ferguson GP, et al)
–, evoked brain potentials in unrestrained *Sepia* 168:141 (Bullock TH, Budelmann BU)
–, FMRFamide and ocular circadian pacemaker in *Aplysia* and *Bulla* 170:211 (Colwell CS, et al)
–, food-induced firing patterns in *Aplysia* motoneurons 161:799 (Nagahama T, Takata M); 162:729 (Nagahama T, Takata M); 166:143 (Nagahama T, Takata M); 166:277 (Nagahama T, Takata M)
–, hair cell efferences in *Alloteuthis* 165:847 (Williamson R)
–, hair cell responses in *Alloteuthis* statocyst 167:655 (Williamson R)
–, hyperpolarizing photoreceptors in *Tridacna* eyes 163:73 (Wilkens LA)
–, inhibition of *Helix* avoidance behavior 166:421 (Balaban P, Chase R)
–, inhibitory innervation of *Aplysia* gills 162:533 (Kurokawa M, Kuwasawa K)
–, innervation of *Aplysia* buccal muscles 167:1 (Nagahama T, Takata M)
–, lateral line analogue in cephalopods 164:1 (Budelmann BU, Bleckmann H)
–, light and serotonin effects on *Aplysia* circadian system 167:841 (Colwell CS)
–, low frequency hearing in cephalopods 166:501 (Packard A, et al)
–, magnetic fields and opioids in *Cepaea* 162:551 (Kavaliers M, Ossenkopp K-P)
–, navigation in *Octopus* 168:491 (Mather JA)
–, neuroanatomical basis of *Clione* feeding behavior 170:525 (Zakharov IS, Ierusalimsky VN)
–, ocular circadian pacemaker of *Bulla* 161:335 (MacMahon DG, Block GD); 161:347 (MacMahon DG, Block GD)
–, opsin-based photopigment effects on *Bulla* circadian pacemaker 168:565 (Geusz ME, Page TL)
–, peptidergic motoneurons in *Aplysia* buccal ganglia 168:323 (Church PJ, et al)
–, premotor neurons impinging on *Aplysia* jaw motoneurons 166:143 (Nagahama T, Takata M)
–, respiratory behavior in *Lymnaea* 169:541 (Syed NI, et al); 169:557 (Syed NI, Winlow W)
–, responses of *Sepia* to small water movements 168:247 (Bleckmann H, et al)
–, spontaneous respiratory seizure behavior in *Aplysia* 166:619 (Kanz JE, Quast WD)
–, visual pigments in *Watasenia* retina 166:769 (Seidou M, et al)
Monoamines, role in charr social hierarchy 168:241 (Winberg S, et al)
Monoclonal antibodies, effects on *Hydra* chemoreception 168:409 (Sakaguchi M, et al)
Monopolar cells, properties of bee – 170:267 (Souza J de, et al)
Monosynaptic reflex in crayfish legs 168:337 (El Manira A, et al)
Morphine, effect on crab habituation 162:687 (Brunner D, Maldonado H)
Mosquito, see *Culex*
Moth, see also Lepidoptera
– clicks, effects on bat range difference discrimination 168:571 (Miller LA)
Moths, tympanate, responses to bat echolocation calls 166:843 (Faure PA, et al)
Motion, see also locomotion, movement
– detection in flies 169:331 (Quenzer T, Zanker JM)
– – by fly medulla neurons 168:653 (Gilbert C, et al)
– detectors, local, in toad optic tectum 169:569 (Satou M, Shiraishi A)
– parallax in locusts 167:579 (Sobel EC); 169:615 (Collett TS, Patterson CJ)
– perception in echolocating bats 168:259 (Roverud RC, et al)
– -sensitive neurons in butterfly brain 169:355 (Ibbotson MR, et al)
Motoneuron drive after thoracic ganglion hemisection in locusts 163:761 (Wolf H, et al)
–, calcium-dependent chloride conductance in leech – 162:57 (Johansen J, Kleinhaus AL)
Motoneurons controlling mantis shrimp stomach muscles 168:265 (Tazaki K, Miyazaki T)
–, food-induced firing patterns in *Aplysia* – 161:799 (Nagahama T, Takata M); 162:729 (Nagahama T, Takata M); 166:143 (Nagahama T, Takata M); 166:277 (Nagahama T, Takata M)
Motor axon, phasic, plasticity in crustacean – 161:367 (Pahapill PA, et al)
– control of fly visual orientation 169:127 (Zanker JM, et al)
– neuron, abdominal postural, synaptic responses in lobster – 161:695 (Kotak VC, Page CH)
– –, dopamine receptor on jellyfish – 169:599 (Chung J, Spencer AN)
– neurons, slow potentials in nematode – 166:165 (Angstadt JD, Stretton AOW)
– – in snail respiration 169:541 (Syed NI, et al)
– –, role in leech swimming 166:195 (Friesen WO); 166:205 (Friesen WO)
– pattern of cricket flight 167:629 (Hennig RM)
– –, pre-ecdysis, in moth larvae 168:179 (Miles CI, Weeks JC)
– patterns in intact and deafferented locust flight system 165:61 (Wolf H, Pearson KG)
– representations, discrete, in electric fish diencephalon 164:565 (Keller CH, Heiligenberg W)
Mouse, see also *Mus*
–, circadian photoreception in retinally degenerate – 169:36 (Foster RG, et al)
–, odour experience and bulbar EEG response 163:771 (Schmidt U, Eckert M)
Movement, see also locomotion, motion
–, effect on locust tympanal receptor activity 163:243 (Hedwig B, et al)
– detectors in fly 165:179 (Schuling FH, et al)
– –, optical motion information by – 161:533 (Reichardt W)
–, interference with sound in locust auditory interneurons 164:697 (Lang F, Elsner N)
Munia, spotted, see *Lonchura*
Munida, swimming and neuromusculature 161:881 (Wilson LJ, Paul DH)
Mus, see also mouse
–, maternal entrainment of activity rhythm 163:237 (Viswanathan N, Chandrashekaran MK)
–, strain differences in amiloride sensitivity 166:1 (Ninomyia Y, et al)
Musca, control systems of visually guided turning 161:777 (Egelhaaf M)
–, coordination of motor output in visual orientation 169:127 (Zanker JM, et al)
– histamine in photoreceptors 161:201 (Hardie RC)
–, pigment system of photoreceptor 7 yellow 162:421 (Kirschfeld K, et al)
–, polarization vision 167:737 (Philipsborn A von, Labhart T)
–, sensitizing pigment in ocellar photoreceptors 163:421 (Kirschfeld K, et al)
–, steering muscles controlling optomotor responses 165:719 (Egelhaaf M)
–, visual information in foraging 168:365 (Conlon D, Bell WJ)
–, visual information processing in landing system 163:167 (Borst A, Bahde S)
–, visually evoked escape response 169:451 (Holmqvist MH, Srinivasan MV)
Muscimol, phase-shifting of hamster circadian clock by – 164:805 (Smith RD, et al)
Muscle, stapedius activity during chicken vocalization 162:525 (Grassi S, et al)
– activities in mantis shrimp stomach 168:265 (Tazaki K, Miyazaki T)
– function during salamander prey capture 167:827 (Reilly SM, Lauder GV)
– kinetics, role of octopamine in locust – 162:827 (Malamud J, et al)
–, larval, electrical excitability of fly – 163:705 (Yamaoka K, Ikeda K)
–, longitudinal, action of FMRFamide on leech – 167:211 (Norris BJ, Calabrese RL)
– physiology, absence of glutamate effects on crayfish GABA channels 170:521 (Pasternack M, et al)
– –, common inhibitory neuron in crab limb musculature 163:651 (Wiens TJ, et al)
– –, FMRFamide-like peptide in locust oviduct 168:383 (Lange AB, et al)

Muscle physiology, rhythmic EMGs in salmon sexual behavior 165:293 (Matsushima T, et al)
– –, transmitter effects on crayfish neuromuscular junctions 163:609 (Zufall F, et al)
– receptor physiology in crabs 165:801 (Cannone AJ, Nijland MJM)
Mustache bat, see *Pteronotus*
Mustelus, spiracular organ 163:85 (Barry MA, et al); 163:93 (Barry MA, et al)
Mutations, biological rhythm –, effect on fly learning 169:685 (Gailey DA, et al)
Mygalopsis, auditory distance perception 161:33 (Römer H)
–, hearing in the field 164:609 (Römer H, et al)
Mynah bird, see *Gracula*
Myogenic activities of mantis shrimp muscles 168:265 (Tazaki K, Miyazaki T)
Myotis, delay-sensitivity of auditory cortex neurons 170:393 (Wong D, et al)
–, ontogenesis of flight 168:675 (Powers LV, et al)
–, predation on tympanate moths 166:843 (Faure PA, et al)

N

N-acetyltransferase activity, temperature effects on hamster pineal – 168:599 (Stieglitz A, et al)
– rhythm in rat pineal gland 161:495 (Illnerová H, Vaněček J); 166:97 (Illnerová H, et al)
Na, see sodium
Naloxone, effect on crab habituation 162:687 (Brunner D, Maldonado H)
Nasal cavities, role in bat sound production 162:799 (Suthers RA, et al)
Necrophorus, wind-orientation 164:775 (Heinzel H-G, Böhm H); 169:671 (Böhm H, et al)
Nematoda, phototaxis of *Mermis* 167:245 (Burr AHJ, et al); 167:257 (Burr AHJ, Babinszki CPF)
–, reflex interactions in *Caenorhabditis* 169:59 (Rankin CH)
–, slow potentials in *Ascaris* motor neurons 166:165 (Angstadt JD, Stretton AOW)
Neoconocephalus, ultrasonic startle behavior 169:507 (Libersat F, Hoy RR)
Neodiprion, sex pheromone perception 168:533 (Hansson BS, et al)
Nephridial cells, Cl sensitivity of leech – 168:53 (Wenning A, Calabrese RL)
Nephrops, tail flip 166:517 (Newland PL, Neil DM); 166:529 (Newland PL, Neil DM)
Nervus intramandibularis, sensory responses from chicken – 164:763 (Gentle MJ)
Neural basis of conspecific EOD detection 170:335 (Fleishman LJ)
– correlates of auditory filial imprinting 161:605 (Scheich H)
– correlates of leech reflex 168:165 (Lockery SR, Kristan WB Jr)
– model of visual pattern discrimination 170:317 (Wang DL, Ewert J-P)
– modeling in *Eigenmannia* electrosensory system 169:117 (Lytton WW)
– models of the external world 161:511 (Wehner R)
– superposition in fly eyes 161:849 (Hateren JH van)
Neuroanatomical basis of mollusc feeding behavior 170:525 (Zakharov IS, Ierusalimsky VN)
Neuroendocrine reflex in garter snake 166:629 (Mendonça MT, Crews D)
Neurohormonal control of cricket mating interval 168:159 (Nagao T, et al)
Neurohormones, octopamine release in leech CNS 162:405 (Belanger JH, Orchard I)
Neuromodulation of leech heartbeat 167:665 (Arbas EA, Calabrese RL)
Neuromuscular actions of spider venom 164:333 (Adams ME, et al)
– activity during cricket stridulation 165:837 (Hennig RM)
– junction, channel types of crayfish – 166:757 (Dudel J, et al)
Neuron, common inhibitory, in crab limb musculature 163:651 (Wiens TJ, et al)
–, high-frequency, filtering sound signals in cricket brain 164:269 (Atkins G, et al)
Neuronal acetylcholine receptor channels in insects 167:521 (Tareilus E, et al)
– connectivity, segmental specialization of – in leech 167:453 (Wittenberg G, et al)
– hierarchy in electric fish brain 162:759 (Rose GJ, et al)
– oscillator in vitro 168:521 (Dye J)
– oscillators in lobster pyloric network 163:715 (Bal T, et al)
– plasticity, activity dependence of cockroach – 162:781 (Volman SF, Camhi JM)
– – in locust flight system 166:75 (Möhl B)
Neurons, descending, motion-sensitive, in bee lobula 168:91 (Ibbotson MR)
–, multifunctional, innervating *Aplysia* buccal muscles 167:1 (Nagahama T, Takata M)
–, prepacemaker, in electric fish midbrain 162:13 (Kawasaki M, Heiligenberg W)
Neuropeptide, role of eclosion hormone in moth ecdysis 168:697 (Hewes R, Truman JW)
Neurophysiology of insect olfaction 161:549 (Boeckh J, Ernst K-D)
Neuropil, auditory, distance perception in bushcricket – 161:33 (Römer H)
Neuroplasticity in monaural crickets 164:343 (Schmitz B)
Neurotransmitter, see also transmitter
–, ACh pharmacology in moth antennal lobes 164:433 (Waldrop B, Hildebrand JG)
–, cholinergic sensitivity of cockroach presynaptic terminal 161:215 (Blagburn JM, Sattelle DB)
–, effects on *Limulus* eye circadian rhythms 164:95 (Kass L, et al)
–, effects of phosphoethanolamine on rat hippocampal neurons 161:461 (Zeise M, Lehmann A)
–, GABA inhibition in moth antennal lobes 161:23 (Waldrop B, et al)
–, histamine in insect photoreceptors 161:201 (Hardie RC)
– in skate Lorenzinian ampulla 168:639 (Akoev G, et al); 168:647 (Akoev G, et al)
–, responses of *Paramecium* to L-glutamic acid 164:75 (Preston RR, Usherwood PNR)
Newt, see *Cynops*
Nicotinic acetylcholine receptors on cockroach cholinergic nerve terminal 161:215 (Blagburn JM, Sattelle DB)
Nightingale, see *Luscinia*
Noctiluca, membrane potentials 162:179 (Oami K, et al)
Noctua, parallel processing in auditory pathway 168:727 (Boyan GS, Miller LA)
–, time coding in auditory receptor 162:367 (Surlykke A, et al)
Noise and insect hearing 164:609 (Römer H, et al)
–, sound detection in – by frogs 166:791 (Gerhardt HC, et al)
–, masking, effect on bat sonar signal detection 165:119 (Møhl B, Surlykke A)
–, white, analysis in cockroach cercal interneuron 168:429 (Kondoh Y, et al); 169:653 (Kondoh Y, et al)
Norway lobster, see *Nephrops*
Nucleus electrosensorius of gymnotid fish 169:151 (Heiligenberg W, et al)
– isthmi of salamanders 169:165 (Wiggers W, Roth G)
Nudibranch, see *Archidoris*
Numerical model of spider behavior 169:313 (Barth FG, et al)
Nyctophilus, hearing 162:653 (Guppy A, Coles RB)

O

O, see oxygen
Object discrimination through electrolocation in mormyrid fish 167:413 (Emde G von der)
Ocellar neurons, effect of temperature on locust – 166:575 (Simmons PJ)
– system, efference to locust – 165:27 (Rotzler S)
Ocelli, role in nematode phototaxis 167:257 (Burr AHJ, Babinszki CPF)
Ocellus, efferent control in moth – 169:647 (Yamazaki S, Yamashita S)
Octavolateralis efferent system effects on toadfish lateral line 169:25 (Tricas TC, Highstein SM)
Octopamine, age-dependent modulation of locust flight muscle by – 165:125 (Whim MD, Evans PD)
–, effects on crayfish escape reaction 169:369 (Bustamante J, Krasne FB)
– receptors, interaction of formamidines with fly – 161:739 (Dudai Y, et al)
– release in leech CNS 162:405 (Belanger JH, Orchard I)
–, role in locust muscle kinetics 162:827 (Malamud J, et al)
Octopus, navigation 168:491 (Mather JA)
Ocular, see also eye
– accommodation in barn owls 168:299 (Howland HC, et al); 169:515 (Wagner H, Schaeffel F)
– circadian pacemaker, action of FMRFamide on mollusc – 170:211 (Colwell CS, et al)
– – – in a mollusc 161:335 (MacMahon DG, Block GD); 161:347 (MacMahon DG, Block GD)
– pacemaker, light and serotonin effects on mollusc – 167:841 (Colwell CS)

Oculomotor responses in *Daphnia* 166:411 (Consi TR, et al)
Odonata, see *Aeshna*, *Hemicordulia*
Odontodactylus, eye movements 167:155 (Land MF, et al)
Odor, chemoreception of host volatiles by bark beetles 161:705 (Tømmerås BÅ, Mustaparta H)
– discrimination, similarity of reaction spectra in insects 161:867 (Kafka WA)
– experience, influence on mouse bulbar EEG response 163:771 (Schmidt U, Eckert M)
Oil droplets in avian cones 165:415 (Partridge JC)
– –, microspectrophotometry of duck – 162:225 (Jane SD, Bowmaker JK)
Olfactory bulb neurons, physiology of rabbit – 170:145 (Buffler J, et al); 170:153 (Buffler J, et al)
– interneurons in crayfish 163:777 (Derby CD, Blaustein DN); 164:231 (Arbas EA, et al)
– – in larval sphinx moth brain 167:309 (Itagaki H, Hildebrand JG)
– memory in fly mutants 162:101 (Dudai Y, et al)
– neurons in moth protocerebrum 168:281 (Kanzaki R, et al); 169:1 (Kanzaki R, et al)
– pathway of the cockroach 161:549 (Boeckh J, Ernst K-D)
– reaction spectra, similarity of – in insects 161:867 (Kafka WA)
– receptor responses to pheromones in moths 169:249 (Almaas TJ, et al)
– sensitivity to food odour in fruit bat 166:395 (Laska M)
– specificity of goldfish to steroidal pheromone 166:373 (Sorensen PW, et al)
– system, response of salamander – to chemical stimuli 164:55 (Silver WL, et al)
Oligochaetes, aquatic, escape reflexes in – 161:729 (Zoran MJ, Drewes CD)
Omega neuron, temperature effects on responses of cricket – 164:443 (Janiszewski J, Otto D)
Omocestus, auditory response modulation 167:847 (Hedwig B)
–, metathoracic interneurons during stridulation 163:813 (Gramoll S)
Oncorhynchus, rhythmic EMGs in sexual behavior 165:293 (Matsushima T, et al)
–, vibrational communication 168:417 (Satou M, et al)
Oncorhyncus, orientation to partially polarized light 167:691 (Hawryshyn CW, Bolger AE)
Onitis, superposition eye 167:785 (Warrant EJ, McIntyre PD); 167:805 (Warrant EJ, McIntyre PD); 167:817 (Warrant EJ, et al)
On-off units, temporal adaptation of – in blowfly lamina 168:631 (Jansonius NM, Hateren JH van)
Ontogenesis, see also development
– of bat auditory fovea 167:757 (Rübsamen R, Schäfer M)
– of bat echolocation system 161:899 (Rübsamen R); 165:755 (Rübsamen, et al)
– of central auditory frequency maps 170:129 (Rübsamen R)
– of chiropteran flight 168:675 (Powers LV, et al)
Operant behavior, basis of fly – 169:699 (Wolf R, Heisenberg M)
Opercularis muscle, role in frog vibration reception 163:43 (Hetherington TE)
Opioid-mediated behavior, effects of magnetic fields on snail – 162:551 (Kavaliers M, Ossenkopp K-P)
Opsanus, lateral line efferent system 169:25 (Tricas TC, Highstein SM)
Optic lobe, circadian pacemakers in cricket – 169:291 (Tomioka K, et al)
– –, male-specific neurons in fly – 169:379 (Strausfeld NJ); 169:395 (Gilbert C, Strausfeld NJ); 169:413 (Gronenberg W, Strausfeld NJ)
– –, medullar interneurons in cockroach – 167:745 (Kelly KM, Mote MI)
– –, neurones in locust – 161:477 (Rind FC)
– tectum, evoked activity in tadpole – 167:377 (Debski EA, Constantine-Paton M)
– –, inputs of toad medullary reticular neurons from – 166:7 (Matsushima T, et al)
– –, local motion processing in toad – 169:569 (Satou M, Shiraishi A)
– –, slow potential shifts in frog – 170:237 (Roitbak AI, et al)
Optical motion information 161:533 (Reichardt W)
– techniques, intracellular, in study of crustacean vision 164:737 (Cronin TW)
Optics of butterfly eye 162:341 (Nilsson D-E, et al)
– of toad eye 163:201 (Mathis U, et al)
Optokinesis in mantis shrimps 168:233 (Cronin TW, et al)
Optomotor response in flying locust 166:685 (Hensler K, Robert D); 166:735 (Miall RC)
– –, pheromone-modulated, in gypsy moth 167:699 (Willis MA, Cardé RT); 167:707 (Olberg RM, Willis MA)
– –, role of fly LMCs in – 166:23 (Coombe PE, et al)
– –, steering muscles controlling fly – 165:719 (Egelhaaf M)
– yaw torque, reafferent control of fly – 163:373 (Heisenberg M, Wolf R)
Orb web, spiral orientation of spider – 162:413 (Vollrath F)
Orientation, attraction of frogs to chorus sounds 163:795 (Gerhardt HC, Klump GM)
– behavior, operant, in fruitfly 169:699 (Wolf R, Heisenberg M)
–, cell assembly mediating cockroach escape behavior 165:83 (Camhi JM, Levy A)
–, chemotaxis in *Aplysia* 170:281 (Teyke T, et al)
– discrimination in bees 167:649 (Hateren JH van, et al)
–, effect of fluctuations in geomagnetic field on pigeon – 163:593 (Kowalski U, et al)
–, gravitaxis in *Paramecium* 168:1 (Machemer H, et al)
–, hippocampal ablated homing pigeons 163:559 (Bingman VP, et al)
–, host finding by ticks 170:665 (Steullet P, Guerin PM); 170:677 (Steullet P, Guerin PM)
–, how honeybees measure distance 165:605 (Srinivasan MV, et al)
–, how ladybirds approach nearby stalks 163:355 (Collett TS)
–, landing system of fly 163:167 (Borst A, Bahde S)
–, learning and remembering the environment in blind cave fish 164:655 (Teyke T)
–, localization in cricket phonotaxis 165:165 (Stabel J, et al)
–, navigation in octopuses 168:491 (Mather JA)
–, neural models of the external world 161:511 (Wehner R)
–, odor-modulated upwind flight in moths 169:427 (Willis MA, Arbas EA)
– of bumblebees to flower signals 166:827 (Lunau K)
– of displaced toads 161:715 (Sinsch U)
– of sandhoppers on dynamic shores 162:453 (Ugolini A, Scapini F)
–, optokinesis in mantis shrimps 168:233 (Cronin TW, et al)
–, phonotaxis of one-eared crickets 161:583 (Huber F); 162:715 (Schmitz B, et al); 164:343 (Schmitz B); 170:357 (Kohne R, et al)
–, phototaxis in a nematode 167:245 (Burr AHJ, et al); 167:257 (Burr AHJ, Babinszki CPF)
–, plasticity of fly landing response 169:323 (Waldvogel F-M, Fischbach K-F)
–, plasticity in sandhopper sun – 163:739 (Scapini F, et al)
–, retinal elevation as cue to distance in frogs 163:677 (Collett TS, Udin SB)
–, retrieval of bee visuo-spatial memories 163:145 (Collett TS, Kelber A)
–, route following in desert ants 170:435 (Collett TS, et al)
–, song recognition and localization in cricket 168:213 (Doherty JA)
–, sun compass – in scrub jays 164:717 (Wiltschko W, Balda RP)
–, sun compass navigation using polarized light in shrimp 169:479 (Goddard SM, Forward RB Jr)
– to polarized light by trout 166:565 (Hawryshyn CW, et al); 167:691 (Hawryshyn CW, Bolger AE)
–, use of landmarks by pigeons 162:815 (Cheng K); 166:857 (Cheng K)
–, use of visual information by foraging fly 168:365 (Conlon D, Bell WJ)
–, use of visual landmarks by honeybees 161:469 (Cheng K, et al)
–, visual afferences to fly flight steering muscles 165:719 (Egelhaaf M)
–, visual lateral fixation and tracking in a bug 167:527 (Lazzari C, Varjú D)
–, visual stabilization of bee hovering flight position 167:569 (Kelber A, Zeil J)
–, visual steering by flying locusts 164:13 (Robert D)
–, visually controlled station-keeping by guard bees 165:711 (Zeil J, Wittmann D)
–, visually guided, toward prey in toads 163:1 (Finkenstädt T, Ewert J-P)
–, wind- of walking carrion beetles 164:775 (Heinzel H-G, Böhm H); 169:671 (Böhm H, et al)
Orthoptera, see bushcricket, cricket, grasshopper, locust, mantis, stick insect

Oryctolagus, see also rabbit
–, photoperiodicity in females 167:225 (Hudson R, Distel H)
Oscillation, myogenic, in mantis shrimp 169:737 (Tazaki K, Chiba C)
Oscillator, neuronal, modulation of endogenous – in electric fish 165:731 (Kawasaki M, Heiligenberg W)
Oscillators, damped, in fly photoperiodism 163:365 (Saunders DS, Lewis RD)
–, hemiganglionic, for grasshopper stridulation 164:723 (Ronacher B)
–, interacting, in crustacean stomatogastric ganglion 167:23 (Cardi P, et al)
Ovarian recrudescence, mating-induced, in garter snake 166:629 (Mendonça MT, Crews D)
Ovis, photoperiodic timing of breeding season 166:835 (Wayne NL, et al)
Owl, see *Tyto*
Oxygen, effect on cockroach electroantennogram 170:651 (Kapitskii SV, Gribakin FG)

P

Pacemaker, circadian, development in cockroach 165:41 (Barrett RK, Page TL); 165:51 (Page TL, Barrett RK)
– cells, membrane conductance changes in mollusc – 166:589 (Ralph MR, Block GD)
– entrainment in hamster activity rhythms 164:165 (Rusak B, et al)
– nucleus of electric fish in vitro 168:521 (Dye J)
– –, neuronal control of EOD-modulations in – 169:441 (Keller CH, et al)
–, ocular, see ocular pacemaker
Pacifastacus, functional organization of lamina ganglionaris 161:131 (Wang-Bennett LT, Glantz RM); 161:147 (Wang-Bennett LT, Glantz RM)
–, multiple types of electrical synapses 169:707 (Heitler WJ, et al)
–, thoracic output of giant fibres 166:117 (Heitler WJ, Fraser K); 166:125 (Fraser K, Heitler WJ)
Pagothenia, central vestibular physiology 166:407 (Montgomery JC, et al)
–, lateral line sensory function 163:827 (Montgomery JC, et al)
Palaemonetes, underwater polarotaxis 169:479 (Goddard SM, Forward RB Jr)
Pandinus, sleep-like state 163:227 (Tobler I, Stalder J)
Panulirus, burst formation in cardiac ganglion 161:389 (Tameyasu T)
–, ionic dependence of burster neuron activity 170:201 (Johnson BR, et al)
Papilio, motion-sensitive neurons in medulla 169:355 (Ibbotson MR, et al)
Paralabrax, Edinger-Westphal nucleus 162:511 (Wathey JC)
Paramecium, gravikinesis 168:1 (Machemer H, et al)
–, hyperpolarization-activated ciliary beating 170:723 (Nakaoka Y, Iwatsuki K)
–, localization of photosensitivity 165:637 (Nakaoka Y)
–, responses to L-glutamic acid 164:75 (Preston RR, Usherwood PNR)
–, role of cyclic nucleotides and Ca in ciliary beating 166:401 (Nakaoka Y, Machemer H)
Pararge, color stimuli and behavior 161:891 (Scherer C, Kolb G)
Paruroctonus, water detection 170:623 (Gaffin DD, et al)
Passer, entrainment to feeding cycles 170:403 (Hau M, Gwinner E)
Pattern recognition in bees 167:649 (Hateren JH van, et al)
Peptides, vasopressin-like, in locust neurons 168:605 (Thompson KSJ, et al); 168:619 (Thompson KSJ, Bacon JP)
Peptidergic control of locust visceral muscle 168:383 (Lange AB, et al)
– motoneurons in mollusc buccal ganglia 168:323 (Church PJ, et al)
– regulation of *Limulus* midgut 170:631 (Groome JR, et al)
Periplaneta, activity dependence of neuronal plasticity 162:781 (Volman SF, Camhi JM)
–, activity modulation in cercal system 163:479 (Goldstein RS, Camhi JM)
–, cell assembly mediating escape behavior 165:83 (Camhi JM, Levy A)
–, cholinergic sensitivity of a presynaptic terminal 161:215 (Blagburn JM, Sattelle DB)
–, effect of biogenic amines on escape circuitry 168:103 (Goldstein RS, Camhi JM)
–, electroantennogram 170:651 (Kaptskii SV, Gribakin FG)
–, escape movements 163:317 (Camhi JM, Levy A)
–, feedback loops and giant interneurons in flight 165:651 (Libersat F, et al)
–, filiform afferent input onto giant interneurons 166:133 (Blagburn JM)
–, filter characteristics of cercal afferents 169:653 (Kondoh Y, et al)
–, flight modulation by giant interneurons 170:379 (Libersat F)
–, medullar interneurons 167:745 (Kelly KM, Mote MI)
–, olfactory pathway 161:549 (Boeckh J, Ernst K-D)
–, phentolamine action on mechanoreceptors 167:475 (Ramirez J-M, Pearson KG)
–, pheromone-sensitive neurons in deutocerebrum 167:321 (Hösl M)
–, sensory adaptation of a mechanoreceptor 161:275 (French AS)
–, supernumerary cercal afferents 169:607 (Blagburn JM, et al)
–, synaptic efficacy in cercal system 167:363 (Hamon A, et al)
–, tactile spine recordings 169:471 (Stockbridge LL, French AS)
–, white noise analysis in an interneuron 168:429 (Kondoh Y, et al)
Peromyscus, differential effects of melatonin 169:501 (Blank JL, Freeman DA)
Petromyzon, control of respiration 166:675 (Thompson KI)
Pharyngeal motoneurons, food-induced firing patterns in *Aplysia* – 161:799 (Nagahama T, Takata M)
Phase-shifts, activity-induced, in hamster circadian rhythms 165:811 (Reebs SG, et al); 165:819 (Reebs SG, Mrosovsky N)
Phasmida, flight motor pattern 168:483 (Kutsch W, Kittmann R)
Phenolic acids, chemoreception of – in caterpillars 166:889 (Loon JJA van)
Phentolamine, deafferentiation of locust flight system by – 167:485 (Ramirez J-M, Pearson KG)
–, local anesthetic action on insect mechanoreceptors 167:475 (Ramirez J-M, Pearson KG)
Pheromone, alarm – of African honeybees 163:401 (Whiffler LA, et al)
– emission, photoperiodicity of female rabbit – 167:225 (Hudson R, Distel H)
– -modulated moth optomotor response 167:699 (Willis MA, Cardé RT); 167:707 (Olberg RM, Willis MA)
– perception in pine sawfly 168:533 (Hansson BS, et al)
–, perception of component ratios by leafroller moths 163:641 (Akers RP, O'Connell RJ)
– plume, gypsy moth flight in – 167:699 (Willis MA, Cardé RT)
– processing olfactory pathways, neurons in moth – 169:1 (Kanzaki R, et al)
– receptor cells in moths 165:139 (Meng LZ, et al); 165:147 (Kaissling K-E, et al); 165:281 (Rumbo ER, Kaissling K-E)
– – neurons, sensitivity of moth – 168:739 (Mankin RW, et al)
– receptors, adaption in moth – 170:691 (Borroni PF, O'Connell RJ)
– -sensitive neurons in cockroach deutocerebrum 167:321 (Hösl M)
–, steroidal, olfactory specificity of goldfish to – 166:373 (Sorensen PW, et al)
Pheromones, chemical communication in heliothine moths 169:249 (Almaas TJ, et al); 169:275 (Vickers NJ, et al)
–, effect of queen – on honeybee wax secretion and comb building 169:209 (Whiffler LA, Hepburn HR)
–, excitation of moth projection neurons by – 165:427 (Kanzaki R, et al)
–, kin recognition in honeybees 164:83 (Moritz RFA, Crewe RM)
–, odor-modulated upwind flight in sphinx moths 169:427 (Willis MA, Arbas EA)
Phidippus, principal retina 162:47 (Blest AD, et al)
Phodopus, circadian rhythmicity and photoperiodic nonresponsiveness 162:309 (Puchalski W, Lynch GR)
–, daily torpor 161:245 (Elliott JA, et al); 168:121 (Kirsch R, et al); 168:477 (Ouarour A, et al)
–, effects of cold on pineal N-acetyltransferase activity 168:599 (Stieglitz A, et al)
–, genetics of photoresponsiveness 164:475 (Lynch GR, et al)
–, photoreceptors in pineal and retina 165:565 (Foster RG, et al)
–, splitting in circadian rhythm 169:185 (Puchalski W, Lynch GR)
Phonation, see also calling, sound production, stridulation, vocalization
–, effect of tracheal length in cranes on – 161:43 (Gaunt AS, et al)
Phonotactic steering and flight motor patterns in crickets 164:219 (Wang S, Robertson RM)

– – by ultrasound in flying crickets 164:243 (May ML, et al)
Phonotaxis, attractiveness of male calling song to female crickets 164:277 (Stout JF, McGhee R); 169:751 (Walikonis R, et al)
–, function of cricket auditory neurons in – 163:621 (Schildberger K, Hörner M); 163:633 (Schildberger K, et al)
– in duetting bushcrickets 164:621 (Zimmermann U, et al)
–, localization in cricket – 165:165 (Stabel J, et al)
– of frogs to chorus sounds 163:795 (Gerhardt HC, Klump GM)
– of intact and one-eared crickets 165:615 (Schildberger K, Kleindienst H-U)
– of one-eared crickets 161:583 (Huber F); 162:715 (Schmitz B, et al); 164:343 (Schmitz B); 170:357 (Kohne R, et al)
–, role of ascending auditory interneurons in cricket – 170:363 (Atkins G, et al)
–, song recognition and localization in cricket – 168:213 (Doherty JA)
– in tree frog 169:177 (Jørgensen MB, Gerhardt HC)
Phormia, uncoupling of receptor sites in water receptor 163:413 (Wieczorek H, et al)
Phosphoethanolamine, excitability of rat hippocampal neurons by – 161:461 (Zeise M, Lehmann A)
Photic regulation of trout pineal melatonin 170:479 (Max M, Menaker M)
Photoconversion of fly visual pigment 165:75 (Roebroek JGH, et al)
Photoperiod, see also rhythmicity
– and starling circannual systems 165:35 (Gwinner E, et al)
–, effect on hamster hibernation 163:339 (Darrow JM, et al)
Photoperiodic changes, role in female rabbit pheromone emission 167:225 (Hudson R, Distel H)
– clock in fleshfly 170:121 (Saunders DS)
– –, metabolic correlates in insect – 166:785 (Lavialle M, Dumortier B)
– nonresponsiveness in Djungarian hamster 162:309 (Puchalski W, Lynch GR)
– time measurement in male lizard 167:231 (Underwood H, Hyde LL)
Photoperiodism in predatory mite 167:201 (Van Houten YM, Veerman A)
Photopigment, see also visual pigment
–, opsin-based, effects on mollusc circadian pacemaker 168:565 (Geusz ME, Page TL)
– of garter snake retina 170:701 (Jacobs GH, et al)
Photoreception, circadian, in retinally degenerate mouse 169:39 (Foster RG, et al)
Photoreceptor, calcium-sequestering ER in honeybee drone – 165:627 (Baumann O, Walz B)
–, caudal, triggering crayfish walking 166:745 (Simon TW, Edwards DH)
– characteristics in pineal and retina 165:553 (Foster RG, et al); 165:565 (Foster RG, et al)
– degeneration in fly phototransduction mutant 161:793 (Meyertholen EP, et al)
–, latency of response to inositol triphosphate in *Limulus* – 170:311 (Payne R, Flores TM)
–, light adaptation in fly – 169:299 (Sandler C, Kirschfeld K)
– optics of normal and mutant honeybee eye 164:123 (Gribakin FG)
– – and polarization sensitivity in insects 161:645 (Nilsson D-E, et al)
– organs, circadian, in *Limulus* 162:127 (Horne JA, Renninger GH); 162:133 (Hanna WJB, et al)
– physiology in white-eyed fly mutants 168:305 (Mojet MH, et al)
–, pigment system of fly – 7 yellow 162:421 (Kirschfeld K, et al)
– sensitivity, enhancement of – in honeybee drone 170:605 (Walz B)
Photoreceptors, avian cone oil droplets 165:415 (Partridge JC)
–, Ca is necessary for light excitation in barnacle – 170:427 (Werner U, et al)
–, effect of lanthanum on blowfly – 166:179 (Hochstrate P)
–, histamine as neurotransmitter in insect – 161:201 (Hardie RC)
–, hyperpolarizing, in giant clam eyes 163:73 (Wilkens LA)
–, in vitro recordings from *Limulus* – 164:95 (Kass L, et al)
–, light sensitivity of cricket – 164:597 (Zufall F, et al)
–, multiple spectral classes of stomatopod – 166:261 (Cronin TW, Marshall NJ)
–, ocellar, sensitizing pigment in fly – 163:421 (Kirschfeld K, et al)
–, peeled, calcium uptake in crayfish – 162:91 (Frixione E, Ruiz L)
–, photoreconvertible fluorophore systems in blowfly – 161:227 (Schlecht P, et al)
–, phototransductive membrane turnover in crab – 170:189 (Blest AD, et al)
–, responses from hymenopteran – 165:237 (Souza JM de, Ventura DF)
–, retinal and extraretinal, thresholds of catfish – 164:797 (Tabata M, et al)
–, short wavelength cones in goldfish 161:85 (Mackintosh RM, et al)
–, signal amplification in drone – 165:109 (Coles JA, Schneider-Picard G)
–, single photon responses in locust – 164:365 (Pece AEC, French AS)
–, sodium pump in blowfly – 162:285 (Hamdorf K, et al); 167:461 (Jansonius NM)
–, sublinear summation in locust – 170:729 (Pece AEC, French AS)
–, temporal resolving power of fly – 168:129 (Straka H, Ammermüller J)
–, UV-, in *Daphnia* compound eye 166:597 (Smith KC, Macagno ER)
–, visual pigments in deep-sea fish rods 162:543 (Partridge JC, et al)
Photosensitivity of lobster abdominal ganglion 168:513 (Maitland DP, et al)
–, localization in *Paramecium* 165:637 (Nakaoka Y)
Phototaxis in a nematode 167:245 (Burr AHJ, et al); 167:257 (Burr AHJ, Babinszki CPF)
Phototransduction mechanisms in *Limulus* photoreceptors 170:311 (Payne R, Flores TM)
– mutant *norpA* of *Drosophila* 161:785 (Wilson MJ, Ostroy SE); 161:793 (Meyertholen EP, et al)
Phototransductive membrane turnover in crab photoreceptors 170:189 (Blest AD, et al)
Pieris, chemoreception of phenolics 166:889 (Loon JJA van)
–, metabolic correlates in photoperiodic clock 166:785 (Lavialle M, Dumortier B)
Pigeon, see also *Columba*
–, depth resolution 163:33 (Martinoya C, et al)
–, hippocampal ablation and homing 163:559 (Bingman VP, et al)
–, infrasound sensitive neurons 166:355 (Schermuly L, Klinke R)
–, magnetic field orientation 163:593 (Kowalski U, et al)
–, melatonin infusions and circadian rhythms 170:615 (Chabot CC, Menaker M)
–, responses of tectal cells to kinematograms 162:639 (Frost BJ, et al)
–, role of melatonin in circadian rhythms 166:217 (Oshima I, et al)
Pigment, sensitizing, in fly ocellar photoreceptors 163:421 (Kirschfeld K, et al)
–, visual, see visual pigment
Pigments, screening, in normal and mutant bee eyes 164:123 (Gribakin FG)
–, –, in firefly eyes 162:23 (Lall AB, et al)
Pine sawfly, see *Neodiprion*
Pineal gland, fighting effects on melatonin formation in gerbil – 164:91 (Heinzeller Th, et al)
– –, hypothalamic regulation of chick – 167:187 (Cassone VM, et al)
– –, modulation of neural activity by melatonin in trout – 167:641 (Meissl H, et al)
– –, photic regulation of melatonin in trout – 170:479 (Max M, Menaker M)
– –, photoreceptor characteristics in avian and mammalian – 165:553 (Foster RG, et al); 165:565 (Foster RG, et al)
– –, role in desert iguana circadian organization 166:803 (Janik DS, Menaker M)
– –, role in lizard circadian rhythmicity 169:201 (Foà A)
– –, role in pigeon melatonin circadian rhythms 164:25 (Foà A, Menaker M)
– –, temperature effects on N-acetyltransferase activity 168:599 (Stieglitz A, et al)
– NAT rhythm in rat 161:495 (Illnerová H, Vaněček J)
Pinealectomy, effect on spotted munia annual cycles 164:117 (Chandola-Saklani A, et al)
Pipistrellus, echolocation and hunting behavior 161:267 (Schnitzler H-U, et al)
–, energy cost of echolocation 165:679 (Speakman JR, et al)
–, target discrimination 163:349 (Sum YW, Menne D)
Piranha, see *Serrasalmus*
Pisces, amino acid and betaine taste receptor sites in *Fugu* 169:523 (Kiyohara S, Hidaka I)
–, amino acid reception in *Ictalurus* facial taste system 168:201 (Wegert S, Caprio J)
–, bursting activity of *Acerina* lateral line 166:585 (Wubbels RJ, et al)
–, central processing of sensory information in electric fish 161:621 (Heiligenberg W)

Pisces, central vestibular physiology in *Pagothenia* 166:407 (Montgomery JC, et al)
–, color vision in *Lepomis* 164:107 (Hawryshyn CW, et al)
–, conspecific EOD detection in *Sternopygus* 170:335 (Fleishman LJ); 170:349 (Fleishman LJ, et al)
–, control of *Sternopygus* pacemaker modulations 169:441 (Keller CH, et al)
–, development of JAR in *Eigenmannia* 169:15 (Viete S, Heiligenberg W)
–, discrete motor representations in *Eigenmannia* diencephalon 164:565 (Keller CH, Heiligenberg W)
–, Edinger-Westphal nucleus of *Paralabrax* 162:511 (Wathey JC)
–, effect of androgens on EOD frequency in *Sternopygus* 161:417 (Mills A, Zakon HH)
–, effects on stimulus for *Anoptichthys* lateral line organ 163:53 (Teyke T)
–, electrogenic Na-K pump in *Plotosus* electroreceptor 164:589 (Sugawara Y)
–, electrolocation of *Apteronotus* 161:811 (Bastian J); 161:825 (Bastian J)
–, electrophysiology of *Gymnotus* abdominal electrocytes 162:141 (Lorenzo D, et al)
–, electrosensory lateral line lobe brain slice of *Apteronotus* 163:489 (Mathieson WB, Maler L)
–, electrosensory processing in *Eigenmannia* brain 170:253 (Rose GJ, Call SJ)
–, entrainment of *Salmo* circannual maturation rhythm 164:259 (Duston J, Bromage N)
–, EOD frequency and steroid levels in *Sternopygus* 169:493 (Zakon HH, et al)
–, GABAergic inhibition in *Eigenmannia* lateral line lobe 164:391 (Shumway CA, Maler L)
–, hearing and sound production in *Serrasalmus* 162:67 (Stabentheiner A)
–, hearing in *Anguilla* 165:455 (Jerkø H, et al)
–, hydrodynamic events caused by moving 168:749 (Bleckmann H, et al)
–, intracellular recording in *Apteronotus* medullary nucleus 161:187 (Dye J, Heiligenberg W)
–, in vitro chirpitas in *Apteronotus* 163:445 (Dye J)
–, in vitro study of *Apteronotus* pacemaker nucleus 168:521 (Dye J)
–, lateral line efferent system in *Opsanus* 169:25 (Tricas TC, Highstein SM)
–, lateral line mechanoreceptive regions in *Platyrhinoidis* brain 161:67 (Bleckmann H, et al); 164:459 (Bleckmann H, et al)
–, lateral line sensory function in *Pagothenia* 163:827 (Montgomery JC, et al)
–, learning and remembering the environment in *Anoptichthys* 164:655 (Teyke T)
–, medullary electrosensory processing in *Raja* 167:285 (New JG); 167:295 (New JG, Bodznik D)
–, melatonin modulates *Salmo* pineal neuronal activity 167:641 (Meissl H, et al)
–, modulation of *Hypopomus* endogenous neuronal oscillator 165:731 (Kawasaki M, Heiligenberg W)
–, neurotransmitters in *Raja* Lorenzinian ampulla 168:639 (Akoev G, et al); 168:647 (Akoev G, et al)
–, nucleus electrosensorius of *Eigenmannia* 169:151 (Heiligenberg W, et al)
–, object-discrimination in electrolocating *Gnathonemus* 167:413 (Emde G von der)
–, olfactory specificity to a pheromone in *Carassius* 166:373 (Sorensen PW, et al)
–, orientation of *Oncorhyncus* to polarized light 167:691 (Hawryshyn CW, Bolger AE)
–, orientation to polarized light by *Salmo* 166:565 (Hawryshyn CW, et al)
–, pacemaker control in *Apteronotus* 161:175 (Dye J)
–, photic environment and visual pigments in *Semotilus* and *Catostomus* 164:707 (Heinermann PH, Ali MA)
–, photic regulation of *Salmo* pineal melatonin 170:479 (Max M, Menaker M)
–, prepacemaker neurons in *Eigenmannia* brain 162:13 (Kawasaki M, Heiligenberg W); 162:759 (Rose GJ, et al)
–, pyramidal cell adaptation in *Apteronotus* ELL 168:393 (Bastian J, Courtright J)
–, retinal and extraretinal vision in *Silurus* 164:797 (Tabata M, et al)
–, rhythmic EMGs in *Oncorhynchus* sexual behavior 165:293 (Matsushima T, et al)
–, seasonal variation in *Scardinius* visual sensitivity 166:103 (Whitmore AV, Bowmaker JK)
–, sensitivity of *Cottus* lateral line 167:557 (Coombs S, Janssen J)
–, sensory interaction with respiratory generator in *Scyliorhinus* 162:695 (Roberts BL, Ballintijn CM)
–, sex recognition in *Hypopomus* 163:465 (Shumway CA, Zelick RD)
–, short-wavelength cones in goldfish 161:85 (Mackintosh RM, et al)
–, signal coding in *Eigenmannia* electric communication 169:135 (Metzner W, Heiligenberg W)
–, signal discrimination in *Sternopygus* 168:461 (Rose GJ, Canfield JG)
–, small-cell simulations in *Eigenmannia* 169:117 (Lytton WW)
–, social rank and brain monoamines in *Salvelinus* 168:241 (Winberg S, et al)
–, socially induced change in *Salvelinus* brain serotonin 170:93 (Winberg S, et al)
–, spinal mechanisms of EOD synchronization in *Gymnotus* 167:447 (Lorenzo D, et al)
–, spiracular organ of elasmobranchs 163:85 (Barry MA, et al); 163:93 (Barry MA, et al)
–, stimulus discrimination in *Eigenmannia* diencephalon 162:747 (Keller CH)
–, texture perception in *Betta* 169:51 (Bando T)
–, vibrational communication in *Oncorhynchus* 168:417 (Satou M, et al)
–, visual pigment changes in juvenile *Pollachius* 163:699 (Shand J, et al)
–, visual pigments in deep-sea fish 162:543 (Partridge JC, et al); 163:685 (Bowmaker JK, et al); 164:513 (Partridge JC, et al)
–, visual processing in *Carassius* 168:581 (Ohnishi K)
–, waveform generation of *Gymnotus* EOD 165:343 (Trujillo-Cenóz O, Echagüe JA); 165:353 (Macadar O, et al); 165:361 (Caputi A, et al)
Plasticity of fly landing response 169:323 (Waldvogel F-M, Fischbach K-F)
– of locust auditory system 166:553 (Lakes R, et al)
Plateau potentials, TTX sensitive, in crayfish stretch receptor neuron 168:313 (Barrio LC, et al)
Platyrhinoidis, lateral line mechanoreceptive regions in brain 161:67 (Bleckmann H, et al); 164:459 (Bleckmann H, et al)
Plecotus, auditory and directional sensitivity 165:269 (Coles RB, et al)
Plethodontidae, nucleus isthmi 169:165 (Wiggers W, Roth G)
Plexippus, principle retina 162:47 (Blest AD, et al)
–, turning reactions 163:585 (Komiya M, et al)
Plotosus, electrogenic Na-K pump in electroreceptor 164:589 (Sugawara Y)
Podarcis, circadian organization 169:201 (Foà A)
Polarization sensitivity and insect photoreceptor optics 161:645 (Nilsson D-E, et al)
– – of trout 166:565 (Hawryshyn CW, et al)
– vision in aquatic insects 169:531 (Schwind R)
– – in crickets 165:315 (Herzmann D, Labhart T)
– – of housefly 167:737 (Philipsborn A von, Labhart T)
Polarized light, orientation to – 161:511 (Wehner R)
– –, orientation of trout to – 167:691 (Hawryshyn CW, Bolger AE)
– – pattern, underwater, role in shrimp sun compass navigation 169:479 (Goddard SM, Forward RB Jr)
– – sensitivity of cricket photoreceptors 164:597 (Zufall F, et al)
Pollachius, visual pigment changes in juveniles 163:699 (Shand J, et al)
Pollack, see *Pollachius*
Polyorchis, dopamine receptors 169:599 (Chung J, Spencer AN)
Porphyropsins in deep-sea fishes 163:685 (Bowmaker JK, et al)
Postural motor system interactions in crayfish abdomen 163:187 (Moore D, Larimer JL)
– reactions in locust hindleg 170:761 (Zill SN, et al)
Potassium in arthropod receptor lymph 161:329 (Grünert U, Gnatzy W)
– and slow potential shifts in frog optic tectum 170:327 (Roitbak AI, et al)
– channels in blowfly LMCs 167:723 (Hardie RC, Weckström M)
– inactivation in cockroach mechanoreceptor 161:275 (French AS)
– sensitivity of frog labyrinthine receptors 162:173 (Valli P, et al)
Potential, graded, in fly visual system 166:437 (Hateren JH van, Laughlin SB)
Praying mantis, see *Mantis*, *Sphodromantis*
Premotor centers, hemiganglionic, in locusts 163:749 (Wolf H, et al)
– neurons, role in generation of *Aplysia* jaw motoneuron firing patterns 166:143 (Nagahama T, Takata M); 166:277 (Nagahama T, Takata M)

Prey attack in crayfish 165:99 (Varjú D)
– capture, muscle function during salamander – 167:827 (Reilly SM, Lauder GV)
– detection by echolocating bats 161:59 (Ryan MJ, Tuttle MD); 167:423 (Emde G von der, Schnitzler H-U)
– localization, underwater, by reef heron 165:573 (Katzir G, et al)
Procambarus, abdominal positioning interneurons 165:461 (Murphy BF, et al)
–, action of GABA on medulla interneurons 168:373 (Pfeiffer-Linn C, Glantz RM)
–, bilateral non-spiking interneurons 163:601 (Nagayama T, Hisada M)
–, calcium uptake by retinal SER 162:91 (Frixione E, Ruiz L)
–, chromophore content in rhabdoms 165:589 (Eguchi E, et al)
–, effects of octopamine on escape reaction 169:369 (Bustamante J, Krasne FB)
–, functional organization of lamina ganglionaris 161:131 (Wang-Bennett LT, Glantz RM); 161:147 (Wang-Bennett LT, Glantz RM)
–, gate control of descending statocyst-motor pathway 170:463 (Takahata M, Murayama M)
–, light-evoked walking 166:745 (Simon TW, Edwards DH)
–, monosynaptic reflex in walking legs 168:337 (El Manira A, et al)
–, neuronal control of equilibrium response 170:291 (Nakagawa H, Hisada M)
–, nonspiking giant interneurons 162:705 (Okada Y, Yamaguchi T)
–, olfactory interneurons 163:777 (Derby CD, Blaustein DN); 164:231 (Arbas EA, et al)
–, plasticity in phasic motor axon 161:367 (Pahapill PA, et al)
–, postural motor system interactions 163:187 (Moore D, Larimer JL)
–, protein synthesis in retina 163:253 (Hafner GS, Tokarski TR)
–, swimmeret and abdominal movement control 170:739 (Murchison D, Larimer JL)
–, synaptic plasticity at neuromuscular junctions 165:371 (Bittner GD, Segundo JP)
–, TTX sensitivity of stretch receptor neuron 168:313 (Barrio LC, et al)
–, uropod righting reaction 164:685 (Newland PL)
–, visual control of turning 163:175 (Copp NH, Watson D)
Promotor neurone in crayfish 166:117 (Heitler WJ, Fraser K); 166:125 (Fraser K, Heitler WJ)
Proprioception, range fractionation in locust chordotonal organ 170:509 (Matheson T)
–, sensory physiology of locust chordotonal organ 166:915 (Matheson T)
Proprioceptive leg reflexes and motor rhythms in crab 168:445 (Head SI, Bush BMH)
Proprioceptors, positive feedback from locust – 163:425 (Burrows M, Pflüger HJ)
Protein, venom – of African honeybees 163:401 (Whiffler LA, et al)
– phosphorylations in crab photoreceptors 170:189 (Blest AD, et al)
– synthesis, diurnal pattern in crayfish retina 163:253 (Hafner GS, Tokarski TR)
Protocerebrum, olfactory neurons in moth – 168:281 (Kanzaki R, et al); 169:1 (Kanzaki R, et al)
Protozoa, cirral movement activation by Ca in *Stylonychia* 168:687 (Mogami Y, Machemer H)
–, current components in *Didinium* 164:551 (Pernberg J, Machemer H)
–, cyclic nucleotides and Ca in *Paramecium* ciliary beating 166:401 (Nakaoka Y, Machemer H)
–, gravikinesis in *Paramecium* 168:1 (Machemer H, et al)
–, L-glutamate-induced hyperpolarization of *Paramecium* membrane 164:75 (Preston RR, Usherwood PNR)
–, localization of photosensitivity in *Paramecium* 165:637 (Nakaoka Y)
–, mechanoreceptors in *Stentor* 165:229 (Wood DC)
–, membrane potentials in *Noctiluca* 162:179 (Oami K, et al)
Pseudemys, membrane currents of ganglion cells 167:11 (Lasater EM, Witkovsky P)
Pseudosquilla, spectral classes of photoreceptors 166:261 (Cronin TW, Marshall NJ)
Pteronotus, cochlear nucleus tonotopy 166:695 (Kössl M, Vater M)
–, cochlear resonance 166:711 (Kössl M, Vater M)
–, representation of vocal frequency in ACg 161:283 (Gooler DM, O'Neil WE)
–, spatial processing in echolocation system 170:57 (Fuzessery ZM, et al)
Pterothoracic ganglion, unit responses to acoustic stimuli in noctuoid moths 165:253 (Coro F, Alonso N)
Puffer, see *Fugu*
Pupil mechanism in fly eye 166:537 (Roebroek JGM, Stavenga DG)
– trigger in insect superposition eyes 170:217 (Nilsson D-E, et al)
Purinergic receptors in mosquitoes 163:665 (Galun R, et al)
Pyloric muscles, burst generation in mantis shrimp – 169:737 (Tazaki K, Chiba C)
Pyramidal cell adaptation in electric fish ELL 168:393 (Bastian J, Courtright J)

Q

Quail, see also *Coturnix*
–, rhythm in LH secretion 161:315 (Konishi H, et al)
Queen substance and kin recognition in honeybees 164:83 (Moritz RFA, Crewe RM)
Quinones, resemblance of insect fluorophore systems with – 165:789 (Juse A, et al)

R

Rabbit, see also *Oryctolagus*
–, physiology of olfactory bulb neurons 170:145 (Buffler J, et al); 170:153 (Buffler J, et al)
Raja, medullary electrosensory processing 167:285 (New JG); 167:295 (New JG, Bodznik D)
–, neurotransmitters in Lorenzinian ampulla 168:639 (Akoev G, et al); 168:647 (Akoev G, et al)
–, spiracular organ 163:85 (Barry MA, et al); 163:93 (Barry MA, et al)
Rana, biomechanics of vibration reception 163:43 (Hetherington TE)
–, evoked activity in tadpole optic tectum 167:377 (Debski EA, Constantine-Paton M)
–, extratympanic sound transmission 161:659 (Wilczynski W, et al)
–, ipsilateral visual units 162:443 (Garcia R, et al); 164:377 (Garcia R, Gaillard F)
–, K-sensitivity in labyrinthine receptors 162:173 (Valli P, et al)
–, neural processing in torus semicircularis 163:301 (Diekamp B, Schneider H)
–, peripheral processing of complex sounds 166:489 (Schwartz JJ, Megela Simmons A)
–, phase locking in auditory nerve 170:589 (Schmitz B, et al)
–, response characteristics of saccular fibers 162:633 (Christensen-Dalsgaard J, Jørgensen MB)
–, retinal elevation as depth cue 163:677 (Collett TS, Udin SB)
–, seismic and auditory tuning in 8th nerve 169:241 (Yu X, et al)
–, slow potential shifts in optic tectum 170:327 (Roitbak AI, et al)
–, temporal processing of acoustic stimuli in SON 168:709 (Condon CJ, et al)
–, vibration sensitive 8th nerve fibers 169:341 (Jørgensen MB, Christensen-Dalsgaard J)
–, vibration-sensitive neurons in midbrain 164:495 (Christensen-Dalsgaard J, Jørgensen MB)
Range discrimination in echolocating bat 166:65 (Masters WM, Jacobs SC); 170:83 (Surlykke A)
– fractionation in locust chordotonal organ 170:509 (Matheson T)
Rat, excitability of hippocampal neurons 161:461 (Zeise M, Lehmann A)
–, melatonin and reentrainment of circadian rhythm 166:97 (Illnerová H, et al)
–, pineal N-acethyltransferase rhythm 161:495 (Illnervová H, Vaněček J)
–, tactile stimulation of nipples 170:645 (Karyakin MG, Alekseev NP)
Ray, see *Platyrhinoidis*
Receptor, elastic strand non-spiking, in crab 165:801 (Cannone AJ, Nijland MJM)
– -circuit, low-current, in beetle trap setae 165:779 (Gödde J, Hintzpeter U)
– potential absent, a fly visual mutant 165:333 (Torkkeli P, et al)
Reflex interactions in a nematode 169:59 (Rankin CH)
– modulation in locust walking 170:443 (Wolf H)
– responses, larval and pupal, in moth 165:743 (Waldrop B, Levine RB)
– system, sensory hysteresis in locust – 164:43 (Zill SN, Jepson-Innes K)
Regeneration, retinal, spiking cells in newt during – 170:411 (Kaneko Y, Saito T)
Reproduction, differential effects of melatonin on deermouse – 169:501 (Blank JL, Freeman DA)

Reptilia, all-cone retina of *Thamnophis* 170:701 (Jacobs GH, et al)
–, circadian locomotor rhythms in *Dipsosaurus* 166:803 (Janik DS, Menaker M); 166:811 (Janik DS, et al)
–, circadian organization in *Podarcis* 169:201 (Foà A)
–, crocodiles don't focus underwater 163:441 (Fleishman LJ, et al)
–, electrical properties of *Alligator* hair cells 164:151 (Fuchs PA, Evans MG)
–, focusing and accommodation in *Sphenodon* 170:263 (Schmid KL, et al)
–, mating-induced ovarian recrudescence in *Thamnophis* 166:629 (Mendonça MT, Crews D)
–, membrane currents of *Pseudemys* ganglion cells 167:11 (Lasater EM, Witkovsky P)
–, peripheral auditory processing in *Tiliqua* 167:89 (Manley GA, et al); 167:101 (Köppl C, Manley GA); 167:113 (Köppl C, Manley GA); 167:129 (Manley GA, et al); 167:139 (Köppl C, et al)
–, photoperiodic time measurement in *Anolis* 167:231 (Underwood H, Hyde LL)
–, spinal motor rhythms in *Testudo* 163:537 (Schomburg ED, Steffens H)
Resonance phenomena in bat cochlea 166:711 (Kössl M, Vater M)
Respiration, effect on electrosensory processing in skate brain 167:295 (New JG, Bodznik D)
–, effect on locust auditory receptors 162:237 (Hedwig B)
–, sensory interaction in dogfish during – 162:695 (Roberts BL, Ballintijn CM)
Respiratory behavior in pond snail 169:541 (Syed NI, et al); 169:557 (Syed NI, Winlow W)
– dynamics in singing bird 165:15 (Schurr Hartley R, Suthers RA)
– motor pattern in lampreys 166:675 (Thompson KI)
– pumping seizure in *Aplysia* 166:619 (Kanz JE, Quast WD)
Rest in honeybees 163:565 (Kaiser W)
– in scorpions 163:227 (Tobler I, Stalder J)
Retina, all-cone, of garter snake 170:701 (Jacobs GH, et al)
–, diurnal pattern of protein synthesis in crayfish – 163:253 (Hafner GS, Tokarski TR)
–, photoreceptor characteristics in avian and mammalian – 165:553 (Foster RG, et al); 165:565 (Foster RG, et al)
–, principal, of jumping spiders 162:47 (Blest AD, et al)
–, role in lizard circadian rhythmicity 169:201 (Foà A)
–, spectral mechanisms of tree squirrel – 162:773 (Blakeslee B, et al)
Retinal design in arthropod low F-number eyes 168:499 (Warrant EJ, McIntyre PD)
– elevation as depth cue in frog 163:677 (Collett TS, Udin SB)
– ganglion cells, membrane currents of turtle – 167:11 (Lasater EM, Witkovsky P)
– neurons, edge preference of toad – 161:295 (Tsai HJ, Ewert J-P)
– regeneration, excitability of spiking cells in newt during – 170:411 (Kaneko Y, Saito T)
Retinally degenerate mouse, circadian photoreception in – 169:39 (Foster RG, et al)
Retino-tectal projections in frogs 162:435 (Gaillard F, et al)
Retzius cells, membrane properties of leech embryonic – 164:645 (Schirrmacher K, Deitmer JW)
Review articles, see 168:151 (Norwich KH, Valter McConville KM); 170:129 (Rübsamen R)
Rhabdomeral membrane turnover in crab photoreceptors 170:189 (Blest AD, et al)
Rhinolophus, audiovocal interactions during development 167:771 (Rübsamen R, Schäfer M)
–, cerebro-cerebellar interactions 166:477 (Sun D, et al)
–, classification of insects by echolocation 167:423 (Emde G von der, Schnitzler H-U)
–, echolocation and auditory information processing 166:243 (Roverud RC); 166:251 (Roverud RC)
–, gating mechanisms in echolocation 169:109 (Neumann I, Schuller G)
–, insect wingbeat discrimination 164:663 (Emde G von der, Menne D)
–, ontogenesis of auditory fovea 167:757 (Rübsamen R, Schäfer M)
–, ontogenesis of echolocation system 161:899 (Rübsamen R)
–, production of sonar pulses 162:799 (Suthers RA, et al)
–, responses in inferior colliculus to SAM acoustic stimuli 161:305 (Reimer K)
–, superior colliculus 169:719 (Reimer K)
Rhodopsin content, daily changes in crab eye 161:161 (Arikawa K, et al)
Rhodopsins, paired, in deep-sea fishes 163:685 (Bowmaker JK, et al)
Rhythm, excitatory drive in leech swimming – 161:355 (Nusbaum MP, et al)
Rhythmicity, activity-induced phase shifts in hamster circadian rhythms 165:811 (Reebs SG, et al); 165:819 (Reebs SG, Mrosovsky N)
–, arrythmia in starling circannual systems 165:35 (Gwinner E, et al)
–, calcium channels mediate mollusc rhythm phase shifts 165:195 (Khalsa SBS, Block GD)
–, circadian entrainment to feeding cycles in sparrows 170:403 (Hau M, Gwinner E)
–, circadian function and photoperiodic nonresponsiveness in hamster 162:309 (Puchalski W, Lynch GR)
–, circadian organization in desert iguana 166:803 (Janik DS, Menaker M); 166:811 (Janik DS, et al)
–, circadian organization in ruin lizard 169:201 (Foà A)
–, circadian oscillation in guinea pig SCN 162:301 (Kurumiya S, Kawamura H)
–, circadian pacemaker development in cockroach 165:41 (Barrett RK, Page TL); 165:51 (Page TL, Barrett RK)
–, circadian pacemaker in *Bulla* eye 166:795 (Geusz ME, Page TL)
–, circadian pacemaker interactions in crickets 169:291 (Tomioka K, et al)
–, circadian photoreception in retinally degenerate mouse 169:39 (Foster RG, et al)
–, circadian rhythm in cockroach CNS 166:643 (Colwell CS, Page TL)
–, circadian, under constant light in hamster 169:185 (Puchalski W, Lynch GR)
–, circannual cycles in squirrels 167:683 (Mrosovsky N)
–, comparison of mite photo- and thermoperiodism 167:201 (Van Houten YM, Veerman A)
–, conductance changes in mollusc pacemaker cells 166:589 (Ralph MR, Block GD)
–, constant light induced arrythmicity in pigeon 163:459 (Yamada H, et al)
–, daily distribution of sleep in rooks 161:321 (Szymczak JT)
–, daily, in quail LH secretion 161:315 (Konishi H, et al)
–, daily torpor in hamster 161:245 (Elliott JA, et al); 168:121 (Kirsch R, et al); 168:477 (Ouarour A, et al)
–, damped circadian oscillators in fly photoperiodism 163:365 (Saunders DS, Lewis RD)
–, deprivation of food, water and rest in vole ultradian activity rhythms 168:591 (Gerkema MP, Leest F van der)
–, differential effects of melatonin in deermouse – 169:501 (Blank JL, Freeman DA)
–, effect of pinealectomy on spotted munia annual cycles 164:117 (Chandola-Saklani A, et al)
–, effects of melatonin infusions in pigeons 170:615 (Chabot CC, Menaker M)
–, efferent neurotransmission of circadian rhythms in *Limulus* eye 164:95 (Kass L, et al)
–, encoder of circadian changes in *Limulus* lateral eye 163:259 (Renninger GH, et al)
–, endogenous or exogenous circadian rhythms in honeybee 161:711 (Brady J)
–, entrainment of rat pineal NAT rhythm by prolonged light 161:495 (Illnerová H, Vaněček J)
–, entrainment of trout circannual maturation rhythm 164:259 (Duston J, Bromage N)
–, FMRFamide action on mollusc ocular circadian pacemakers 170:211 (Colwell CS, et al)
–, genetics of hamster photoresponsiveness 164:475 (Lynch GR, et al)
–, hoarding opportunity entrains hamsters 164:165 (Rusak B, et al)
–, hypothalamic regulation of chick pineal 167:187 (Cassone VM, et al)
– in tiger moth sound production 170:575 (Fullard JH)
–, learning in fly biological rhythm mutants 169:685 (Gailey DA, et al)
–, light and serotonin effects on mollusc circadian system 167:841 (Colwell CS)
–, masking of hamster – by darkness 162:559 (Aschoff J, Goetz C von)
–, maternal entrainment of mouse activity rhythm 163:237 (Viswanathan N, Chandrashekaran MK)
–, melatonin and circadian rhythms in starlings 164:7 (Beldhuis HJA, et al)
–, melatonin and reentrainment of rat circadian rhythm 166:97 (Illnerová H, et al)
–, metabolic correlates in insect photoperiodic clock 166:785 (Lavialle M, Dumortier B)

–, muscimol phase-shifts hamster circadian clock 164:805 (Smith RD, et al)
–, neuronal oscillators in lobster pyloric network 163:715 (Bal T, et al)
–, ocular circadian pacemaker in *Bulla* 161:335 (MacMahon DG, Block GD); 161:347 (MacMahon DG, Block GD)
–, opsin-based photopigment effects on mollusc circadian pacemaker 168:565 (Geusz ME, Page TL)
–, phase response curves for social entrainment 162:35 (Mrosovsky N)
–, photoperiod and annual cycles in warblers 162:389 (Gwinner E, et al)
–, photoperiod in European hamster 163:549 (Canguilhem B, et al)
–, photoperiodic clock and counter in flesh fly 170:121 (Saunders DS)
–, photoperiodic diapause induction in bean bug 167:167 (Numata H)
–, photoperiodic pheromone emission in female rabbits 167:225 (Hudson R, Distel H)
–, photoperiodic response in *Riptortus* 167:167 (Numata H)
–, photoperiodic time measurement in lizard 167:231 (Underwood H, Hyde LL)
–, photoperiodic timing of ewe breeding season 166:835 (Wayne NL, et al)
–, role of maternal SCN in development of hamster – 162:601 (Davis FC, Gorski RA)
–, role of melatonin in pigeon circadian rhythms 166:217 (Oshima I, et al)
–, role of pineal and retina on melatonin circulation in pigeons 164:25 (Foà A, Menaker M)
–, sleep and EEG spectra in Syrian hamster 161:449 (Tobler I, Jaggi K)
–, sleep EEG analysis in chipmunk 165:205 (Dijk DJ, Daan S)
–, social entrainment of hamster circadian rhythms 162:35 (Mrosovsky N); 170:181 (Refinetti R, et al)
–, spinal motor rhythms in tortoises 163:537 (Schomburg ED, Steffens H)
–, temperature compensation of midge circasemilunar timing 163:671 (Neumann D)
–, temperature effects on hamster pineal NAT activity 168:599 (Stieglitz A, et al)
–, temperature entrainment of dunnart circadian activity 167:357 (Francis AJP, Coleman GJ)
–, wheel-running activity of a predatory marsupial 166:607 (Kennedy GA, et al)
Righting reactions in lobster tail flip 166:529 (Newland PL, Neil DM)
Riptortus, photoperiodic response 167:167 (Numata H)
Rodents, postnatal development of central auditory system 170:129 (Rübsamen R)
Rook, see *Corvus*
Rudd, see *Scardinius*
Ruff, see *Acerina*

S

Saccular fibers, vibration-sensitive, responses of frog – 162:633 (Christensen-Dalsgaard J, Jørgensen MB)
Sacculus, seismic and auditory tuning in frog – 169:241 (Yu X, et al)
–, vibration sensitivity of frog – 169:341 (Jørgensen MB, Christensen-Dalsgaard J)
Salamander, see *Ambystoma*, Plethodontidae
Salivary glands, innervation of locust – 165:395 (Baines RA, et al); 165:407 (Baines RA, Tyrer NM)
Salmo, entrainment of circannual maturation rhythm 164:259 (Duston J, Bromage N)
–, melatonin modulates pineal neural activity 167:641 (Meissl H, et al)
–, orientation to polarized light 166:565 (Hawryshyn CW, et al)
–, photic regulation of pineal melatonin 170:479 (Max M, Menaker M)
Salmon, see *Oncorhynchus*
Salt taste response, inhibition by amiloride in mouse 166:1 (Ninomyia Y, et al)
Salvelinus, social rank and brain monoamines 168:241 (Winberg S, et al)
–, socially induced change in brain serotonergic activity 170:93 (Winberg S, et al)
Sarcophaga, circadian oscillators in photoperiodism 163:365 (Saunders DS, Lewis RD)
–, male-specific visual system 169:379 (Strausfeld NJ); 169:395 (Gilbert C, Strausfeld NJ); 169:413 (Gronenberg W, Strausfeld NJ)
–, photoperiodic clock and counter 170:121 (Saunders DS)
–, visual motion discrimination 168:653 (Gilbert C, et al)
Scardinius, seasonal variation of visual sensitivity 166:103 (Whitmore AV, Bowmaker JK)
Schistocerca, age-dependent octopaminergic modulation of flight muscle 165:125 (Whim MD, Evans PD)
–, deafferentiation effect on auditory system 166:553 (Lakes R, et al)
–, dynamic postural reactions in hindleg 170:761 (Zill SN, et al)
–, effects of temperature on a central synapse 165:687 (Burrows M)
–, flight motor neurone reflexes 161:747 (Elson RC)
–, FMRFamide-like peptide in visceral muscle 168:383 (Lange AB, et al)
–, functions of sensory hysteresis 164:43 (Zill SN, Jepson-Innes K)
–, innervation of salivary glands 165:395 (Baines RA, et al); 165:407 (Baines RA, Tyrer NM)
–, interactions between neurons in chemosensilla 167:431 (White PR, et al)
–, interneuronal processing of wing sensory inputs 161:761 (Elson RC)
–, local circuits of intersegmental interneurones 162:145 (Laurent G)
–, motion parallax 167:579 (Sobel EC); 169:615 (Collett TS, Patterson CJ)
–, octopamine and muscle kinetics 162:827 (Malamud J, et al)
–, positive feedback from proprioceptors 163:425 (Burrows M, Pflüger HJ)
–, receptive fields of interneurones 166:471 (Nagayama T)
–, spiking local interneurones 164:207 (Burrows M)
–, tactile reflexes 162:563 (Laurent GJ, Burrows M)
–, temperature and ocellar neurons 166:575 (Simmons PJ)
SchistoFLRF-amide like peptide in locust muscle 168:383 (Lange AB, et al)
Sciurus, retinal spectral mechanisms 162:773 (Blakeslee B, et al)
Scorpion, see *Heterometrus*, *Pandinus*, *Paruroctonus*
Sculpin, see *Cottus*
Scyliorhinus, sensory interaction with respiratory generator 162:695 (Roberts BL, Ballintijn CM)
Sea otter, see *Enhydra*
Seal, see *Cystophora*
Seasonal effects of anaesthesia on lizard hearing 167:139 (Köppl C, et al)
– variation of rudd visual sensitivity 166:103 (Whitmore AV, Bowmaker JK)
Seismic signalling in mole-rat 170:13 (Narins PM, et al)
– tuning in frog 8th nerve 169:241 (Yu X, et al)
Self-motion, response to – in waterstriders 169:641 (Junger W, Dahmen HJ)
Semotilus, scotopic visual pigments 164:707 (Heinermann PH, Ali MA)
Sensitization of leech reflex 168:165 (Lockery SR, Kristan WB Jr)
Sensory adaptation, informational approach to – 168:151 (Norwich KH, Valter McConville KM)
– cells in avian auditory periphery 164:289 (Manley GA, et al)
– fatigue, involvement of cAMP in fly – 167:437 (Corfas G, Dudai Y)
– hysteresis, function in locusts 164:43 (Zill SN, Jepson-Innes K)
– information, central processing in electric fish 161:621 (Heiligenberg W)
– inputs to gastropod feeding interneurons 166:327 (Delaney K, Gelperin A)
– interaction in dogfish respiration 162:695 (Roberts BL, Ballintijn CM)
– physiology, DC-coupled responses of moth antennal receptors 167:391 (Gödde J, Haug T)
– –, locust antennae as air-current sense organs 161:671 (Heinzel H-G, Gewecke M)
– –, olfactory pathway of the cockroach 161:549 (Boeckh J, Ernst K-D)
– –, synaptic connections in cricket cercal system 162:1 (Shepherd D, et al)
– processing in electric fish 168:461 (Rose GJ, Canfield JG)
– responses from chicken intramandibular nerve 164:763 (Gentle MJ)
Sepia, evoked potentials in brain 168:141 (Bullock TH, Budelmann BU)
–, lateral line analogue 164:1 (Budelmann BU, Bleckmann H)
–, responses to small water movements 168:247 (Bleckmann H, et al)
SER, see smooth endoplasmic reticulum
Serinus, respiratory dynamics of singing 165:15 (Schurr Hartley R, Suthers RA)
Serotonin, effect on mollusc circadian system 167:841 (Colwell CS)
– and hierarchic behavior in Arctic charr 170:93 (Winberg S, et al)
– content, seasonal variation of – and learning in leech 167:469 (Catarsi S, et al)

Serotonin in leech CNS 168:191 (Lent CM, et al)
– modulatory effect on hamster pyramidal cells 167:79 (Horrigan DG, Horowitz JM)
Serrasalmus, hearing and sound production 162:67 (Stabentheiner A)
Sex recognition in electric fish 163:465 (Shumway CA, Zelick RD)
Sexual behavior, rhythmic EMGs in salmon – 165:293 (Matsushima T, et al)
– –, vibrational communication in salmon 168:417 (Satou M, et al)
– dimorphism in blowfly eyes 164:297 (Hateren JH van, et al)
– – in fly visual system 169:379 (Strausfeld NJ); 169:395 (Gilbert C, Strausfeld NJ); 169:413 (Gronenberg W, Strausfeld NJ)
– – in tettigoniid auditory sensitivity 169:349 (Bailey WJ, Römer H)
Shrimp, see *Odontodactylus*, *Palaemonetes*, *Squilla*
Snail, see *Helix*, *Lymnaea*
Siamese fighting fish, see *Betta*
Signal detection by echolocating dolphin 164:451 (Au WWL, Pawloski DA)
Silkmoth, see *Antheraea*, *Bombyx*
Silurus, retinal and extraretinal photoreceptor thresholds 164:797 (Tabata M, et al)
Singing, respiratory dynamics in canary during – 165:15 (Schurr Hartley R, Suthers RA)
Size detection in praying mantis vision 169:101 (Rossel S)
Sleep in honeybees 163:565 (Kaiser W)
– and sleep deprivation in pigeons 163:729 (Tobler I, Borbély AA)
–, daily distribution in rooks 161:321 (Szymczak JT)
– EEG analysis in a diurnal rodent 165:205 (Dijk DJ, Daan S)
– in scorpions 163:227 (Tobler I, Stalder J)
– in Syrian hamster 161:449 (Tobler I, Jaggi K)
Slug, see *Limax*
Sminthopsis, temperature entrainment of circadian activity 167:357 (Francis AJP, Coleman GJ)
Smooth endoplasmic reticulum (SER) calcium uptake in crayfish retina 162:91 (Frixione E, Ruiz L)
Snake, see *Thamnophis*
Social communication, electrosensory system in gymnotiform fish – 169:135 (Metzner W, Heiligenberg W); 169:151 (Heiligenberg W, et al)
– entrainment of hamster rhythms 162:35 (Mrosovsky N); 170:181 (Refinetti R, et al)
– hierarchy, role of brain monoamines in fish – 168:241 (Winberg S, et al)
Socially induced change in fish brain serotonergic activity 170:93 (Winberg S, et al)
Sodium, role in light adaptation of fly photoreceptor 169:299 (Sandler C, Kirschfeld K)
– channels, signal amplification in drone photoreceptors by – 165:109 (Coles JA, Schneider-Picard G)
– -potassium pump, electrogenic, in catfish electroreceptor 164:589 (Sugawara Y)
– pump in blowfly photoreceptors 162:285 (Hamdorf K, et al); 167:461 (Jansonius NM)
Song, courtship –, coding by cricket auditory neurone 163:215 (Harrison L, et al)
– acquisition in nightingales 170:275 (Hultsch H)
– memorization in nightingales 165:197 (Hultsch H, Todt D)
Sound, interference with movement in locust auditory interneurons 164:697 (Lang F, Elsner N)
– communication, auditory midbrain sensitivity in toads 167:673 (Penna M, et al)
– detection by treefrogs 162:397 (Megela Simmons A)
– localization in barn owls 164:629 (Moiseff A); 164:637 (Moiseff A); 169:281 (Wagner H); 170:161 (Takahashi TT, Keller CH)
– –, azimuthal, in starling 170:243 (Klump GM, Larsen ON)
– – in intact and one-eared crickets 165:615 (Schildberger K, Kleindienst H-U)
– production, see also calling, phonation, singing, stridulation, vocalization
– – and CNS temperature in grasshopper 161:95 (Bauer M, Helversen O von)
– –, bilateral symmetry in mole cricket – 166:43 (Kavanagh MW, Young D)
– – in horseshoe bats 162:799 (Suthers RA, et al)
– – in piranhas 162:67 (Stabentheiner A)
– – in tiger moths 170:575 (Fullard JH)
– transmission, tympanic and extratympanic, in frogs 161:659 (Wilczynski W, et al)
Sounds, prey-generated, role in bat prey detection 161:59 (Ryan MJ, Tuttle MD)
Sparrow, see *Melospiza*, *Passer*
Spectral, see also color
– characteristics of fly pupil mechanism 166:537 (Roebroek JGH, Stavenga DG)
– – of crab visual pigments 162:463 (Cronin TW, Forward RB Jr)
– coding in bee monopolar cells 170:267 (Souza J de, et al)
– mechanisms of garter snake retina 170:701 (Jacobs GH, et al)
– – of squirrel retina 162:773 (Blakeslee B, et al)
– properties of fly movement perception 166:287 (Srinivasan MV, Guy RG)
– sensitivities of firefly eyes 162:23 (Lall AB, et al)
– – in hymenopteran insects 170:23 (Peitsch D, et al)
– – of a bird 170:709 (Maier EJ)
– sensitivity of crickets 165:315 (Herzmann D, Labhart T)
– – of cricket photoreceptors 164:597 (Zufall F, et al)
– – of *Daphnia* photoreceptors 166:597 (Smith KC, Macagno ER)
– – of dragonfly visual system 169:663 (Yang E-C, Osorio D)
– – of firefly compound eye 166:257 (Lall AB, Lloyd JE)
– – of jumping spiders 164:359 (Peaslee AG, Wilson G)
– – of mollusc circadian pacemaker 168:565 (Geusz ME, Page TL)
– – of stingless bee photoreceptors 166:151 (Menzel R, et al)
– – of ticks 165:155 (Kaltenrieder M, et al)
– – of white-eyed fly mutants 167:715 (Gribakin FG, Ukhanov KYu)
Speech sound, coding in mynah bird auditory cortex 169:231 (Uno H, et al)
Speophyes, cold receptor response 161:399 (Loftus R, Corbière-Tichané G)
Spermophilus, circannual cycles 167:683 (Mrosovsky N)
Sphenodon, focusing and accommodation 170:263 (Schmid KL, et al)
Sphinx moth, see *Manduca*
Sphodromantis, spatial vision 169:101 (Rossel S)
Spider, see Arachnida
Spinal cord, control of lamprey respiration by sensory neurons 166:675 (Thompson KI)
Spinal mechanisms of EOD synchronization 167:447 (Lorenzo D, et al)
– motor rhythms in tortoises 163:537 (Schomburg ED, Steffens H)
Spiracular organ of elasmobranchs 163:85 (Barry MA, et al); 163:93 (Barry MA, et al)
Split rhythm in hamster 169:185 (Puchalski W, Lynch GR)
– songs, responses of crickets to – 163:13 (Weber T, Thorson J)
Squat lobster, see *Galathea*, *Munida*
Squid, see *Alloteuthis*, cephalopods, *Lolliguncula*, *Watasenia*
Squilla, glutamatergic motoneurons in stomatogastric ganglion 170:773 (Chiba C, Tazaki K)
–, myogenic oscillation in pyloric muscle 169:737 (Tazaki K, Chiba C)
–, neural control of stomach muscle 168:265 (Tazaki K, Miyazaki T)
Squirrel, see *Sciurus*, *Spermophilus*
Starling, see *Sturnus*
Statocyst, hair cell efferences in squid – 165:847 (Williamson R)
–, hair cell responses in squid – 167:655 (Williamson R)
– -motor pathway, descending, controlling crayfish uropod steering 170:463 (Takahata M, Murayama M)
Steering, visual control of – in flying locust 166:685 (Hensler K, Robert D); 166:735 (Miall RC)
Stentor, mechanoreceptors 165:229 (Wood DC)
Sternopygus, androgens and EOD frequency 161:417 (Mills A, Zakon HH); 169:493 (Zakon HH, et al)
–, conspecific EOD detection 170:335 (Fleishman LJ); 170:349 (Fleishman LJ, et al)
–, control of pacemaker modulations 169:441 (Keller CH, et al)
–, discrimination of sign of frequency differences 168:461 (Rose GJ, Canfield JG)
Steroid effects on hamster daily torpor 168:477 (Ouarour A, et al)
Steroids, gonadal, effect on hamster hibernation 163:339 (Darrow JM, et al)
Stick insect, see *Carausius*, *Cuniculina*
Stingless bee, see *Trigona*
Stomatogastric ganglion, glutamatergic motoneurons in mantis shrimp – 170:773 (Chiba C, Tazaki K)
– –, oscillators in crustacean – 167:23 (Cardi P, et al)
Stomatopods, see also mantis shrimp, *Odontodactylus*, *Pseudosquilla*, *Squilla*

– , visual physiology 164:737 (Cronin TW)
Stopping response in toad embryos 170:171 (Boothby KM, Roberts A)
Stretch receptor in locust wing 162:77 (Reye DN, Pearson KG); 165:247 (Pfau HK, et al)
– –, TTX sensitive plateau potentials in crayfish – 168:313 (Barrio LC, et al)
Stridulation, activity of metathoracic interneurons during grasshopper – 163:813 (Gramoll S)
–, bilateral coordination during grasshopper – 169:191 (Ronacher R)
–, hemiganglionic oscillators for grasshopper – 164:723 (Ronacher B)
–, mechanics of cricket – 162:213 (Koch UT, et al)
–, modulation of grasshopper auditory response by – 167:847 (Hedwig B)
–, neuromuscular activity during cricket – 165:837 (Hennig RM)
–, neuronal control of cricket forewings during – 167:617 (Hennig RM)
Sturnus, arrythmia in circannual systems 165:35 (Gwinner E, et al)
–, auditory thalamus 161:255 (Bigalke-Kunz B, et al)
–, azimuthal sound localization 170:243 (Klump GM, Larsen ON)
–, gap detection 164:531 (Klump GM, Maier EH); 164:539 (Buchfellner E, et al); 168:469 (Klump GM, Gleich O)
–, melatonin and circadian rhythms 164:7 (Beldhuis HJA, et al)
Stylonychia, cirral movement activation by calcium 168:687 (Mogami Y, Machemer H)
Suboesophageal neurons, temperature effects on activity of cricket – 162:739 (Janiszewski J, Otto D)
Sugar reception, uncoupling of – in fly water receptor 163:413 (Wieczorek H, et al)
– receptor, chiral recognition of fly – 165:193 (Shimada I, et al)
– –, labellar, of fly taste hairs 164:825 (Wieczorek H, Wolff G)
Sulfide receptors in tick host finding 170:677 (Steullet P, Guerin PM)
Sun compass orientation in scrub jays 164:717 (Wiltschko W, Balda RP)
Sunfish, see *Lepomis*
Superior colliculus, auditory properties of bat – 169:719 (Reimer K)
Superposition, neural, in fly eyes 161:849 (Hateren JH van)
– eye of dung beetle 167:785 (Warrant EJ, McIntyre PD); 167:805 (Warrant EJ, McIntyre PD); 167:817 (Warrant EJ, et al)
– –, retinal design in arthropod – 168:499 (Warrant EJ, McIntyre PD)
– eyes, pupil trigger in insect – 170:217 (Nilsson D-E, et al)
Suprachiasmatic nucleus (SCN), circadian oscillation in guinea pig – 162:301 (Kurumiya S, Kawamura H)
– –, role in iguana circadian organization 166:811 (Janik DS, et al)
– –, maternal, role in development of hamster circadian rhythms 162:601 (Davis FC, Gorski RA)
Swimmeret system, adaptive activity in lobster – 162:187 (Cattaert D, et al)
Swimmerets, coordination of movements in crayfish 170:739 (Murchison D, Larimer JL)
–, mechanosensory afferents innervating lobster – 170:491 (Killian KA, Page CH); 170:501 (Killian KA, Page CH)
Swimming, energetics and hydrodynamics of sea otter – 164:815 (Williams TM)
–, neuronal control of leech – 161:355 (Nusbaum MP, et al); 166:195 (Friesen WO); 166:205 (Friesen WO)
Sylvia, photoperiod and annual cycles 162:389 (Gwinner E, et al)
Synapse, electrical, computer simulation of crayfish – 169:707 (Heitler WJ, et al)
Synaptic efficacy in cockroach cercal system 167:363 (Hamon A, et al)
– – and stimulus timing 165:371 (Bittner GD, Segundo JP)
– integration in moth auditory pathway 168:727 (Boyan GS, Miller LA)
– interactions among crayfish motoneurons 170:739 (Murchison D, Larimer JL)
– pharmacology of skate Lorenzinian ampulla 168:639 (Akoev G, et al); 168:647 (Akoev G, et al)
– plasticity in an insect 168:27 (Trimmer BA, Weeks JC)
– specificity in cockroach cercal system 166:133 (Blagburn JM)
Synaptogenesis in cockroach cercal system 169:607 (Blagburn JM, et al)
Syrian hamster, see *Mesocricetus*

T

Tactile hairs, role in spider body height adjustment 162:611 (Eckweiler W, Seyfarth E-A)
– –, role in spider leg reflexes 162:623 (Milde JJ, Seyfarth E-A)
– localization in crayfish 163:525 (Sandeman DC, Varju D)
– reflexes and locust interneurones 162:563 (Laurent GJ, Burrows M)
– spine neuron, recordings from cockroach – 169:471 (Stockbridge LL, French AS)
– stimulation of rat nipples 170:645 (Karyakin MG, Alekseev NP)
Taeniopygia, visual field and behavior 163:329 (Bischof H-J)
Tail flick, adaptive components of lobster – 162:187 (Cattaert D, et al)
– flip in Norway lobster 166:517 (Newland PL, Neil DM); 166:529 (Newland PL, Neil DM)
Tailflipping in squat lobster 161:881 (Wilson LH, Paul DH)
Talitrus, orientation 162:453 (Ugolini A, Scapini F); 163:739 (Scapini F, et al)
Taste, amino acid and betaine receptor sites in puffer 169:523 (Kiyohara S, Hidaka I)
–, amino acid receptors in catfish facial system 168:201 (Wegert S, Caprio J)
Tectal neurons, edge preference of toad – 161:295 (Tsai HJ, Ewert J-P)
– –, responses of toad – to in/anti-phase movements 167:857 (Tsai H-J)
Telencephalon, auditory, ACh effects in chicken – 161:857 (Müller CM)
Teleogryllus, ascending auditory interneurons 163:135 (Hennig RM)
–, courtship song coding 163:215 (Harrison L, et al)
–, flight motor patterns 164:219 (Wang S, Robertson RM); 167:629 (Hennig RM)
–, neuromuscular activity during stridulation 165:837 (Hennig RM)
–, sound activated interneurons 161:681 (Atkins G, Pollack GS)
–, stridulation and flight 167:617 (Hennig RM)
–, ultrasound-induced negative phonotaxis 164:243 (May ML, et al)
–, ultrasound sensitive neurons 166:651 (Brodfuehrer PD, Hoy RR)
Telson, circadian photoreceptors in *Limulus* – 162:133 (Hanna WJB, et al)
Temperature, beetle cold receptor response to changing – 161:399 (Loftus R, Corbière-Tichané G)
–, ambient, entrainment of dunnart activity by – 167:357 (Francis AJP, Coleman GJ)
– compensation of midge circasemilunar timing 163:671 (Neumann D)
–, effect on activity of cricket suboesophageal neurons 162:739 (Janiszewski J, Otto D)
–, effect on serotonin modulation of hamster neural activity 167:79 (Horrigan DG, Horowitz JM)
–, effect on trout melatonin production 170:479 (Max M, Menaker M)
–, effects on locust central synapse 165:687 (Burrows M)
–, effects on locust ocellar neurons 166:575 (Simmons PJ)
– effects on squirrel circannual cycles 167:683 (Mrosovsky N)
– perception by stick insect moist-air receptor 166:507 (Tichy H, Loftus R)
–, prothoracic, effects on cricket omega neuron responses 164:443 (Janiszewski J, Otto D)
– reception, cold cell responses in locust 163:507 (Ameismeier F, Loftus R)
– rhythms and melatonin in pigeon 166:217 (Oshima I, et al)
–, selective warming of grasshopper CNS 161:95 (Bauer M, Helversen O von)
Tentacle regulating potentials in *Noctiluca* 162:179 (Oami K, et al)
Testosterone levels and sparrow male-male interactions 166:189 (Wingfield JC, Wada M)
Testudo, spinal motor rhythms 163:537 (Schomburg ED, Steffens H)
Tetrodotoxin sensitivity of crayfish stretch receptor neuron 168:313 (Barrio LC, et al)
Tettigoniid, zaprochiline, auditory sensitivity 169:349 (Bailey WJ, Römer H)
Thalamus, auditory, of starling 161:255 (Bigalke-Kunz B, et al)
Thamnophis, all-cone retina 170:701 (Jacobs GH, et al)
–, mating-induced ovarian recrudescence 166:629 (Mendonça MT, Crews D)
Thermoperiodism in predatory mite 167:201 (Van Houten YM, Veerman A)
Thermoreceptor, antennal, DC-coupled responses of moth – 167:391 (Gödde J, Haug T)

Thermoregulation, daily torpor in hamster 161:245 (Elliott JA, et al); 168:121 (Kirsch R, et al); 168:477 (Ouarour A, et al)
Thickness difference discrimination by echolocating dolphin 170:41 (Au WWL, Pawloski DA)
Thoracic ganglia, locust flight after hemisection of – 163:749 (Ronacher B, et al); 163:761 (Wolf H, et al)
Tick, see *Amblyomma*, *Hyalomma*
Tiger moth, see *Cycnia*
Tiliqua, peripheral auditory processing 167:89 (Manley GA, et al); 167:101 (Köppl C, Manley GA); 167:113 (Köppl C, Manley GA); 167:129 (Manley GA, et al); 167:139 (Köppl C, et al)
Toad, see *Bombina*, *Bufo*, *Xenopus*
Toadfish, see *Opsanus*
Torpor, daily, in hamster 161:245 (Elliott JA, et al); 168:121 (Kirsch R, et al); 168:477 (Ouarour A, et al)
Tortoise, see *Testudo*
Torus semicircularis, electrosensory processing in fish – 170:253 (Rose GJ, Call SJ)
– –, hormone-induced auditory sensitivity in treefrog – 170:73 (Penna M, et al)
– –, neuronal processing of calls in frog – 163:301 (Diekamp B, Schneider H)
Toxins, synaptic, from spider venom 164:333 (Adams ME, et al)
Trachea, length of – and avian phonation 161:43 (Gaunt AS, et al)
Tracheal chambers, role in bat sound production 162:799 (Suthers RA, et al)
Transmitter, see also neurotransmitter
– effects on crayfish muscle chloride channels 163:609 (Zufall F, et al)
–, FMRFamide action on leech muscle 167:211 (Norris BJ, Calabrese RL)
– in locust salivary nerve 165:395 (Baines RA, et al); 165:407 (Baines RA, Tyrer NM)
–, peptidergic regulation of *Limulus* midgut 170:631 (Groome JR, et al)
– receptors in rabbit olfactory bulb 170:153 (Buffler J, et al)
– release, effects of stimulus timing in crayfish synapses 165:371 (Bittner GD, Segundo JP)
Treefrog, see *Eleutherodactylus*, *Hyla*
Triatoma, visual lateral fixation and tracking 167:527 (Lazzari C, Varjú D)
Trichoplusia, adaptation in pheromone receptors 170:691 (Borroni PF, O'Connell RJ)
–, sensitivity of pheromone receptor neurons 168:739 (Mankin RW, et al)
Tridacna, hyperpolarizing photoreceptors 163:73 (Wilkens LA)
Trigeminal system, response of salamander – to chemical stimuli 164:55 (Silver WL, et al)
Trigona, visual stabilization of hovering flight position 167:569 (Kelber A, Zeil J)
–, visually controlled station-keeping by guard bees 165:711 (Zeil J, Wittmann D)
Tripedalia, eye lens and crystallin 164:577 (Piatigorsky J, et al)
Tritocerebral commissure 'dwarf' interneuron in locust brain 164:141 (Tyrer NM, et al)
Trout, see *Salmo*
TTX, see tetrodotoxin
Tuatara, see *Sphenodon*
Turning, leg coordination in fly during – 167:403 (Strauß R, Heisenberg M)
– reactions of jumping spiders 163:585 (Komiya M, et al)
–, visual control of – in crayfish 163:175 (Copp NH, Watson D)
–, visually guided, control of – in flies 161:777 (Egelhaaf M)
Tursiops, auditory brain stem responses 166:385 (Popov VV, Supin AYa)
–, signal detection by echolocation 164:451 (Au WWL, Pawloski DA)
–, thickness difference discrimination 170:41 (Au WWL, Pawloski DA)
Turtle, see *Pseudemys*
Tympanal receptors, modulation of activity in locusts 163:243 (Hedwig B, et al)
Tyto, binaural temporal window 169:281 (Wagner H)
–, computation of interaural level difference 170:161 (Takahashi TT, Keller CH)
–, directional hearing 163:117 (Coles RB, Guppy A)
–, IC neurons sense brief appearances of ITD 170:3 (Wagner H)
–, ocular accommodation 168:299 (Howland HC, et al); 169:515 (Wagner H, Schaeffel F)
–, sound localization 164:629 (Moiseff A); 164:637 (Moiseff A)

U

Uca, vibrational communication 166:345 (Aicher B, Tautz J)
Ultradian rhythm, deprivation effects on vole – 168:591 (Gerkema MP, Leest F van der)
Ultrasonic startle behavior in bushcrickets 169:507 (Libersat F, Hoy RR)
Ultrasound-induced negative phonotaxis in crickets 164:243 (May ML, et al)
– -sensitive neurons in cricket brain 166:651 (Brodfuehrer PD, Hoy RR)
Underwater vision in seal 165:771 (Sivak JG, et al)
Urania, flight physiology 167:145 (Dudley R, DeVries PJ)
Urochordata, see *Chelyosoma*
Uropod righting reaction in crayfish 164:685 (Newland PL)
– steering, descending statocyst pathway controlling crayfish – 170:463 (Takahata M, Murayama M)
UV photoreceptors in *Daphnia* eye 166:597 (Smith KC, Macagno ER)
– -vision in birds 164:787 (Burkhardt D); 170:709 (Maier EJ)

V

Valanga, tonotopic organisation of auditory organ 164:49 (Inglis M, Oldfield BP)
Vampire bat, see *Desmodus*
Vasopressin-like immunoreactive (VPLI) neurons of locust 168:605 (Thompson KSJ, et al); 168:619 (Thompson KSJ, Bacon JP)
Venom, synaptic toxins from spider – 164:333 (Adams ME, et al)
Ventilation, neural control of crab – 162:375 (DiCaprio RA, Fourtner CR)
Ventral nerve cord, flight motor patterns in locust – 161:103 (Wolf H, Pearson KG)
Vestibular physiology, central, in antarctic fish 166:407 (Montgomery JC, et al)
Vibration of frog eardrum 168:223 (Jørgensen MB, et al)
– reception, biomechanics of frog – 163:43 (Hetherington TE)
–, responses of frog saccular fibres to – 162:633 (Christensen-Dalsgaard J, Jørgensen MB)
– sensitive fibers in frog 8th nerve 169:341 (Jørgensen MB, Christensen-Dalsgaard J)
– – neurons in frog midbrain 164:495 (Christensen-Dalsgaard J, Jørgensen MB)
– – receptors in pigeon wing 166:663 (Hörster W)
Vibrational communication in crabs 166:345 (Aicher B, Tautz J)
– – during salmon spawning behavior 168:417 (Satou M, et al)
– sensitivity of pigeon wing 167:545 (Hörster W)
Vibratory communication in a spider 166:817 (Schüch W, Barth FG)
Vision, see also photo-
–, accommodation as distance cue in owls 169:515 (Wagner H, Schaeffel F)
–, Ca and light excitation in barnacle photoreceptors 170:427 (Werner U, et al)
–, carotenoid deficiency effects on moth visual function 164:321 (Bennett RR, White RH)
–, catfish retinal and extraretinal thresholds 164:797 (Tabata M, et al)
–, color discrimination in blowfly 166:57 (Fukushi T)
–, color computation in insects 170:533 (Chittka L); 170:545 (Chittka L, et al)
–, color stimuli and behavior in butterflies 161:891 (Scherer C, Kolb G)
–, crocodiles don't focus under-water 163:441 (Fleishman LJ, et al)
–, crustacean refracting superposition eyes 167:71 (Nilsson D-E)
–, daily changes in crab compound eye 161:161 (Arikawa K, et al)
–, depth resolution in pigeon 163:33 (Martinoya C, et al)
–, detection of paradoxical motion in flies 169:331 (Quenzer T, Zanker JM)
–, *Drosophila norpA* phototransduction mutant 161:785 (Wilson MJ, Ostroy SE); 161:793 (Meyertholen EP, et al)
–, eccentric cell in *Limulus* lateral eye 163:259 (Renninger GH, et al)
–, ecological and evolutionary relevance of sunfish color vision 164:107 (Hawryshyn CW, et al)
–, edge preference of toad retinal and tectal neurones 161:295 (Tsai HJ, Ewert J-P)
–, effect of luminance on dragonfly target size selectivity 166:851 (Olberg RM, Pinter RB)
–, effect of screening pigment in normal and mutant honeybee eye 164:123 (Gribakin FG)
–, efferent control in moth ocellus 169:647 (Yamazaki S, Yamashita S)

–, enhancement of drone photoreceptor sensitivity 170:605 (Walz B)
–, eye development in kestrel 170:565 (Andison ME, et al)
–, eye of hooded seal in air and water 165:771 (Sivak JG, et al)
–, eye movements in *Daphnia* 166:411 (Consi TR, et al)
–, eye movements of mantis shrimp 167:155 (Land MF, et al)
–, eye structure of hyperiid amphipods 164:751 (Land MF)
–, fluorophore systems in insect eyes 161:227 (Schlecht P, et al); 165:789 (Juse A, et al)
–, focusing and accommodation in brown kiwi 170:687 (Howland HC, et al)
–, focusing and accommodation in tuatara 170:263 (Schmid KL, et al)
–, functional organization of crayfish lamina ganglionaris 161:131 (Wang-Bennett LT, Glantz RM); 161:147 (Wang-Bennett LT, Glantz RM)
–, histamine in insect photoreceptors 161:201 (Hardie RC)
–, how honeybees measure distance 165:605 (Srinivasan MV, et al)
–, how ladybirds approach nearby stalks 163:355 (Collett TS)
–, hyperpolarizing photoreceptors in clam eyes 163:73 (Wilkens LA)
–, intracellular optical techniques in study of crustacean – 164:737 (Cronin TW)
–, ipsilateral tectal unit responses in frogs 162:443 (Garcia R, et al)
–, ipsilateral type 2 visual units in frog brain 164:377 (Garcia R, Gaillard F)
–, light activation of fly photoreceptor sodium pump 162:285 (Hamdorf K, et al)
–, medullar interneurons in cockroach optic lobe 167:745 (Kelly KM, Mote MI)
–, motion discrimination by fly medulla neurons 168:653 (Gilbert C, et al)
–, motion parallax in locusts 167:579 (Sobel EC); 169:615 (Collett TS, Patterson CJ)
–, movement sensitive neurones in locust brain 161:477 (Rind FC)
–, neural superposition in fly eyes 161:849 (Hateren JH van)
–, nonspiking giant interneurons in crayfish brain 162:705 (Okada Y, Yamaguchi T)
–, ocular accommodation in owls 168:299 (Howland HC, et al)
–, optical motion information and movement detectors 161:533 (Reichardt W)
–, optics of butterfly eye 162:341 (Nilsson D-E, et al)
–, pattern recognition in bees 167:649 (Hateren JH van, et al)
–, photic environment and scotopic visual pigments in fish 164:707 (Heinermann PH, Ali MA)
–, photoreceptor optics and polarization sensitivity 161:645 (Nilsson D-E, et al)
–, photoreceptors in pineal and retina 165:553 (Foster RG, et al); 165:565 (Foster RG, et al)
–, physiology of fly large monopolar cells 162:317 (Guy RG, Srinivasan MV)
–, polarization – of aquatic insects 169:531 (Schwind R)
–, polarization – of fly 167:737 (Philipsborn A von, Labhart T)
–, principal retinae of jumping spiders 162:47 (Blest AD, et al)
–, properties of beetle superposition eye 167:785 (Warrant EJ, McIntyre PD); 167:805 (Warrant EJ, McIntyre PD); 167:817 (Warrant EJ, et al)
–, properties of cells in locust medulla 161:431 (Osorio D); 161:441 (Osorio D)
–, properties of fly movement detectors 165:179 (Schuling FH, et al)
–, pupil mechanism in blowfly 166:537 (Roebroek JGH, Stavenga DG)
–, pupil trigger in insect superposition eyes 170:217 (Nilsson D-E, et al)
–, reafferent control of fly optomotor yaw torque 163:373 (Heisenberg M, Wolf R)
–, resolution in arthropod low F-number eyes 168:499 (Warrant EJ, McIntyre PD)
–, response of pigeon tectal cells to kinematograms 162:639 (Frost BJ, et al)
–, retinal elevation as depth cue in frogs 163:677 (Collett TS, Udin SB)
–, retino-tectal projections in frogs 162:435 (Gaillard F, et al)
–, role in bat prey detection 161:59 (Ryan MJ, Tuttle MD)
–, role of bee peripheral eye region in spatial localization 167:173 (Lehrer M)
–, role of laminar LMCs in fly optomotor response 166:23 (Coombe PE, et al)
–, role of salamander nucleus isthmi in depth perception 169:165 (Wiggers W, Roth G)
–, screening pigments in firefly eyes 162:23 (Lall AB, et al)
–, seasonal variation of rudd cone sensitivity 166:103 (Whitmore AV, Bowmaker JK)
–, sensitizing pigment in fly ocellar photoreceptors 163:421 (Kirschfeld K, et al)
–, short wavelength cones in goldfish 161:85 (Mackintosh RM, et al)
–, signal transmission by fly large monopolar cell 166:437 (Hateren JH van, Laughlin SB)
–, single photon responses in locust photoreceptors 164:365 (Pece AEC, French AS)
–, spatial acuity of honeybee – 162:159 (Srinivasan MV, Lehrer M)
–, spatial, in praying mantis 169:101 (Rossel S)
–, specialized dorsal eye region in male blowfly 164:297 (Hateren JH van, et al)
–, spectral and polarized light sensitivity of cricket photoreceptors 164:597 (Zufall F, et al)
–, spectral and polarization sensitivity in crickets 165:315 (Herzmann D, Labhart T)
–, spectral mechanisms of snake all-cone retina 170:701 (Jacobs GH, et al)
–, spectral properties of fly movement perception 166:287 (Srinivasan MV, Guy RG)
–, spectral sensitivities in hymenopteran insects 170:23 (Peitsch D, et al)
–, spectral sensitivities of a bird 170:709 (Maier EJ)
–, spectral sensitivity and visual fields of ticks 165:155 (Kaltenrieder M, et al)
–, spectral sensitivity of dragonfly retina and lamina 169:663 (Yang E-C, Osorio D)
–, spectral sensitivity of firefly eye 166:257 (Lall AB, Lloyd JE)
–, spectral sensitivity of jumping spiders 164:359 (Peaslee AG, Wilson G)
–, spectral sensitivity of stingless bee photoreceptors 166:151 (Menzel R, et al)
–, spectral sensitivity of stomatopod photoreceptors 166:261 (Cronin TW, Marshall NJ)
–, spectral sensitivity of white-eyed fly mutants 167:715 (Gribakin FG, Ukhanov KYu)
–, squirrel retinal spectral mechanisms 162:773 (Blakeslee B, et al)
–, temporal summation and response form in hymenopteran photoreceptors 165:237 (Souza JM de, Ventura DF)
–, tetrachromatic color vision in ducks 162:225 (Jane SD, Bowmaker JK)
–, texture perception in aggressive fighting fish 169:51 (Bando T)
–, toad tectal neuron responses to moving objects 167:857 (Tsai H-J)
–, turning reactions to moving stimuli in jumping spiders 163:585 (Komiya M, et al)
–, underwater prey missed by reef heron 165:573 (Katzir G, et al)
–, UV-vision and -reflectance of bird's feathers 164:787 (Burkhardt D)
Visual afferences to fly flight steering muscles 165:719 (Egelhaaf M)
– behavior in waterstriders 167:441 (Junger W, Varjú D); 169:633 (Junger W); 169:641 (Junger W, Dahmen HJ)
– control of crayfish turning 163:175 (Copp NH, Watson D)
– – of steering in flying locust 166:685 (Hensler K, Robert D); 166:735 (Miall RC)
– detection of wind-drift by high-flying locusts 162:793 (Riley JR, et al)
– ecology of avian cone oil droplets 165:415 (Partridge JC)
– evoked potentials in unrestrained cephalopod 168:141 (Bullock TH, Budelmann BU)
– eye-stalk stabilization in crabs 165:577 (Nalbach H-O, et al)
– field of zebra finch 163:329 (Bischof H-J)
– information, use of – by foraging fly 168:365 (Conlon D, Bell WJ)
– – processing in fly's landing system 163:167 (Borst A, Bahde S)
– interneurons in dragonfly ventral nerve cord 166:851 (Olberg RM, Pinter RB)
– – in gypsy moth optomotor response 167:707 (Olberg RM, Willis MA)
– landmarks and route following in desert ants 170:435 (Collett TS, et al)
– –, use by honeybees 161:469 (Cheng K, et al)
– lateral fixation and tracking in a bug 167:527 (Lazzari C, Varjú D)
– motion in fly flight control 167:269 (Wolf R, Heisenberg M)
– mutant of blowfly 165:333 (Torkkeli P, et al)
– optics in toads 163:201 (Mathis U, et al)
– orientation, coordination of motor output in fly – 169:127 (Zanker JM, et al)
– pattern recognition in toads 170:317 (Wang DL, Ewert J-P)
Visual pigment, see also photopigment
– –, photoconversion of fly – 165:75 (Roebroek JGH, et al)

Visual pigment formation in fly mutant 166:429 (Stark WS, et al)
– – of fly photoreceptor 7 yellow 162:421 (Kirschfeld K, et al)
– – synthesis in crayfish retina 163:253 (Hafner GS, Tokarski TR)
– pigments, changes in juvenile pollacks 163:699 (Shand J, et al)
– –, chromophore content in arthropod rhabdoms 165:589 (Eguchi E, et al)
– – in deep-sea fish 162:543 (Partridge JC, et al); 163:685 (Bowmaker JK, et al); 164:513 (Partridge JC, et al)
– – in squid retina 166:769 (Seidou M, et al)
– –, microspectrophotometry of duck – 162:225 (Jane SD, Bowmaker JK)
– – of crabs 162:463 (Cronin TW, Forward RB Jr); 162:479 (Forward RB Jr, et al)
– – of deep-sea crustaceans 163:63 (Hiller-Adams P, et al)
– –, scotopic, in fish 164:707 (Heinermann PH, Ali MA)
– –, seasonal variation in rudd – 166:103 (Whitmore AV, Bowmaker JK)
– processing and discrimination learning in goldfish 168:581 (Ohnishi K)
– responses of toad medullary neurons 167:495 (Ewert J-P, et al); 167:509 (Schwippert WW, et al)
– spheres 161:511 (Wehner R)
– stabilization of bee hovering flight position 167:569 (Kelber A, Zeil J)
– steering, closed-loop, by flying locusts 164:13 (Robert D)
– system, action of GABA on crayfish – 168:373 (Pfeiffer-Linn C, Glantz RM)
– –, evoked activity in tadpole optic tectum 167:377 (Debski EA, Constantine-Paton M)
– –, horizontal motion-sensitive neurons in bee lobula 168:91 (Ibbotson MR)
– –, male-specific, in blowflies 169:379 (Strausfeld NJ); 169:395 (Gilbert C, Strausfeld NJ); 169:413 (Gronenberg W, Strausfeld NJ)
– –, motion processing in toad – 169:569 (Satou M, Shiraishi A)
– –, motion-sensitive neurons in butterfly – 169:355 (Ibbotson MR, et al)
– –, potassium channels in blowfly laminar cells 167:723 (Hardie RC, Weckström M)
– –, properties of monopolar cells in bee lamina 170:267 (Souza J de, et al)
– –, temporal adaptation of units in fly lamina 168:631 (Jansonius NM, Hateren JH van)
– –, temporal resolving power of fly – 168:129 (Straka H, Ammermüller J)
Visually controlled station-keeping by hovering guard bees 165:711 (Zeil J, Wittmann D)
– evoked escape response in housefly 169:451 (Holmqvist MH, Srinivasan MV)
– guided turning, control systems underlying fly – 161:777 (Egelhaaf M)
Visuo-spatial memories in honeybees 163:145 (Collett TS, Kelber A)
Vocal behavior, hormone-induced, in treefrog 170:73 (Penna M, et al)
Vocalization, see also calling, phonation, sound production, stridulation
– and audition in young horseshoe bats 167:771 (Rübsamen R, Schäfer M)
–, call-timing in frogs 164:309 (Moore SW, et al)
–, representation of vocal frequency in bat ACg 161:283 (Gooler DM, O'Neil WE)
–, respiratory dynamics in singing bird 165:15 (Schurr Hartley R, Suthers RA)
–, song memorization and reproduction in nightingales 165:197 (Hultsch H, Todt D)
–, stapedius muscle activity during chicken – 162:525 (Grassi S, et al)
Vole, see *Microtus*

W

Waggle-dance, magnetic resonance and misdirection in bee – 162:279 (Korall H, et al)
Walking, leg coordination in fly during – 167:403 (Strauß R, Heisenberg M)
– behavior, DUM neurons in cricket – 166:901 (Gras H, et al)
– leg, inhibitory innervation of lobster – 167:43 (Wiens TJ)
–, light-evoked, in crayfish 166:745 (Simon TW, Edwards DH)
–, reflex modulation in locust – 170:443 (Wolf H)
–, role of locust chordotonal organ in – 166:915 (Matheson T)
Warbler, see *Sylvia*
Watasenia, visual pigments 166:769 (Seidou M, et al)
Water detection by sand scorpion 170:623 (Gaffin DD, et al)
– insects, polarization vision 169:531 (Schwind R)
– movements, responses of a cephalopod to – 168:247 (Bleckmann H, et al)
– receptor, uncoupling of receptor sites in fly – 163:413 (Wieczorek H, et al)
Waterstrider, see *Gerris*
Wax secretion, role of queen in honeybee – 169:209 (Whiffler LA, Hepburn HR)
Whip spider, see *Heterophrynus*
White-eyed fly mutants, photoreceptor physiology in – 168:305 (Mojet MH, et al)
– – insects, spectral sensitivity 167:715 (Gribakin FG, Ukhanov KYu)
Wind-drift, visual detection by night-flying locusts 162:793 (Riley JR, et al)
Wind-orientation of walking carrion beetles 164:775 (Heinzel H-G, Böhm H); 169:671 (Böhm H, et al)
Wing hinge stretch receptor of locust 165:247 (Pfau HK, et al)
– reflexes in locusts 161:747 (Elson RC)
– sensory inputs, interneuronal processing of locust – 161:761 (Elson RC)

X

Xenopus, stopping response in embryos 170:171 (Boothby KM, Roberts A)

Z

Zebra finch, see *Taeniopygia*